432-1426 Please read instructions on reverse before completing form. 10/7/2005 Form Approved, OMB No. 2070-0060,

Registration
Amendmen
Osha-

		Inited States	_				Registra		OPP Identifier Number
<b>\$EPA</b>	Environmental			ncy			Amend	ment	
	vv as nii	ngton, DC 20	1460			$\checkmark$	Other		
		Applicati	on for F	Pesticid	e - Sect	ion	1		
1. Company/Product Number	ſ			2. EPA P	roduct Mana	ger		3. Pr	oposed Classification
432-1426			· .	Dan Ke	nny				None Restricted
4. Company/Product (Name) Allectus 0.18 GC Plus 1		cticide		PM# 1					
5. Name and Address of App		de)		_					FIFRA Section 3(c)(3)
Bayer Environmental					product is	s sim	ilar or ident	ical in co	mposition and labeling
95 Chestnut Ridge Ro Montvale, NJ 07645	ao			to: EPA Ri	eg. No				
<u> </u>	5						-		
Check if this	is a new address				t Name _				
			Sect	tion - II			<del></del>		<del></del>
Amendment - Explain	below.			1 1	•		s in repsons	e to	8100000
Resubmission in respo	onse to Agency letter	dated	•		Agency lette "Me Too" A				NOTIFICATION
✓ Notification - Explain t	helow.				Other - Expl	ain he	alow.		OCT 1 7 2005
Explanation: Use additions	al page(s) if necessary	y. (For section	on I and Sec	ction II.)					
- Add Marketing Claim This notification is consistent	with the provisions of D	D Notice 09 1	IO and EDA	rogulations	at 40 CER 1	150 46	and no other	- change	have been made to the
<ul> <li>labeling or the confidential sta</li> </ul>	stement of formula of th	is product. I u	inderstand th	nat it is a vi	olation of 18	U.S.C	C. Sec. 1001 (	to willfully r	nake any false statement to
EPA. I further understand that	at if this notification is no	ot consistent v	with the term	is of PR No	tice 98-10 a	nd 40	CFR 152.46,	this produ	ct may be in violation of
FIFRA and I may be subject to	o enforcement action at	na penalties u	inder Sectio	ns 12 and	14 OT FIFRA.				
			Sect	ion - III					
1. Material This Product Will	Be Packaged In:								
Child-Resistant Packaging	Unit Packaging		Water S	Soluble Pa	ckaging		2. Type of	Container	
Yes	Yes			Yes				Metal Plastic	
No	No No			No			] [	Glass	
* Certification must	lf "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package		No. per container			Paper Other (S	ipecify)
be submitted	1							J - 11.101 10	
3. Location of Net Contents In	nformation	4. Size(s) Re	tail Contain	er		5. Lo	cation of Lab	el Directio	ns
Label Co	ontainer						<u> </u>		· · · · · · · · · · · · · · · · · · ·
6. Manner in Which Label is A	Affixed to Product	Litho	graph glued siled		Other			<del></del>	·
		Stend		- 12.4					
				on - IV			<u> </u>		
1. Contact Point (Complete in	lems directly below fo	or identification	T	duel to be	contacted, n	nece	essary, to pro		
Name Norma C. Pangilinan			Title Manager	, Registra	tions			Telephone 919-549-2	No. (Include Area Code)
			·	, registia		_		313-343-2	
I certify that the statem	sents I have made on	Certifica		nante that	ato are tole	8001	rete end con	nnlete	6. Date Application Received
I acknowledge that any									(Stamped)
both under applicable la	1W.	· · · · · · · · · · · · · · · · · · ·				·			
2. Signature		į	3. Title						
Janai i			Manager,	Registratio	ns				
4. Typed Name		<u> </u>	5. Date						
Norma C. Pangilinan				Sept	ember 2	3, 20	005		



#### RESTRICTED USE PESTICIDE

**Due To Toxicity To Fish and Aquatic Organisms** 

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

# ALLECTUS 0.18™ GC PLUS TURF FERTILIZER Insecticide

For control of grubs	, treats up tosq. ft.	
For control of surface	ce feeders, treats up tosq. ft.	
For fertilization	and general insect control in turfgrass areas of golf courses	and sod farms
ACTIVE INGRE	DIENT:	
lmidacloprid*,	1-[(6-Chloro-3-pyridinyl)methyl]- <i>N</i> -nitro-2-imidazolidinimine	0.1%
Bifenthrin**		0.08%
OTHER INGRE	DIENTS:	<u>99.82%</u>
		100.00%
EPA Reg. No. 4	32-1426	EPA Est. No
	covered by one or more of the following patents: U.S. Patent No. 3,264,968. Other patents pending	os. 4,742,060,
**Cis isomers 97% min	••••	
Bifenthrin: U.S. Pater	• •	.****
	STOP - Read the label before use.  Keep out of reach of children.	• • • • • • • • • • • • • • • • • • • •
	CAUTION	
DO NOT USE THIS PRO	DUCT ON GOLF COURSES AND SOD FARMS IN NASSAU COUNTY OR SUFFOLK COUNT	Y, NEW YORK.
For <u>MED</u>	ICAL and TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-	800-334-7577
	For PRODUCT USE Information Call 1-800-331-2867	
	FIRST AID	
lf on skin	Take off contaminated clothing.	
	Rinse skin immediately with plenty of water for 15 to 20	minutes.
	Call a poison control center or doctor for treatment advice	ce.
If in eyes	Hold eye open and rinse slowly and gently with water for	r 15 to 20 minutes.
	<ul> <li>Remove contact lenses, if present, after the first 5 minuterinsing eye.</li> </ul>	tes, then continue

Note To Physician: No specific antidote is available. Treat the patient symptomatically.

Response Telephone No. 1-800-334-7577.

This product contains a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase absorption and so should be avoided.

Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. In case of emergency call toll free the Bayer Environmental Science Emergency

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing before reuse.

#### Personal Protective Equipment (PPE)

#### Applicators and other handlers must wear:

- Long sleeve shirt and pants
- · Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **User Safety Recommendation:**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Run-off may be hazardous to aquatic organisms in water adjacent to treated areas

This product contains a chemical with properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not formulate this product into other end-use products.



#### **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted –entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is

- Coveralls
- Waterproof gloves
- Shoes plus socks

#### NON-AGRICULTURAL USE REQUIREMENT

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If material is spilled for any reason or cause, carefully contain any spilled material to prevent non-target contamination. Do not walk through spilled material and dispose of as directed for pesticides above. Refer to Precautionary Statements on label for hazards associated with the handling of this material. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer Environmental Science Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Environmental Science Emergency Response Telephone No. is 1-800-334-7577 or contact Chemtrec at 800-424-9300.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty bag into application equipment. Dispose of empty bag in a sanitary landfill, by incineration, or if allowed by the state and local authorities, by burning. If burned, stay out of smoke.



## GENERAL INFORMATION APPLICATION TO TURFGRASS

The use of this product will provide plant nutrients as well as providing control of selected insect pests. ALLECTUS 0.18 GC Plus Turf Fertilizer can be used for the control of soil inhabiting pests of turfgrass, such as northern and southern masked chafers, *Cyclocephala borealis, C. immaculata*, and/or *C. lurida*; Asiatic garden beetle, *Maladera castanea*; black vine weevil, *Otiorhyncus sulcatus*, European chafer, *Rhizotroqus majalis*; green June beetle, *Cotinis nitida*; May or June beetles, *Phyllophaga* spp.; Japanese beetle, *Popillia japonica*; oriental beetle, *Anomala orientalis*;, *Euetheola humulis rugiceps*; billbugs, *Sphenophorus* spp.; annual bluegrass weevil, *Hyperodes* spp.; black turfgrass ataenius, *Ataenius spretulus*; *Aphodius* spp; European crane fly, *Tipula paludosa*; frit fly, *Oscinella frit*; chinch bugs, *Blissus* spp.; fire ants, *Solenopsis* spp.; cutworms, *Agrotis ipsilon*, *Peridroma saucia*, *Nephalodes menians*; armyworms, *Spodoptera* spp., *Pseudaletia* spp.; sod webworm, *Crambus* spp.; and mole crickets, *Scapteriscus* spp. ALLECTUS 0.18 GC Plus Turf Fertilizer can be used as directed on turfgrass on golf courses and sod farms.

The active ingredients ALLECTUS 0.18 GC Plus Turf Fertilizer have sufficient residual activity so that applications for control of subsurface feeders can be made preceding the egg laying activity. The need for an application for control of subsurface feeders can be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. Optimum control of subsurface feeders will be achieved when applications are made prior to egg hatch of the target pest, followed by sufficient irrigation or rainfall to move the active ingredient through the thatch.

The active ingredients in ALLECTUS 0.18 GC Plus Turf Fertilizer have sufficient knockdown and residual activity to provide curative and residual control of surface feeding pests. Applications for control of surface feeding pests can be made when infestations are anticipated based on historical monitoring of the site, previous records or experience, current season adult trapping or presence of insects at economic thresholds as determined by scouting and/or recommendations of local State extension personnel or other qualified specialists.

Applications should not be made when turfgrass areas are waterlogged or the soil is saturated with water. Adequate distribution of the active ingredient cannot be achieved when these conditions exist. The treated turf must be in such a condition that the rainfall or irrigation will penetrate vertically in the soil profile. Total amount applied cannot exceed a total of 500 lb (0.5 lb of imidacloprid, 0.4 lb of bifenthrin) per acre per year.

#### APPLICATION EQUIPMENT

Apply ALLECTUS 0.18 GC Plus Turf Fertilizer uniformly over the area being treated with normally used granular application equipment. Both drop-type and rotary-type spreaders may be used to apply ALLECTUS 0.18 GC Plus Turf Fertilizer. Avoid the use of spreaders that apply the material in narrow, concentrated bands. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly and accurately.

CROP	PE	DOSAGE ALLECTUS 0.18 GC		
Turfgrasses	Larvae of subsurface feeders: Asiatic garden beetle Black turfgrass ataenius Black vine weevil European chafer European crane fly	Green June beetle Japanese beetle Northern masked chafer Oriental beetle Phyllophaga spp. Southern masked chafer	200 to 250 lb per acre (4.6 to 5.7 lb per 1000 ft sq)	
	Adults and/or larvae of subsurface and surface feeding pests: Centipedes Fleas Millipedes Ticks	Imported fire ants <sup>1</sup> Mole crickets <sup>2</sup> Pillbugs <sup>3</sup> Sowbugs <sup>3</sup>	160 to 250 lb per acre (3.7 to 5.7 lb per 1000 ft sq) or for heavy infestations, a single annual application of 400 to 500 lb per acre (9.2 to 11.4 lb per 1000 sq ft)	
	Adults and/or larvae of surface feeders: Annual bluegrass weevil Billbugs Chinch bugs	Frit fly Leafhoppers Mealybugs Nuisance ants	160 to 250 lb per acre (3.7 to 5.7 lb per 1000 ft sq)	
	Larvae of surface feeders: Armyworm	Cutworm Sod webworms	100 to 250 lb per acre (2.3 to 5.7 lb per 1000 ft sq)	

Consult your local State Agricultural Experiment Station or State Extension Turf Specialists for more specific information regarding timing of application.

NOTE: For optimum control, irrigation or rainfall should occur within 24 hours after application to move the active ingredient through the thatch. Do not apply more than 500 lb product per acre (0.5 lb of imidacloprid active ingredient, 0.4 lb bifenthrin) per acre per year. Avoid mowing turf or lawn area until after irrigation or rainfall has occurred so that uniformity of application will not be affected.

In New York State, this product may NOT be applied to any grass or turf area within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of ALLECTUS 0.18 GC Plus Turf Fertilizer if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

<sup>1</sup>Imported Fire ants: ALLECTUS 0.18 GC Plus Turf Fertilizer may be applied as a broadcast treatment up to 11.4 lb. per 1000 sq. ft. and/or as a mound treatment by applying 1 cup of ALLECTUS 0.18 GC Plus Turf Fertilizer per mound and then drenching the mound with 1 to 2 gallons of water. The mounds should be treated with sufficient force to break their apex and allow the insecticide to flow into the ant tunnels.

2Mole crickets: For maximum effectiveness, apply ALLECTUS 0.18 GC Plus Turf Fertilizer as a broadcast treatment at 5.7 lb. per 1000 sq. ft. prior to or during the peak egg hatch period. For application when both adults and/or large nymphs are present and actively tunneling, irrigate prior to application if soil is dry and apply 5.7 lb. per 1000 sq. ft. Rainfall or additional irrigation within 24 hours after application will improve effectiveness of ALLECTUS 0.18 GC Plus Turf Fertilizer. For heavily infested mole cricket areas, use a single seasonal application rate of 400 to 500 lb per acre.

<sup>3</sup>Pillbugs and sowbugs: For heavy infestation use 500 lbs per acre (11.4 lbs per 1000 sq. ft.) of ALLECTUS 0.18 GC Plus Turf Fertilizer

#### Spreader settings for ALLECTUS 0.18 GC Plus Turf Fertilizer

The following chart can be used as a guide in establishing an accurate rate of ALLECTUS 0.18 GC Plus Turf Fertilizer. Application rates will vary depending upon speed, equipment wear and condition of spreader. Carefully calibrate application equipment prior to commercial use of this product.

SPREADER	SPEED	SETTINGS			
	(mph)	100 lb/A	250 lb/A		
Cyclone Way	3				
Earthway 2400 (no information available)					
Gandy Turf Tender 24" (no information available)	3				
Gandy Turf Tender 42" (no information available)	3				
Lely	4.5	<u> </u>			
Lesco Broadcast	3				
PSB Prizelawn CBR-III	3				
Scott's Proturf R-8A	3				
Scott's Proturf SR- 2000	3				
Scott's Handy Green (obsolete)	3				
Scott's Accupro	3				
Spyker	3				
Vicon Model 402	4.5				

#### RESTRICTIONS

Avoid runoff or puddling of irrigation water following application. Avoid application of ALLECTUS 0.18 GC Plus Turf Fertilizer to areas which are waterlogged or saturated, which will not allow penetration into the root zone of the plant. Do not apply more than 500 lb (0.5 lb of imidacloprid and 0.4 lb of bifenthrin) per acre per year.

Treated areas may be replanted with any crop specified on an imidacloprid and a bifenthrin label, or with any crop for which a tolerance exists for the two active ingredients.

For crops not listed on any imidacloprid and a bifenthrin label, or for crops for which no tolerances for the active ingredients have been established, a 12-month plant-back interval should be observed. Do not apply by air.

Not for use in nurseries or commercial greenhouses.

#### IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, because of manner of use and other factors beyond Bayer Environmental Science's control it is impossible for Bayer Environmental Science to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: BAYER ENVIRONMENTAL SCIENCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer Environmental Science is authorized to make any warranties beyond those contained here n or to modify the warranties contained herein. Bayer Environmental Science disclaims any liability whatsoever for special, incidental or consequential damages, resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER ENVIRONMENTAL SCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

This Product contains imidacloprid, and it is specially formulated and sold under license from Bayer only for the uses set forth on this label. This active ingredient contained in this product, formulations containing this active ingredient, and/or methods of making or using this active ingredient or its formulations may be the subject of one or more Bayer patents, including but not limited to U.S. Patent No. 4,742,060, 5,783,203 anc 6,264,968. The purchase and/or use of this product constitutes acceptance of a limited license to use this product only in strict accordance with the instructions set forth on this label. Any use of this product other than as expressly set forth on this label is prohibited and is not licensed through the purchase and/or use of this product and may result in the infringement of one or more Bayer patents and/or other intellectual property rights.

©Bayer AG, 2004

Bayer Environmental Science A Business Group of Bayer CropScience LP 2 T. W. Alexander Drive Research Triangle Park, NC 27709

EPA Approved 080205, submitted by Notification 09/29/05

### Bayer Environmental Science



Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
1801 Bell Street
Arlington, VA 22202

Attn: Ms. Sherida Hobgood

Subject:

**Label Notification - Marketing Claim** 

- Allectus 0.15 GC Plus Turf Fertilizer; EPA Reg. No. 432-1428
   Allectus 0.18 GC Plus Turf Fertilizer; EPA Reg. No. 432-1426
- Allectus 0.225 GC Plus Turf Fertilizer; EPA Reg. No. 432-1427

Dear Ms. Hobgood:

This notification is being submitted pursuant to PR Notice 98-10. The revision to the label includes addition of the Marketing Claim:

"For control of grubs, treats up to \_\_\_\_\_ sq. ft.
For control of surface feeders, treats up to \_\_\_\_ sq. ft."

The square footage will depend on the package size. To facilitate review, a label with highlighted changes is enclosed.

The following documents are enclosed in support of this notification:

- 1. Completed EPA Form 8570-1
- 2. Five copies of the revised product label plus one highlighted copy tracking revision to label

This notification is consistent with the provisions of PR Notice 98-10 and EPA Regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec.1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.

September 23, 2005

Bayer Environmental Science 2 T.W. Alexander Drive Research Triangle Park NC 27709

A Business Group of Bayer CropScience Page 2 of 2

Please do not hesitate to call (919-549-2428), fax (919-549-3937) or e-mail me (norma.pangilinan@bayercropscience.com), if you have any questions.

Thank you very much for your assistance in this mater.

Sincerely,

BAYER ENVIRONMENTAL SCIENCE A Business Group of Bayer CropScience

NORMA C. PANGILINAN, Ph.D.

Registrations Manager

cc: Reg. Book w/ attachments

K. Shearer

