432-1426

3-2-26



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ms. Norma C. Pangilinan Manager, Registration Bayer Environmental Science 2 T. W. Alexander Drive Research Triangle Park, NC 27709

MAE 2 2007

Re: Revise Patent Statement EPA Registration No.: 432-1426 Submission Dated: January 18, 2007

Dear Ms. Pangilinan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated January 18, 2007, for the product Allectus 0.18 GC Plus Turf Fertilizer Insecticide. The Registration Division (RD) has conducted a preliminary screen of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards, of my staff at 703-308-5479.

Sincerely. n

Linda Arrington Notifications & Minor Formulations Team Leader Registration Division (7505P) Office of Pesticide Programs

Please read instructions	on reverse before compl	eting form.	Form	Approve	d. OMB No. 20	70-0080	2. Approvel expires 2-28-		
\$EPA	Environmenta	United States al Protectio aington, DC 2040		<ul><li>✓</li></ul>	Registrati Amendme Other		OPP Identifier Number		
·		Applicatio	n for Pesticide - Se	ection	l	<u> </u>	<b>1</b>		
1. Company/Product Num 432-1426	nbər		2. EPA Product N Tom Harris	tanager		3. Pro	pposed Classification		
4. Company/Product (Nar Allectus 0.18 GC Plu		cticide	PM# 1			None Restricted			
5. Name and Address of Bayer Environment		ode)	(b)(i), my produ				FIFRA Section 3(c){3} mposition and labeling		
2 T. W. Alexander Research Triangle		to: EPA Reg. No							
Check if I	his is a new address		Product Name	8		=			
			Section - II				·····		
Amendment - Expl	ain below. sponse to Agency lette	r deted	Final priz Agency Me Too	letter da			CTIFICATION		
Notification - Expl			Other - f	• •	N	MAR 2 2007			
I. Material This Product \			ler Sections 12 and 14 of FIF Section - III						
Child-Resistant Packaging	<u> </u>		Water Soluble Packaging		2. Type of Co	ntainar			
Yes	Yes		Yes		vle-al				
No	No		No No	No			Plastic Glass		
Contribution number							Papar Other (Specify)		
3. Location of Net Contents Information 4. Size(s) Ret			Container 5. Location of L			apel Directions			
Label	Container is Affixed to Product	Lithogra	ph Ot ued	her					
	<u> </u>		Section - IV				·		
. Contact Point (Comple	te items directly below	for identification	of individual to be contacte	d, if ned	essary, to proce	ss this i	application.)		
ame Norma C. Pangilinan	itte Manager, Registrations	·····			Telephone No. (Include Area Code) 919-549-2428				
l certify that the sta i acknowledge that both under applicab	any knowlinglly false or	Certificati this form and a misleading state	มก il a.tacisments thereto are t ment may be punishable by	rue, acc / fine or	urate and compl imprisonment c	ete.	6. Date Application Received (Stamped)		
. Signaturo Aparile	Title Manager, Registrations								
. Typed Name Norma C. Pangilinan		Date January 18	January 18, 2006						

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

\$EPA		En	United States Environmental Protection Agency Washington, DC 20460			,		<ul><li>✓</li></ul>	<ul> <li>Registration</li> <li>Amendmend</li> <li>✓ Other</li> </ul>							
		_		Applicat	ion	for Pes	tici	de - Se	ction	1				-		
1. Company/Product 432-1426	Numbe	r				1		Product Ma arris	anagar				3. Pi	oposed (	Classifi	cation Restricted
. Company/Product Allectus 0.18 GC			Fertilizer Inse	cticide	РМ# 1						t <b>I</b>					
5. Neme and Address Bayer Environm 2 T. W. Alexand Research Triang	ental ler Dri gle Pa	Scie ive ark, N	ence	ode)		(b)( to: EP	i), m PAR	edited Re ay produc eg. No. ct Name	t is sin	nilar	or ide	ntical	in co	mpositi	on and	l labeling
						Section								-		
Notification - E Explanation: Use a Revise Patent State This notification is cor abeling or the confide EPA. I further unders FIFRA and I may be s	iddition ment isistent intial sta tand tha	at pag with th ateme	ge(s) if necessar ne provisions of f nt of formula of th is notification is n	PR Notice 98- his product. I u ot consistent t	10 and unders with th	I EPA regul tand that it e terms of f	ation is a v PR N	iolation of otice 98-10	R 152.4 18 U.S.	6, an C. Se	d no oth	to will	lfully r	nake any	faise st	tatement to
						Section	- []	<u> </u>								
. Material This Produ hild-Resistant Packa		r	Packaged In:	<u> </u>	v	/ater Solub	le Pe	akeaiaa		12	Турео	f Cont		·····		<u> </u>
Yes     Yes       No     If "Yes"       No     If "Yes"       No     If "Yes"       No     If "Yes"			 	Yes No If "Yes" No, per Package wgt container				Matal Plastic Glast Pape: Other (Specify)								
be submitted				etail Container 5. Location of Le			b. Directions									
Label Container   . Manner in Which Label is Affixed to Product Litho Pepe Sten				ogreph Other												
					S	ection	- IV	1	·							
. Contact Point (Con	nplete i	tems	directly below f	or identificati	on of	individual t	o be	contacted	, if nec	essa	ry, to p	roces.	s this	applicati	on.)	
Name Norma C. Pangilinan				Title Manager, Registrations					Telephone No. (Include Area Code) 919-549-2428							
l certify that the I acknowledge t both under appli	hat any	r knov			a ‼e b							-	0.	6. Date Rece (3	••	
. Signature Apazilina				3. Title f.lai.ager, Registrations												
. Typed Name Norma C. Pangilinan				5. Date January 18, 2006												

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

NCTIFICATION ///

MAR 2,2007

EPA Est. No.

#### RESTRICTED USE PESTICIDE

Due To Toxicity To Fish and Aquatic Organisms

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

# ALLECTUS<sup>™</sup> 0.18 GC PLUS TURF FERTILIZER Insecticide

For fertilization and general insect control in turfgrass areas of golf courses and sod farms

For control of grubs, treats up to \_\_\_\_\_ sq. ft.

For control of surface feeders, treats up to \_\_\_\_\_ sq. ft.

ACTIVE INGREDIENT:	
Imidacloprid*, 1-[(6-Chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine	0.1%
Bifenthrin**	0.08%
OTHER INGREDIENTS:	
	100.00%

## EPA Reg. No. 432-1426

\* This product is covered by the following patent: U.S. Patent No. 5,783,203.

\*\*Cis isomers 97% minimum, trans isomers 3% maximum.

Bifenthrin: U.S. Patent No. 4,238,505

DO NOT USE THIS PRODUCT ON GOLF COURSES AND SOD FARMS IN NASSAU COUNTY OR SUFFOLK COUNTY, NEW YORK.

Net Content/Net Weight 50 Lbs. (22.68 Kg.) [For control of grubs, treats up to 10,890 sq ft.

For control of surface feeders, treats up to 21,780 sq ft]

Net Content/Net Weight 20 Lbs. (9.07 Kg.) [For control of grubs, treats up to 4,356 sq. ft.

For control of surface feeders, treats up to 8,712 sq. ft.]

## STOP - Read the label before use.

## Keep out of reach of children.

## CAUTION

For <u>MEDICAL</u> and <u>TRANSPORTATION</u> Emergencies <u>ONLY</u> Call 24 Hours A Day 1-800-334-7577 For <u>PRODUCT USE</u> information Call 1-800-331-2867

FIRST AID					
If on skin	Take off contaminated clothing.				
	<ul> <li>Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> </ul>				
	Call a poison control center or doctor for treatment advice.				
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.</li> </ul>				
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.				
	Call a poison control center or doctor for treatment advice.				
	container or label with you when calling a poison control center or doctor or going for treatment. In case of I free the Bayer Environmental Science Emergency Response Telephone No. 1-800-334-7577.				
Note To Physicia	n: No specific antidote is available. Treat the patient symptomatically.				
This product conta absorption and so	ins a pyrethroid. If large amounts have been ingested, milk, cream and other digestible fats and oils may increase should be avoided				

## PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing before reuse.

#### Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long sleeve shirt and pants
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **User Safety Recommendation:**

Users should:

- · Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- · Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

## ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Run-off may be hazardous to aquatic organisms in water adjacent to treated areas

This product contains a chemical with properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### Do not formulate this product into other end-use products.

## AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted –entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is

- Coveralls
- Waterproof gloves
- Shoes plus socks

## NON-AGRICULTURAL USE REQUIREMENT

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If material is spilled for any reason or cause, carefully contain any spilled material to prevent non-target contamination. Do not walk through spilled material and dispose of as directed for pesticides above. Refer to Precautionary Statements on label for hazards associated with the handling of this material. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer Environmental Science Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Environmental Science Emergency Response Telephone No. is 1-800-334-7577 or contact Chemtrec at 800-424-9300.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty bag into application equipment. Dispose of empty bag in a sanitary landfill, by incineration, or if allowed by the state and local authorities, by burning. If burned, stay out of smoke.

## GENERAL INFORMATION APPLICATION TO TURFGRASS

The use of this product will provide plant nutrients as well as providing control of selected insect pests. ALLECTUS 0.18 GC Plus Turf Fertilizer can be used for the control of soil inhabiting pests of turfgrass, such as northern and southern masked chafers, *Cyclocephala borealis, C. immaculata,* and/or *C. lurida*; Asiatic garden beetle, *Maladera castanea*; black vine weevil, *Otiorhyncus sulcatus,* European chafer, *Rhizotroqus majalis*; green June beetle, *Cotinis nitida*; May or June beetles, *Phyllophaga* spp.; Japanese beetle, *Popillia japonica*; oriental beetle, *Anomala orientalis*;, *Euetheola humulis rugiceps*; billbugs, *Sphenophorus* spp.; annual bluegrass weevil, *Hyperodes* spp.; black turfgrass ataenius, *Ataenius spretulus*; *Aphodius* spp; European crane fly, *Tipula paludosa*; frit fly, *Oscinella frit*; chinch bugs, *Blissus* spp.; fire ants, *Solenopsis* spp.; cutworms, *Agrotis ipsilon, Peridroma saucia, Nephalodes menians*; armyworms, *Spodoptera* spp., *Pseudaletia* spp.; sod webworm, *Crambus* spp.; and mole crickets, *Scapteriscus* spp. ALLECTUS 0.18 GC Plus Turf Fertilizer can be used as directed on turfgrass on golf courses and sod farms.

The active ingredients ALLECTUS 0.18 GC Plus Turf Fertilizer have sufficient residual activity so that applications for control of subsurface feeders can be made preceding the egg laying activity. The need for an application for control of subsurface feeders can be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. Optimum control of subsurface feeders will be achieved when applications are made prior to egg hatch of the target pest, followed by sufficient irrigation or rainfall to move the active ingredient through the thatch.

The active ingredients in ALLECTUS 0.18 GC Plus Turf Fertilizer have sufficient knockdown and residual activity to provide curative and residual control of surface feeding pests. Applications for control of surface feeding pests can be made when infestations are anticipated based on historical monitoring of the site, previous records or experience, current season adult trapping or presence of insects at economic thresholds as determined by scouting and/or recommendations of local State extension personnel or other qualified specialists.

Applications should not be made when turfgrass areas are waterlogged or the soil is saturated with water. Adequate distribution of the active ingredient cannot be achieved when these conditions exist. The treated turf must be in such a condition that the rainfall or irrigation will penetrate vertically in the soil profile. Total amount applied cannot exceed a total of 500 lb (0.5 lb of imidacloprid, 0.4 lb of bifenthrin) per acre per year.

#### APPLICATION EQUIPMENT

Apply ALLECTUS 0.18 GC Plus Turf Fertilizer uniformly over the area being treated with normally used granular application equipment. Both drop-type and rotary-type spreaders may be used to apply ALLECTUS 0.18 GC Plus Turf Fertilizer. Avoid the use of spreaders that apply the material in narrow, concentrated bands. Calibrate application equipment prior to use according to the manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly and accurately.

RECOMMENDED APPLICATIONS (Be sure to read "APPLICATION EQUIPMENT" Section of this label) DOSAGE CROP ALLECTUS 0.18 GC PEST Turfgrasses Larvae of subsurface feeders: Green June beetle 200 to 250 lb per acre Asiatic garden beetle Japanese beetle Black turforass ataenius Northern masked chafer (4.6 to 5.7 lb per 1000 ft sg) Black vine weevil Oriental beetle European chafer Phyllophaga spp. European crane fly Southern masked chafer Adults and/or larvae of subsurface and surface 150 to 250 lb per acre feeding pests: (3.4 to 5.7 lb per 1000 ft sq) Centipedes Imported fire ants<sup>1</sup> ٥r Fleas Mole crickets<sup>2</sup> for heavy infestations, a single annual Millipedes application of 400 to 500 lb per acre (9.2 Pillbugs<sup>3</sup> to 11.4 lb per 1000 so ft) Ticks Sowbugs<sup>3</sup> Adults and/or larvae of surface feeders: 150 to 250 lb per acre Frit fly Annual bluegrass weevil Leafhoppers (3.4 to 5.7 lb per 1000 ft sq) Billbugs Mealybugs Chinch bugs Nuisance ants 100 to 250 lb per acre Larvae of surface feeders: Armyworm Cutworm (2.3 to 5.7 lb per 1000 ft sq) Sod webworms Consult your local State Agricultural Experiment Station or State Extension Turf Specialists for more specific information regarding timing of application. NOTE: For optimum control, irrigation or rainfall should occur within 24 hours after application to move the active ingredient through the thatch. Do not apply more than 500 lb product per acre (0.5 lb of imidacloprid active ingredient, 0.4 lb bifenthrin) per acre per year. Avoid mowing turf or lawn area until after irrigation or rainfall has occurred so that uniformity of application will not be affected.

In New York State, this product may NOT be applied to any grass or turf area within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of ALLECTUS 0.18 GC Plus Turf Fertilizer if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

<sup>1</sup>Imported Fire ants: ALLECTUS 0.18 GC Plus Turf Fertilizer may be applied as a broadcast treatment up to 11.4 lb. per 1000 sq. ft. and/or as a mound treatment by applying 1 cup of ALLECTUS 0.18 GC Plus Turf Fertilizer per mound and then drenching the mound with 1 to 2 gallons of water. The mounds should be treated with sufficient force to break their apex and allow the insecticide to flow into the ant tunnels.

2Mole crickets: For maximum effectiveness, apply ALLECTUS 0.18 GC Plus Turf Fertilizer as a broadcast treatment at 5.7 lb. per 1000 sq. ft. prior to or during the peak egg hatch period. For application when both adults and/or large nymphs are present and actively tunneling, irrigate prior to application if soil is dry and apply 5.7 lb. per 1000 sq. ft. Rainfall or additional irrigation within 24 hours after application will improve effectiveness of ALLECTUS 0.18 GC Plus Turf Fertilizer. For heavily infested mole cricket areas, use a single seasonal application rate of 400 to 500 lb per acre.

<sup>3</sup>Pillbugs and sowbugs: For heavy infestation use 500 lbs per acre (11.4 lbs per 1000 sq. ft.) of ALLECTUS 0.18 GC Plus Turf Fertilizer

#### Spreader settings for ALLECTUS 0.18 GC Plus Turf Fertilizer

The following chart can be used as a guide in establishing an accurate rate of ALLECTUS 0.18 GC Plus Turf Fertilizer. Application rates will vary depending upon speed, equipment wear and condition of spreader. Carefully calibrate application equipment prior to commercial use of this product.

SPREADER	SPEED	SETTINGS					
	(mph)	100 lb/A	250 lb/A				
Cyclone Way	3						
Earthway 2400 (no information available)							
Gandy Turf Tender 24" (no information available)	3						
Gandy Turf Tender 42" (no information available)	3						
Lely	4.5						
Lesco Broadcast	3						
PSB Prizelawn CBR-III	3						
Scott's Proturf R-8A	3						
Scott's Proturf SR-2000	3						
Scott's Handy Green (obsolete)	3						
Scott's Accupro	3						
Spyker	3						
Vicon Model 402	4.5						

#### RESTRICTIONS

Avoid runoff or puddling of irrigation water following application. Avoid application of ALLECTUS 0.18 GC Plus Turf Fertilizer to areas which are waterlogged or saturated, which will not allow penetration into the root zone of the plant. Do not apply more than 500 lb (0.5 lb of imidacloprid and 0.4 lb of bifenthrin) per acre per year.

Treated areas may be replanted with any crop specified on an imidacloprid and a bifenthrin label, or with any crop for which a tolerance exists for the two active ingredients.

For crops not listed on any imidacloprid and a bifenthrin label, or for crops for which no tolerances for the active ingredients have been established, a 12-month plant-back interval should be observed.

Do not apply by air.

Not for use in nurseries or commercial greenhouses.



## **IMPORTANT: READ BEFORE USE**

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product.

If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, because of manner of use and other factors beyond Bayer Environmental Science's control it is impossible for Bayer Environmental Science to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: BAYER ENVIRONMENTAL SCIENCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer Environmental Science is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Bayer Environmental Science disclaims any liability whatsoever for special, incidental or consequential damages, resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER ENVIRONMENTAL SCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

This Product contains imidacloprid, and it is specially formulated and sold under license from Bayer only for the uses set forth on this label. This active ingredient contained in this product, formulations containing this active ingredient, and/or methods of making or using this active ingredient or its formulations may be the subject of one or more Bayer patents, including but not limited to U.S. Patent No. 5,783,203. The purchase and/or use of this product constitutes acceptance of a limited license to use this product only in strict accordance with the instructions set forth on this label. Any use of this product other than as expressly set forth on this label is prohibited and is not licensed through the purchase and/or use of this product and may result in the infringement of one or more Bayer patents and/or other intellectual property rights.



## A Business Group of Bayer CropScience LP 2 T. W. Alexander Drive Research Triangle Park, NC 27709

Allectus 0.18 G Plus Turf Fertilizer (MASTER) Approved 08/02/05, Notification 09/14/05, Notification 09/29/05 Notification 10/28/05, Notification 12/08/05, Notification 01/19/06



Document Processing Desk (NOTIF) EPA - Office of Pesticide Programs (7504P) One Potomac Yard, Room S-4900 2777 S. Crystal Drive Arlington, VA 22202

Attn: Ms. Sherida Hobgood

#### Subject: Label Notification - Revise Patent Statement

- Allectus 0.225 G Plus Turf Fertilizer Insecticide; EPA Reg. No. 432-1417
- Allectus 0.225 GC Plus Turf Fertilizer Insecticide; EPA Reg. No. 432-1427
- Allectus 0.15 G Plus Turf Fertilizer Insecticide; EPA Reg. No. 432-1419
- Allectus 0.15 GC Plus Turf Fertilizer Insecticide; EPA Reg. No. 432-1428
- Allectus 0.18 G Plus Turf Fertilizer Insecticide; EPA Reg. No. 432-1418
- Allectus 0.18 GC Plus Turf Fertilizer Insecticide; EPA Reg. No. 432-1426 (containing the active ingredients: imidacloprid and bifenthrin)

January 18, 2007

Bayer Environmental Science SA 2 T.W. Alexander Drive Research Triangle Park, NC 27709

Phone: 919 549 2000

Dear Ms. Hobgood:

This notification is being submitted pursuant to PR Notice 98-10. The changes to the label of the above listed products involves revision of Patent Statement

The following documents are enclosed in support of this notification:

- 1. Completed EPA Form 8570-1
- 2. Five copies of the revised product label

This notification is consistent with the provisions of PR Notice 98-10 and EPA Regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec.1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under Section 12 and 14 of FIFRA.



Page 2 of 2

Please do not hesitate to call (919-549-2428), fax (919-549-3937) or email me (norma.pangilinan@bayercropscience.com), if you have any questions.

Thank you very much for your assistance in this mater.

Sincerely,

BAYER ENVIRONMENTAL SCIENCE A Business Group of Bayer CropScience

nglina

NORMA C. PANGILINAN, Ph.D, Registrations Manager

> n Britania – Urand Her gentre an Bana