

432-1460

12-4-2006

1/12



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (7505P)  
Ariel Rios Building  
1200 Pennsylvania Ave., NW  
Washington, D.C. 20460

EPA Reg. Number:  
432-1460

Date of Issuance:  
DEC - 4 2006

NOTICE OF PESTICIDE:

Registration  
 Reregistration  
(under FIFRA, as amended)

Term of Issuance: conditional

Name of Pesticide Product:  
Maxforce FC Roach Killer Bait  
Gel F.05

Name and Address of Registrant (include ZIP Code):

Mr. Jan Brill  
Bayer Environmental Science  
2 T.W. Alexander Drive  
Raleigh, NC 27709

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby conditionally registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) and (B) provided that:

1. You submit the data listed below:

Guideline	Title	Due Date
830.6317	Storage Stability	One year from date of this registration notice
830.6320	Corrosion Characteristics	One year from date of this registration notice

2. The product is sold in package sizes whose total net weight does not exceed 1.2 oz., as stated in the application form dated 12 July 2006. Any change to a larger package size must be submitted as an amendment and child resistant packaging may be required.

Signature of Approving Official:

Date:

*Ann Schold*

DEC - 4 2006

for Richard Gebken  
Product Manager 10  
Insecticide Branch  
Registration Division (7505P)

3. You make the following label changes:
  - a. Change the EPA Reg. No. to 432-1460.
  - b. On page 3, revise the heading "Restrictions" to read "Use Restrictions". Move the statement "Keep gel away from foods and food contact surfaces" from the Precaution Statements to the "Use Restrictions" section.
  - c. Revise the last sentence of the Precautionary Statements to read as follows:  
Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.
  - d. On page 2 and the unit label, revise the Disposal Statements in accordance with PR Notice 2001-6.
  - e. Delete the following consumer claim which detracts from the precautionary statements:  
Can be applied out of reach of children and pets.
  - f. Revise the following comparative claim regarding resistance in accordance with PR Notice 2001-5 or delete it:  
Kills roaches resistant to other insecticides.
  - g. Delete the following comparative claims or limit the comparisons to your own products:  
Now works even faster -or- better on large roaches.  
Contains Fipronil, a faster-acting active ingredient that provides control of German roach populations in 2 days.
  - h. On page 3, revise the first sentence under the heading "Kills Roaches in their harborage" to read as follows:  
*Inject bait into cracks and crevices or apply as a spot where roaches harbor or enter a structure.*
  - i. On page 3, delete the second sentence under the heading "Kills Roaches in their harborage" as it is vague and may lead to misuse.
  - j. On page 3, revise the second sentence of the directions for use to make it mandatory, not advisory, as follows:  
"Use Maxforce FC Roach Killer Bait Gel F.05 as a spot or crack and crevice treatment..."
  - k. On page 3, revise the third sentence of the directions for use to delete the following phrase "are areas such as".

- l. Add to the Use Restrictions on page 3 the following:  
In pet shops and zoos place bait out of reach of pets and zoo animals.
- m. In the directions for indoor use, in the first sentence include a reference to the application rate table and revise the second sentence to make it mandatory, not advisory, as follows:  
Inject bait as a bead into cracks and crevices or apply as a spot.
- n. In the directions for indoor use and use in food handling establishments, delete "areas of movement" as this is vague and may result in misapplication.
- o. Delete the directions for use in tubes and non drinking straws as these are attractive nuisances, and straws are associated with food.
- p. In the section on food handling establishments, include a subheading entitled "Use Restrictions" and place under it those statements that are restrictive and prohibitive.
- q. In the section on food handling establishments, delete the references to "spot" and "spots," as spot treatments are not permitted in food handling establishments.
- r. As this product is similar to Maxforce RBF, revise the directions for use in refillable stations so that the maximum application rate proportionate to the maximum in Maxforce RBF5, at 1/5 of a teaspoon.
- s. In the section on refillable stations, replace "target pests" with "cockroaches".
- t. Delete the disposal instructions from directions for changing reservoirs and refer the user to the disposal instructions elsewhere on the label.
- u. In the directions use with a syringe, revise the directions for use on surfaces to clarify that use is limited to crack and crevice or spot treatments.
- v. In the directions for use with a syringe, include a reference to the application rate table.
- w. On page 6, in accordance with recently issued Agency guidance, revise the first sentence in the section entitled "Conditions" to read as follows:  
The directions for use of this product are believed to be adequate and must be followed carefully.

4/12

- x. On page 6, in accordance with recently issued Agency guidance, revise the appropriate sentences in the section entitled "Disclaimer of Warranties" to read as follows:  
To the extent consistent with applicable law, Bayer Cropscience LP makes no other warranties...
- y. On page 6, in accordance with recently issued Agency guidance, revise the appropriate sentences in the section entitled "Limitation of Liabilities" to read as follows:  
To the extent consistent with applicable law, Bayer Cropscience LP disclaims any liability...
- z. On the unit label, the statement "May stain textiles, fabrics and or porous surfaces" must be repeated under the heading "Directions for Use" on page 3.

The confidential statement of formula dated 5/24/06 is acceptable, and a copy has been placed in the electronic file for this registration.

Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

5/12



Bayer Environmental Science

# Maxforce FC Roach Killer Bait Gel F.05

## FOR USE IN COMMERCIAL, INDUSTRIAL AND RESIDENTIAL AREAS

**ACTIVE INGREDIENT:**

Fipronil\*: [5-Amino-1-(2, 6-dichloro-4-trifluoromethyl) phenyl)-4-(1, R, S)-(trifluoromethyl) sulfinyl)-1H-pyrazole-3-carbonitrile].....0.05%

**OTHER INGREDIENTS:**.....99.95%

**Total:**.....100.00%

\*CAS NO. 120068-37-3

Contains: 1 plastic reservoir -OR- 1 pre-filled plastic dispenser

EPA Reg. No. 432-XXXX

EPA Est. No.

### STOP - Read the label before use.

### Keep out of reach of children.

## CAUTION

Product may stain textiles and clothing.

<b>FIRST AID</b>	
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-334-7577 for emergency medical treatment information.</p>	

**ACCEPTED  
with COMMENTS  
In EPA Letter Dated:**

DEC - 4 2006

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

432-1460

6/12

**PRECAUTIONARY STATEMENTS:  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Keep gel away from foods and food contact surfaces. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling.

**PHYSICAL AND CHEMICAL HAZARDS:** Do not use this product in or on electrical equipment where a possibility of shock hazard exists.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a cool, dry area out of reach of children.

**DISPOSAL:** If Empty: Securely wrap used pre-filled plastic dispenser[s] -or- reservoir[s] -or-syringe[s] in several layers of newspaper and discard in trash. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

If you have questions regarding the use of this product, please call 1-800-331-2867.

**CRACKS & CREVICES CLAIMS:**

For crack and crevice cockroach control  
Use in cracks and crevices  
Use in cracks and crevices against roaches

**CONTINUOUS ACTION CLAIMS:**

Kills Roaches and Keeps on Killing  
Long lasting control

**DUAL KILL CLAIMS:**

Dual -or- Double killing action -or- formula\*  
Kills [cockroaches in 2 ways] by ingestion and contact  
Kills roaches through -or- by ingestion -or- contact  
Kills two ways\*

**GUARANTEES:**

Guaranteed to kill roaches  
Guaranteed to work (or your money back)  
Satisfaction Guaranteed

**FORMULA CLAIMS:**

Faster acting formula\*\*  
Patented [action] formula -or- ingredient

**LARGE ROACHES† ONLY CLAIMS:**

Effective on -or- kills large [American] roaches† and Palmetto bugs  
Kills and -or- controls American roaches and Palmetto Bugs  
Starts killing large roaches† in 1-2 days

**NO MESS CLAIMS:**

Easy to use [apply]; nothing to activate  
No messy residue  
No vapor, fumes or odor

**OTHER CONSUMER CLAIMS:**

Can be applied out of reach of children and pets  
Controls German roaches  
Designed -or- ideal for use in kitchens‡  
Easy to use [apply]  
Effectively kills without a trace - - no fumes or odor  
For indoor and outdoor (adjacent to home -or- structure) use§ [cockroach control]  
Kills roaches resistant to other insecticides  
Kills roaches where you can't find them  
Kills roaches you don't see  
Kills roaches you see and [even] those you don't for complete protection  
Works inside and outside (adjacent to home -or- structure)  
Kills -or- destroys the egg machine

**OTHER FORMULA CLAIMS:**

7/12

Quick kill formula  
Fast action formula  
Special Patented (action) formula -or- ingredient

**PROPHYLACTIC CLAIMS:**

Use outdoors§ to prevent large roaches† from coming indoors

**SPEED OF KILL CLAIMS:**

Fast acting ingredient  
Fast acting -or- action ingredient -or- formula  
Gain control of your large roach† problem 2 times faster than before\*\*  
Gain control of your small roach problem 4 times faster than before\*\*  
Kills German roaches (2-10 times) faster than before\*\*  
Kills roaches faster\*\*  
Kills roaches quickly  
Kills quickly and keeps on killing  
Now works even faster -or- better on large roaches†  
Now works in [1-2] days on large roaches†  
Overnight results -or- action -or- kill  
Roach control in 2 days (German)  
Roach control in 8 days (American)  
See results sooner\*\*  
See visible results overnight  
Starts killing within a day  
Starts killing roaches in hours -or- overnight  
Starts killing [roaches] overnight and keeps on killing  
Starts working in hours

• ingestion -or- contact  
\*\* vs. MAXFORCE Hydramethylnon product  
† American, Oriental, Brown, Smokey Brown  
‡ not to be used on surfaces where food is handled or prepared  
§ in cracks or crevices adjacent to home -or- structure

**Provides FAST CONTROL in 2 days (German roaches).** Contains Fipronil, a faster-acting active ingredient that provides control of German roach populations in 2 days.

**Dual Action kills roaches two ways.**

Contains Fipronil, which kills roaches by ingestion and contact. During-or- After foraging roaches either eat or contact the bait, they return to the harborage and contaminate -or- kill other roaches.

**Kills roaches in their harborage.**

This gel product can be injected [applied] as a spot or as a crack and crevice application, near places where roaches harbor or enter a structure. This gel product [also] allows you to place bait in a wide variety of locations in and adjacent to structures, so that more roaches find and eat the bait, and die.

**This product effectively controls large roaches†.**

This product contains Fipronil, a fast-acting active ingredient that kills American roaches. This product controls large [American] roach† populations in 8 days.

**DIRECTIONS FOR USE**

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.**

MAXFORCE® FC ROACH KILLER BAIT GEL F.05 may be used as a spot or crack and crevice treatment for the indoor and outdoor (adjacent to homes & structures) control of cockroaches in residential areas and the non-food/non-feed areas of institutional, warehousing and commercial establishments, including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, bakeries, beverage plants, breweries, bottling facilities, candy plants, canneries, cereal processing and manufacturing plants, dairies and dairy product processing plants, frozen food plants, schools, laboratories, computer facilities, sewers, "aircraft," buses, boats/ships, trains, homes, houses, industrial buildings, office buildings, kennels, kitchens, manufacturing facilities, spice plants, stores, wineries and similar structures, mausoleums, meat processing and packaging plants, meat and vegetable canneries, pet shops and zoos. Non-food/non-feed areas include bedrooms, living rooms, bathrooms, closets, media rooms, are areas such as garbage rooms, lavatories, entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). This product may also be used in food/feed areas of food/feed handling establishments as outlined below.

**RESTRICTIONS**

Do not treat food preparation surfaces. Do not apply bait gel to areas which have been recently sprayed with insecticide, and do not

8/12

spray insecticide over gel as it may cause the bait to become repellent.  
USE ONLY IN AREAS NOT EASILY ACCESSIBLE TO CHILDREN AND PETS.

**GENERAL DIRECTIONS**

**INDOOR USE:**

**For roach gel:** Application rate is dependent on level of infestation and species to be controlled. Bait can be applied as spots or as a bead in cracks and crevices. The lower application rate should be used for low to moderate infestations or re-treatments, and the higher rate for more severe infestations or where the population occurs in inaccessible areas. Gel placements should be at or near harborages or aggregation areas, such as corners, areas of movement or cracks and crevices. Numerous smaller placements will provide faster control than fewer larger spots, especially for German cockroach control.

Gel is designed to retain moisture and remain attractive to pests for extended periods of time. To extend gel moisture and protect gel from dust in hot, dry conditions, gel may be placed in tubes (approximately 1/2 inch) or non drinking straws that protect the gel from contaminants and reduce moisture loss. Place up to 0.5 grams of gel into the small tubes. Affix tubes to surfaces using adhesive tape where necessary.

Place bait under baseboards, sinks, countertops, seats, around water pipes, water heaters, dishwasher equipment, in crack and crevices as well as voids where insects harbor.

**Applications in Food/Feed Handling Establishments:** Application within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only. If gel contacts an exposed surface where food is handled, remove gel and wash exposed surface with an effective cleaning compound followed by a potable water rinse prior to use. Apply with Maxforce Bait Injector directly into cracks and crevices. Place applicator tip 1/2 inch into cracks, crevices, holes and other small openings where roaches may be a problem. Apply small amounts of gel per spot. Do not apply bait to areas where food/feed, utensils or processing surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation and prepared food holding surfaces as bait may be removed by washing. Do not apply bait to surfaces where the temperature exceeds 130°F as bait may run. Examples include, but are not limited to, portions of stoves, ovens, grills, fume hoods, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers and hot water pipes. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface.

Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation. Apply bait in small amounts between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, behind and under refrigerators, cabinets, sinks, closets, stoves and other equipment where cockroaches hide. During follow-up visits inspect bait placements and reapply when necessary.

**Application of this product in food/feed areas of food/feed handling establishments other than as a crack and crevice treatment is not permitted.**

Gel placements should be at or near harborages or aggregation areas, such as corners, areas of movement or cracks and crevices. Numerous smaller placements will provide faster control than fewer larger spots, especially for German cockroach control.

**For outdoor use** (adjacent to home -or- structure): Place bait in areas adjacent to structures where [large] roaches may nest or breed. Apply bait to potential points of insect entry, such as eaves, sills, and expansion joints.

Apply bait in protected areas whenever possible. Environmental stresses such as direct sunlight and water will reduce the residual effectiveness.

Priority treatment areas may be identified by visual inspection of such areas listed above or aided by trapping techniques or spot flushing.

**Refillable stations:** This product may be used in the Maxforce Refillable Bait Station or B&G Perimeter Patrol Station. Refillable stations should be placed every 20 to 30 feet around the perimeter of a structure. Use approximately 2 stations per side of a typical single family home. The quantity of MAXFORCE® FC ROACH KILLER BAIT GEL F.05 bait added to the bait station will vary depending on the severity of infestations, see the application rate table. Do not exceed 2-4 spots per station (3"-6" bead).

For best results, place stations near: air conditioning units, water faucets, foundation vents and weep holes, decks, utility entryways (e.g. electrical, cable TV) and wherever target pests are frequently found.

Regularly inspect all stations and replace bait as needed for continual control.

Position Refillable Bait Stations adjacent to structure in areas where they will not be damaged by lawn equipment such as mowers and trimmers. When placing the station in turf remove sod layer and place station base plate against the soil.

Applicator should not exceed one teaspoon of gel in refillable bait stations.

If the station is not equipped with a sticker to identify the contents, apply a sticker to the inside of the station.



9/12

**Directions for loading reservoirs and operation:**

1. With the [teeth of] -or- [arrow on] the drive rod facing up, pull the drive rod all the way back. If the drive rod is initially hard to move, simply un-screw (turn counter-clockwise) the black portion of the applicator that holds the gel reservoir until the drive rod moves easily.
2. Attach a pre-filled reservoir of gel with a twist-locking motion. Remove the outlet cap and attach a dispensing tip. Break-tip Reservoir: Prior to use, break the snip-tip closed end of the gel reservoir at the scored line. After use, the reservoir may be resealed with the enclosed black outlet cap. The black outlet cap is reusable.
3. Turn the knob of the drive rod so that the teeth are facing down and move it slightly forward so that the trigger mechanism will engage. Squeeze the trigger until the drive plunger seats against the piston in the gel reservoir. Gently squeeze the trigger until the gel flows out.
4. If gel continues to flow after the trigger is released, simply un-screw the portion of the bait applicator that holds the reservoir to a point where gel does not continue to flow after the trigger is released.

**Directions for changing reservoirs:** With the arrow on the drive rod pointing up, pull the drive rod out as far as it will go. Remove the empty reservoir, wrap, and place in trash can. Reservoirs that still contain gel can be sealed with the end cap and outlet cap for future use. To attach a new reservoir follow the above directions.

-or-

**For syringe**

**To apply gel:** Remove the cap on the nozzle, touch the tip to surface, and depress the plunger. The bait will adhere to non-greasy or non-dusty surfaces and will remain pliable and palatable to cockroaches as long as it is visibly present. Reapply when bait is no longer visibly present, according to the remaining level of infestation, which is generally at a lower rate than the initial treatment. A visual inspection of bait placement is recommended at one month after the initial treatment. Reapplication should occur if the bait is visibly depleted.

Pest population reduction will be apparent with 2 -or- 3 days for German roaches and 8 days for American roaches.

SPECIES/LEVEL OF INFESTATION	APPLICATION RATE (PER SQ. YD.)
MODERATE INFESTATIONS OR RE-TREATS FOR GERMAN OR BROWN-BANDED ROACHES	1-2 SPOTS (DIME SIZED) OR 1 1/2" - 3" BEAD
SEVERE OR HEAVY INFESTATIONS FOR GERMAN OR BROWN-BANDED ROACHES;	2-4 SPOTS (QUARTER SIZED) OR 3' -6" BEAD
LARGE ROACHES SUCH AS AMERICAN, SMOKEY-BROWN OR ORIENTAL:	RECOMMENDED SPOT SIZE 1/3" - 1/2"

**Most important locations:**

Behind appliances, along baseboards, under appliances and under sink.

10/12

**IMPORTANT: READ BEFORE USE**

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience LP. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** BAYER CROPSCIENCE LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Bayer CropScience LP disclaims any liability whatsoever for special, incidental or consequential damages, resulting from the use or handling of this product.

**LIMITATIONS OF LIABILITY:** TO THE EXTENT ALLOWED BY LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE LP'S ELECTION, THE REPLACEMENT OF PRODUCT.

©2006 BayerCropScience LP

**NET CONTENTS:**

Produced for



Bayer Environmental Science

Bayer Environmental Science  
A Business Group of Bayer CropScience LP  
P.O. Box 12014, 2 T. W. Alexander Drive  
Research Triangle Park, North Carolina 27709  
[www.bayerprocentral.com](http://www.bayerprocentral.com)

MAXFORCE® FC ROACH KILLER BAIT GEL F.05 (PENDING) SUBMITTED 06/19/06, Resubmitted 07/12/06.

11/12

### Refillable Bait Station Sticker

**CAUTION: CONTAINS PESTICIDES.**  
DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THIS STATION OR ITS CONTENTS.  
VOID EYE AND SKIN CONTACT.

This station contains the following Maxforce® products:

· Maxforce® Professional Insect Control® Granular Insect Bait
Active Ingredient: Hydramethylnon (1.0%), EPA Reg. No. 432-1255
· Maxforce® Professional Insect Control® Fine Granule Insect Bait
Active Ingredient: Hydramethylnon (1.0%), EPA Reg. No. 432-1262
· Maxforce® Professional Insect Control® Roach Killer Bait Gel
Active Ingredient: Hydramethylnon (2.15%), EPA Reg. No. 432-1254
· Maxforce® FC Roach Killer Bait Gel F.05
Active Ingredient: Fipronil (0.05%), EPA Reg. No. 432-XXXX
· RBF5
Active Ingredient: Fipronil (0.01%), EPA Reg. No. 432-1259

For more information call 1-800-331-2867.

Bayer Environmental Science, A Business Group of Bayer CropScience LP,  
PO Box 12014, 2 T. W. Alexander Drive  
Research Triangle Park, NC 27709

Served By				
Date				
Product Code				
Lotter				

12/12

UNIT LABEL FOR Maxforce FC Roach Killer Bait Gel F.05

**Maxforce FC Roach Killer Bait Gel F.05**

Note: Do not remove this label. Use only in areas not easily accessible to children and pets.

ACTIVE INGREDIENT: Fipronil†.....0.05%

OTHER INGREDIENTS:.....99.95%

†CAS NO.120068-37-3

KEEP OUT OF REACH OF CHILDREN AND PETS

**CAUTION:**

Keep gel away from foods and food contact surfaces. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling.

**CONTAINER DISPOSAL:** Securely wrap used pre-filled plastic dispenser[s] –or- reservoir[s] –or- syringe[s] in several layers of newspaper and discard in trash. For questions or comments about this product, call toll free 1-800-331-2867

Bayer Environmental Science  
A Business Group of Bayer CropScience LP  
2 T.W. Alexander Drive  
Research Triangle Park, NC 27709

EPA Reg. No. 432-XXXX  
EPA Est No.

NET WT.

May stain textiles, fabrics and/or porous surfaces.

SEE OUTER CARTON FOR COMPLETE DIRECTIONS AND PRECAUTIONS