UNITED STA

132-1816

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

08/18/2011

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. Richard M. Gorrell Bayer CropScience 2 T.W. Alexander Drive Research Triangle Park, NC 27709

AUG 18 2011

Subject: Supplemental Label: For additional directions for use on non-residential turf sites Product Name: Esplanade 200 SC EPA Reg. No. : 432-1516 Application Dated: June 13, 2011

Dear Mr. Gorrell:

The supplemental labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable.

Within eighteen (18) months of the date of this letter, you must incorporate this supplemental labeling into the main product labeling. A stamped copy of your label is enclosed for your records.

If you have any questions concerning this decision, please contact Beth Benbow at (703) 347-8072 or benbow.bethany@epa.gov.

14

Sincerely,

Kable Bo Davis Product Manager 25 Herbicide Branch Registration Division (7505P)



A Division of Bayer CropScience LP P.O. Box 12014, 2 T. W. Alexander Drive Research Triangle Park, North Carolina 27709 Esplanade 200 SC EPA Reg. No. 432-1516

For Non-residential, Non-crop Use Sites

Expires: September 10, 2014

18

Under the Federal Insecticide

Funglaide, and Rodenticide A au amended, for the postfolde

AUG

registored under SPA Reg. No. 4 2011

Supplemental Label

Esplanade 200 SC

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read this label and the product package label before using this product. This Supplemental Label must be in possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the registered product label for Esplanade 200 SC.

Uses Sites for Esplanade 200 SC	Rate Range (fl oz/A)	Maximum Single Use Rate (fl oz/A)	Maximum Total Yearly Rate (fl oz/A)
Rail and Rail Yards	3.5*-7	7	10
Managed Roadsides	3.5-7	. 7	10
Warm Season Turf Release	3.5-5	5	10
All other use sites	3.5-7	7	10

*In Rail and Rail yard use sites, the 3.5 oz rate of Esplanade 200 SC should only be applied under low weed pressure in combination with another approved herbicide. This rate is not intended for stand-alone treatments

Weeds Controlled or Suppressed by Esplanade 200SC		
Broadleaf Weeds Controlled		
Yellow starthistle	Centaurea solstitialis	
Grasses and Sedges Controlled		
Annual.bromegrass	Bromus spp.	
Medusahead	Taeniatherum caput-medusae	

Warm Season Turf Release

06/06/11

Esplanade 200 SC may be used to promote the growth of warm season grasses in areas where low maintenance vegetation or erosion control is desired. Established bermudagrass (*Cynodon dactylon*), centipedegrass (*Eremochloa ophiuroides*), bahiagrass (*Paspalum notatum*), buffalograss (*Buchloe dactyloides*) and Zoysiagrass (*Zoysia spp.*) are tolerant to Esplanade 200 SC at rates up to 5 fl oz per acre. Application of Esplanade 200 SC in the spring or fall to these grasses will control labeled weeds and allow low maintenance turf to develop. A repeat application can be made but not to exceed a total amount of 10 fl oz per acre per year. Cool season grasses such as Kentucky bluegrass (*Poa pratensis*), perennial ryegrass (*Lolium perenne*), and fescues (Festuca sp) are not tolerant to Esplanade 200 SC. Use Esplanade 200 SC on these grasses only when removal of these grasses is desired.

Esplanade 200 SC can inhibit the emergence of seed and damage newly emerged seedlings. Seeding into turf treated with Esplanade 200 SC should be delayed until at least **8 months** after application. Applications to newly seeded turf made sooner than **8 months** after emergence may significantly reduce stand establishment and turf vigor.

NON AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Keep unprotected persons out of the treated areas until sprays have dried.

This supplemental label expires on September 10, 2014 and must not be used or distributed after this date

For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-33