UNITED STATES	U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA Reg. Number:	Date of Issuance:
AGENCY'	Office of Pesticide Programs Registration Division (7505C) 1200 Pennsylvania Ave., N.W.	432-1531	MAR 1 1 201
AL PROTES	Washington, D.C. 20460		1
	NOTICE OF PESTICIDE: _X_Registration		6
	Reregistration	Conditional	•
(under FIFRA, as amended)		Name of Pesticide Proc	luct:
		BES0600 Insect	icide
Name and Address of Re	gistrant (include ZIP Code):		6
Bayer CropSciend	e LP		•
BCS-NA-RA			
Research Triangle	e Park, NC 27709		

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/registration review of your product under FIFRA when the EPA requires all registrants of similar products to submit such data. You must comply with DCI ID# GDCI 044309-1185 issued on 3/13/13. If you have questions about the Generic DCI issued, you may contact Russel Wasem from the Pesticide Re-evaluation Division.
- 2. Submit 2 copies of your final printed label before release for shipment.
- 3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
- 4. For future submissions, make the following changes to your Confidential Statement of Formulation (EPA Form 8570-4):
  - a. Box 4: Revise the EPA Reg. No. so it reads, "EPA Reg. No. 432-1531."
- 5. Make the following label changes before you release the product for shipment:
  - a. Revise the EPA Registration Number to read, "EPA Reg. No 432-1531."

continued on page 2

		/6
Signature of Approving Official?	Date:	
VIUUL COL Venus Eagle, Product Manager 01	MAR 17,2014	
Insecticide-Rodenticide Branch, Registration Division (7505P)		

21.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. The basic Confidential Statement of Formula (CSF) dated March 20, 2013 is acceptable. If you have any questions, please contact Marianne Lewis at 703-308-8043 or lewis.marianne@epa.gov.

Venus Eagle Product Manager, 01 Insecticide-Rodenticide Branch Registration Division (7505P)

Enclosure

ccepted

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

# BES0600 Insecticidee March 432-1531

 [ABN: Maxforce Agile; Maxforce Agile Cockroach Bait Gel; Maxforce Versa;

 Maxforce Versa Cockroach Bait Gel; Maxforce Epic; Maxforce Epic

 Cockroach Bait Gel; Maxforce Impact Roach Gel Bait]

 [Blatella germanica Image]

 Editorial Note – [Bracketed text] is optional language

 ACTIVE INGREDIENT:

 Clothianidin.

 OTHER INGREDIENTS:

 TOTAL:

EPA Reg. No. 432-XXXX

EPA Est. No:

# STOP - READ THE LABEL BEFORE USE. KEEP OUT OF REACH OF CHILDREN

[NOTE: NO SIGNAL WORD is required for this product.]

## For PRODUCT USE Information Call 1-800-331-2867

# PRECAUTIONARY STATEMENTS

## **PHYSICAL & CHEMICAL HAZARDS**

Do not use this product in or on electrical equipment where a possibility of shock hazard exists.

# **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use this product for the control of cockroaches in areas where they are a problem: residences and institutional, warehousing and commercial establishments, including food service, food manufacturing and food processing facilities, stores, hospitals, schools, daycare centers, nursing homes, health care facilities, laboratories, computer and electronic equipment facilities, pet shops, zoos (indoor and / or crack and crevice treatment only), basements, buses, boats, trains, aircraft and sub-surface utility systems (steam / electric / gas / data tunnels, drainage systems and sanitary sewers) that are not storm or runoff drainage systems. May be used in both indoor and outdoor (adjacent to structures) environments.

### **USE DIRECTIONS**

Place bait into crack and crevices or openings leading into voids, or make spot applications near harborages, aggregation, foraging / feeding areas.

Examples of locations for bait placement include: between different elements of construction; the hollow spaces in floors, walls, ceilings, or in equipment legs and bases; cracks and crevices around pipes, doors or windows, refrigerators, stoves, water heaters, dishwashers, and other equipment; behind or under baseboards, cupboards, cabinets, countertops, sinks; and, wherever cockroaches may be found hiding.

Numerous smaller placements will provide faster control than fewer larger spots, especially for German cockroach control.

<u>Application rates for all cockroaches</u>: Application rate is dependent on level of infestation and species to be controlled. Apply gel as round spots or thin beads into cracks and crevices or as a spot treatment.

- For use in maintenance programs where regular [monthly, quarterly] applications are made for continuous control of cockroach populations, use 0.75 grams of bait per square yard.
- For light to moderate infestations (or for retreatments), use up to 1.5 grams of bait per square yard.

• To clean out severe or heavy infestations, use up to 3.0 grams of bait per square yard.

# BAIT QUANTITY REFERENCE TABLE

Í	•	Approximate weight
	·	per spot diameter
• 0.1 gram = Pea size s		0.1 gram = Pea size spot
		1.0 gram = Dime size spot
	7	1.5 gram = Quarter size spot

Approximate weight
per bead lerigth
0.25 gram = 1.5 inch bead
0.5 gram = 3.0 inch bead
1.0gram = 6 inch bead

# APPLICATIONS IN FOOD/FEED HANDLING ESTABLISHMENTS

Application within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only. Care should be taken to avoid depositing gel onto exposed surfaces; if gel contacts an exposed surface where food is handled, remove gel and wash exposed surface followed by a potable water rinse.

Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation. Application of this product in food/feed areas of food/feed handling establishments other than as a crack and crevice treatment is not permitted.

## FOR OUTDOOR USE (adjacent to home or structure)

Inject bait into crack and crevices or expansion joints around windows and doors, porches, screens, eaves, sills, patios, garages, under stairways and other areas adjacent to structures where cockroaches may find harborage.

#### **USE RESTRICTIONS**

- Keep gel away from foods and food contact or preparation surfaces.
- Do not apply to areas where food/feed, utensils or processing surfaces may become contaminated.
- USE ONLY IN AREAS NOT EASILY ACCESSIBLE TO CHILDREN, PETS, AND OTHER NON-TARGET
   ORGANISMS.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area out of reach of children.

**PESTICIDE DISPOSAL:** If Empty: Do not reuse container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

If you have questions regarding the use of this product, please call 1-800-331-2867.

3

# IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at direc.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Plant injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control Bayer CropScience LP. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP, MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, Bayer CropScience LP disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE LP'S ELECTION, THE REPLACEMENT OF PRODUCT.

Net Contents: Various (25 - 70 grams)

PRODUCED FOR

Bayer Environmental Science

Bayer Environmental Science A Division of Bayer CropScience LP PO Box 12014, 2 T.W. Alexander Drive Research Triangle Park, NC 27709

BES0600 Insecticide (PENDING) 05/06/2013, 03/06/2014, 03/10/2014

#### MARKETING CLAIMS:

• 0 1

• Does not contain milk, eggs, fish, crustacean shellfish, tree nuts, peanuts, wheat or soybeans.

- Contains none of the major food allergens
- Contains none of the Big 8 food allergens.
- No vapor, fumes or odor
- No messy residue
- A clean, white bait that is less visible in many locations
- For use in commercial, industrial and residential areas
- Ideal for use in sensitive accounts and areas
- For indoor and outdoor use
- · German cockroaches are knocked down within 6 to 8 hours of eating the bait
- American cockroaches begin dying within 1 to 2 days of eating the bait
- German cockroach control is visible overnight
- Pest population reduction begins within 1 to 2 days for German cockroaches and within 1 week for American cockroaches.

4

- After cockroaches eat the bait, they return to the harborage and contaminate or kill other cockroaches.
- Kills roaches you don't see
- Kills cockroaches in their harborage.
- This product effectively controls large cockroaches<sup>†</sup>.
- This product controls large cockroach† populations in 14 days at the higher listed rate.

† American, Oriental, Brown, Smoky Brown