

LABEL Net Wt. - 50 lbs.

# SIANDARD'S BEEF MINERAL PRE-MIX $(\frac{1}{2}X)$ MEDICATED

# WORMS

When continuously fed aids in the p	prevention of stomach worms, hookworms	r
and nodular worms.	~~~~	
_		

FLIES

When continuously fed aids in the prevention of the breeding or horn flies and face flies in the manure of treated cattle.

# FOOT ROT

When continuously fed aids in the prevention of foot rot and soft tissue lumpy jaw.

### ACTIVE INGREDIENT

Phenothiazine	11.75%
Biologically Assayed	·
INERT* INGREDIENTS	88.25%
TOTAL	100.00%
ACTIVE DRUG INGREDIENT	

(71 milligrams per oz.)

\* Refers only to ingredients which are neither insecticides nor drugs.

# **GUARANTEED ANALYSIS**

Calcium (Ca) — not less than	956
Calcium (Ca) not more than	1150
Phosphorus (P) — not less than	T (**)

# INGREDIENTS

Dicalcium Presidente, Calcium Carbonate, Iron Oxide, Sechean Meal, Linseed Joa Genace Meal, Whent McEllings, Cane Molasses and Anna Of The Jone Diamine 2 Unleface a Tetraacetate by lex 1 with a mixture of the following Ferrous Sulfate, Manganese Sultate Zene Sultate, C. Balt Sultate, C. pr. r. Sultate, Sodium Gluconate, S. dumi Citrate, Givene Terme I. et so and Fumaric Acid.

# **CAUTION: KEEP OUT OF REACH OF CHILDREN**

Do n	ot feed	to lactati	ng (	dairy	animal	<b>S</b> .		
Feed	only as	directed	on	label	inside	bag.		
-			- •				_	

Occasional sensitivity to Phenothiazine has been reported in cattle.

MIXING AND FEEDING DIRECTIONS ON REVERSE SIDE



STANDARD'S USDA Reg. No. QUALITY PRE-MIXES

STANDARD CHEMICAL MFG. CO. BOX 3844, 701 SO. 42ND ST., OMAHA, NEERASKA 68103 SINCE 1886

You may mix Standard's Beef Mineral Medicated, undiluted with feeds and supplements at the rate to which will supply 34 oz. daily for a 1000 lb. animal. The following may be used as a guide. Additional salt and vitamins should be supplied as required

halunal

If consumption is excessive, add salt to reduce intake. If consumption is below the recommended level, ground grains, protein supplement or dried molasses should be added to increase consumption.

Do not feed to lactating dairy animals. Feed only as directed on label inside bag. Occasional sensitivity to Phenothiazine has been reported in cattle.

# FEEDING DIRECTIONS

# MIX WITH SALT

Mix Standard's Beef Mineral Premix Medicated with salt, equal parts by weight and feed at the daily rate of .15 oz. per 100 lb. of body weight. The following may be used as a guide.

Wt. of Animal	Daily Requirements
500 lbs.	3/4 72.
750 lbs.	$1 - \frac{1}{2}$ oz.
1000 lbs.	$1 \cdot \frac{1}{2}$ oz.
	•• • • • • • • • • • • • • • • • • • • •

When feeding the above mixture, all additional salt and mineral should be removed.

# MIXING WITH SALT AND VITAMINS

Standard's Beef Mineral Premix Medicated may be mixed with vitamin products in addition to salt as follows:

# SUPER NUTRO or FEEDING COMPOUND

<sup>1</sup>/<sub>3</sub> part Beef Mineral Premix Medicated

1/3 part Super Nutro Complex or Vitamin Feeding Compound

 $\frac{1}{3}$  part salt

1000 lb. animal should consume .225 oz. per 100 lbs. body weight or  $2\frac{1}{4}$  oz. per day.

#### **BO-VITA**

1/4 part Beef Mineral Premix Medicated

1/4 part salt

1/2 part Bo-Vita

1000 lb. animal should consume 3 oz. per day.

### MIXING WITH FEEDS AND SUPPLEMENTS

Daily Feed Consumption 10 lbs. 15 lbs. 20 lbs. Daily Supplement Consumption	Beef Mineral Premix Med. Added per Ton 9-2/5 lbs. 7 lbs. 4-7/10 lbs.
Daily Supplement Consumption 1 lb. 1 <sup>-1</sup> / <sub>2</sub> lbs. 2 lbs.	Beef Mineral Premix Med. Added per Ton 94 lbc. 70 lbs. 47 lbs.
	• • • •

# **CAUTION: KEEP OUT OF REACH OF CHILDREN**

STANDARD CHEMICAL MEG. CO. BOX 3844, 701 SO. 42ND ST. OMAHA, NEBRASKA 68103 SINCE 1886