

[438-29]

Vermonox Liquid Insecticide is recommended for use in RESTAURANTS, BAKERIES, HOMES, PACKING PLANTS, HOTELS, MOTELS, INSTITUTIONS, DAIRIES, HOSPITALS AND FOOD PROCESSING. USE ACCORDING TO DIRECTIONS.

DIRECTIONS


Use a good, clean insecticide sprayer designed for the specific application. Using a HAND SPRAYER, ATOMIZER, or ELECTRIC SPRAYER set to discharge a fine mist. Close area to be treated, spray upward into the air, then keep room closed at least 10 to 15 minutes, preferably 1 hour. Then ventilate the area. NOTE: WHEN USING TO SPRAY OR FOG IN FOOD PROCESSING AREAS, SPRAYING MUST BE DONE WHEN PLANT IS NOT IN OPERATION. FOOD, MILK, AND FOOD HANDLING EQUIPMENT MUST NOT BE EXPOSED TO THE INSECTICIDE.

FOR CONTROL OF FLIES, MOSQUITOS, GNATS, WASPS, FLYING MOTHS AND CERTAIN OTHER SMALL FLYING INSECTS, discharge spray mist into corners, under furniture, and upward in center of rooms. Use 1 1/2 fluid ounces per 1,000 cubic foot of space. Keep room closed 10-15 minutes.

FOR CONTROL OF ROACHES, SILVERFISH, WATERBUGS, CRICKETS, ANTS, SPIDERS, TICKS, FLEAS, and CERTAIN OTHER SMALL INSECTS, VERMONOX should be sprayed at the rate of 3 fluid ounces per 1,000 cubic foot of space. Apply directly to infested areas and surfaces, to all cracks, crevices, under cabinets, sinks, around drains, sills, and other openings where insects crawl, nest, or breed. Repeat weekly, or as needed to maintain control.

TO KILL ANTS, spray along ant trail, into nests, around porches, building supports, foundation, and sills. Repeat as necessary.

TO KILL MOTHS, brush and air garments. Spray closet walls and floor. Spray clothing completely under lapels,


 U.S.D.A. REG. NO.
 438-29

VERMONOX

LIQUID INSECTICIDE

NON-RESIDUAL - NON-STAINING
- KILLS -

ANTS - FLIES - MOSQUITOES - FLEAS - TICKS
MITES - SPIDERS - BEDBUGS - MOTHS - WATER
BUGS - SILVERFISH - ROACHES - CRICKETS
WASPS AND CERTAIN OTHER SMALL FLYING AND
CRAWLING INSECTS

ACTIVE INGREDIENTS	PERCENT BY WGT.
N-octyl bicycloheptene dicarboximide	0.5%
Piperonyl butoxide, Technical*	0.3%
Pyrethrins	0.3%
Petroleum Distillate, Deodorized	98.9%
Total	100.0%
*24 (Butylcarbityl) (6-propylpiperonyl) ether and other related compounds.	

CAUTION DO NOT TAKE INTERNALLY!
KEEP OUT OF THE REACH OF
CHILDREN. SEE SIDE PANEL FOR ADDED PRE CAUTION

ACCEPTED

APR 21 1971

UNDER THE FEDERAL INSECTICIDE ACT
FURNISHED AND PACKAGED BY THE
FOR ECONOMIC PEASONS REE-STEP
ED UNDER NO. 100-100000-100000
TO ATTACHEE (C) 100-100000-100000

pleats, and seams. Keep spray nozzle 12 inches away from garments or surfaces to prevent wetting. Repeat in 30 days if necessary.

TO KILL BEDBUGS, spray sheets, blankets, and pillows. Spray both sides of mattress liberally, especially around tufts and seams. Dismantle bed, spray joints, cracks, etc. Spray rails, baseboards, and sills to room.

TO KILL FLEAS AND TICKS ON CATS AND DOGS, spray lightly onto tips of animals hair, or gently apply with a cloth, rubbing against the grain of the hair. Thoroughly spray kennel floors, and floor coverings, and sleeping quarters of pets while unoccupied.

CAUTION

CAUTION: Avoid direct spraying of foodstuffs, dishes, and cooking utensils. Do not use on humans or plants. When spraying keep spray nozzle about 3 feet from interior walls, fabrics and furniture. Do not use in heat type box or smoke generators, as excessive heat may destroy effectiveness of the insecticide. Do not spray directly on hot metal.

DO NOT REMAIN IN TREATED AREAS
AND VENTILATE AREA AFTER TREAT-
MENT IS COMPLETED.

NET CONTENTS: 1 U. S. GALLON

STATE CHEMICAL COMPANY
Amarillo, Texas 79105