DIRECTIONS

SURE DEATH BRAND RAT AND MOUSE KILLER is to be placed in a protected spot where the rats and mice ordinarily feed and water, or where they travel or live. Baits It ald be , laced along walls and in corners rather than in the middle of the room.

Bait should be placed in locations not accessible to children, pets, and domestic animals, or in tamper-proof bait boxes.


For RATS use one or two bait placements (1/4 to 1 pound each at every point of large activity . . . look for such tell tale signs as gnawings, tracks or trails, burrows, droppings or damage. An uninterrupted supply of bait should be maintained for at least 10 days.


For MICE a large number of bait placements in tablespoon amounts (14 to 12 ounce) of bait should be placed at 8 - 12 foot intervals. An uninterrupted supply of bait should be maintained for at least 15 days.

KEEF FEEDING STATIONS WELL SUPPLIED.

Inspect and replenish each station daily for the first week and regularly thereafter until bait is no longer being taken. Never allow a teeding station to remain empty for over 48 hours. If some bait stations are unt uched, move to a different location. If baits become sour or moldy as might be the case during extended periods of hot humid weathers or otherwise decomposed, replace with fresh brit as needed.

Where it infestation from dumps and fields may wigur, permanent SURE DEATH BRAND RAT AND MOUSE KILLER stations should be set out and replanished as needed





PROVEN! ECONOMICAL! EFFECTIVE!

A NEW CHEMICAL FOR EFFECTIVE RODENT CONTROL

FOR EFFECTIVE RODENT CONTROL

TORATH READINE PAT AND MADICE MILLER

SURE DEATH BRAND RAT AND MOUSE KILLER contains an anti-coagulant chemical. Its remarkable killing power depends on its being consumed regularly in small doses, for a period of days—usually 5 to 14.

SURE DEATH BRAND RAT AND MOUSE KILLER has unusual properties which make this technique practical: No bait shyness — Odorless and tasteless — No pre-baiting — Inexpensive and easy to use — No tolerance buildup — Slow but sure.

CAUTION

If swallowed by humans, domestic animals, or pets, this material may reduce clotting ability of the blood and cause bleeding. In such case, intravenous and oral administration of Vitamin K combined with blood transfusions may be indicated, as in the case of hemorrhage caused by overdose of bishydroxycourmarin.

NOTICE: Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

ACT VE ENGREDH NESS 2-En 20-En 20-E

Manufactured by

WOODBURY CHEMICAL COMPANY
of Joseph, Mo., Denver, C. lo.; Orlando, Fla.; Lubback T. .

U S D A Rcg. No 442 34

Contents 3 Pound

· **f**, ,