

DIRECTIONS

MAY BE APPLIED BY AIRPLANE,
GROUND RIGS OR HAND DISPENSERS.

For control of mixed brush, brush mix
this product with 2,4-D at the following
rates (to 100 gallons water):

2,4-D 2,4,5-T
2.64 lbs. (40%) Ester 4 pts. 2 1/2 pts.
3.34 lbs. Ester 3 pts. 2 1/2 pts.
4.00 lbs. Ester 2 1/2 pts. 2 1/2 pts.
and apply to foliage covering the brushy
(50-100 gallons of solution per acre, de-
pending on density of brush). Apply at
full leaf.

As a basal spray (at any time of year),
mix this product with 2,4-D at the follow-
ing rates (to 100 gallons of):

2,4-D 2,4,5-T
2.64 lbs. (40%) Ester 4 gal. 2 1/2 gal.
3.34 lbs. Ester 3 gal. 2 1/2 gal.
4.00 lbs. Ester 2 1/2 gal. 2 1/2 gal.
and apply around plants from ground
line up 18 in. high with the brush. To
make a mixture of only 3 gal., multiply
active rates in gallons by 4 to get amounts
necessary in ounces.

Do not graze dairy animals on treated
areas within 6 weeks after application. Do
not graze meat animals on treated areas
within 2 weeks of slaughter.

Observe all caution and limitations on
labeling of all products used in mixtures.

Stump Treatment: Same as basal rates.
Best applied to freshly cut stumps.

4,5-T may be used alone for Brambles,
Hawthorn, Oage, Orange, Blackhaw, or
Pole Oak. Perennial or Wild Rose. At
the following rates: Full Size Sprays: 5 1/2
gal. per 100 gal. water. Do not use more
than 120 gal. of finished mixture per acre
on mature land. Basal Spray for Stump
Treatment: 3 3/4 gal. per 100 gal. of water
or 15 oz. to 3 gal. of water.

Techne

No. 4 LOW VOLATILE 2,4,5-T

4 POUNDS PER GALLON

For Control of Many Woody Plants

ACTIVE INGREDIENTS:

Isopropyl 2,4,5-T 65%
INERT INGREDIENTS 35%

100%

*Equivalent to 4 lbs. of 2,4,5-T in herbicidal
acid per gallon

*Equivalent to 4 1/2 lbs. of 2,4,5-T in herbicidal
acid per gallon

PTED

GENERAL INSECTICIDE
HERBICIDE ACT
POISON REGISTER

CONTROLS

For control of mixed brush, brush mix
this product with 2,4-D at the following
rates (to 100 gallons water):
2,4-D 2,4,5-T
2.64 lbs. (40%) Ester 4 pts. 2 1/2 pts.
3.34 lbs. Ester 3 pts. 2 1/2 pts.
4.00 lbs. Ester 2 1/2 pts. 2 1/2 pts.
and apply to foliage covering the brushy
(50-100 gallons of solution per acre, de-
pending on density of brush). Apply at
full leaf.

CAUTION

HARMFUL IF SWALLOWED

Avoid contact with skin. Wash hands
thoroughly after use. Avoid spray drift to
crops, ornamentals, and other desirable
plants. Do not use in areas where
livestock are present. Do not use in
areas where children play. Do not use
in areas where food is stored. Do not
use in areas where food is prepared.
Do not use in areas where food is
consumed. Do not use in areas where
food is stored. Do not use in areas
where food is prepared. Do not use
in areas where food is consumed.

Vapors from this product may be
harmful to sensitive plants. Do not use
in areas where sensitive plants are
present.

Do not contaminate water by use of
this product. Do not use in areas
where water is used for drinking or
other purposes. Do not use in areas
where water is used for irrigation.

This product is a herbicide. It is
not a fertilizer. Do not use in areas
where it is not needed. Do not use
in areas where it is not needed. Do
not use in areas where it is not
needed. Do not use in areas where
it is not needed. Do not use in
areas where it is not needed.

Do not use in areas where it is
not needed. Do not use in areas
where it is not needed. Do not use
in areas where it is not needed.

Do not use in areas where it is
not needed. Do not use in areas
where it is not needed. Do not use
in areas where it is not needed.

TECHNE CORPORATION

EPA Reg. No. 449-127

CAUTION

KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL
CAUTION LABELING