

Woodbury's

WOODBURY
CHEMICAL COMPANY

For the Control of many hard to kill broad-leaved weeds.



WEEDS SUSCEPTIBLE TO LAWN WEED KILLER

Chickweed
Plantains
Black Medic
Cats-ear
Cinquefoils
Dandelion
Vervains
Oxalis
Dichondra
Ground Ivy
Indian Mallow

Self-heal
Shepherds-purse
Henbit
Sheep-Sorrel
Lespedeza
Moneywort
Mustards
Penny Grass
Puncture Vine
Spotted Spurge
Pennywort

Lawn Weed Killer contains Silvex for the control of many resistant weeds such as common and mouse ear chickweed. Apply any time when weeds are growing actively, especially in the spring and fall when soil moisture content is high. Spray when grass and weed foliage is dry. Sprayed weeds usually will curl and then slowly die. Re-spray if new weeds develop later.

Manufactured For
WOODBURY CHEMICAL COMPANY
Division of Techne Corp.
ST. JOSEPH, MO. 64502; DENVER, COLO.



CAUTION
KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY LABELING

DIRECTIONS FOR USE

Dilute Lawn Weed Killer at the rate of 2 tablespoons (1 fluid ounce) to 1 gallon of water. Apply diluted mixture with a compressed air sprayer at the rate of 1 gallon to approximately 350 square feet of lawn spray. Apply as a coarse spray and hold nozzle near the ground to minimize drift onto desirable plants. Wet weed leaves thoroughly but avoid runoff.

CAUTION: Vapors from this product may cause injury to susceptible plants growing nearby. Avoid spray drifts to susceptible plants as this material will injure tomatoes, beans, flowers, shrubs, trees and other desirable plantings. Use only when there is no hazard from drift. Coarse sprays are less likely to drift. Minute quantities of the spray may cause injury during the growing and dormant periods. Certain grasses such as St. Augustine, centipede and grass substitutes such as dichondra are sensitive to this material and should not be treated. The sprayer used for this material should not be used for other purposes.

CAUTION: Harmful if swallowed. Avoid contact with the skin, eyes or clothing. Do not store near fertilizers, seed, insecticides or fungicides. Do not contaminate water used for irrigation or domestic purposes. Do not apply to newly seeded lawns and do not reseed treated areas for at least four weeks after treatment.

Do not reuse container. Crush and bury in a safe place.

NOTICE: Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

EPA Reg. No. 449-176

For the Control of many hard to kill broad-leaved weeds.


WEEDS SUSCEPTIBLE TO LAWN WEED KILLER

- | | |
|---------------|-----------------|
| Chickweed | Self heal |
| Plantain | Shepherds-purse |
| Black Medic | Henbit |
| Cats-ear | Sheep-Sorrel |
| Cinquefoils | Lespedeza |
| Dandelion | Moneywort |
| Vervans | Mustards |
| Oxalis | Penny Grass |
| Dichondra | Puncture Vine |
| Ground Ivy | Spotted Spurge |
| Indian Mallow | Pennywort |

Lawn Weed Killer contains Silves for the control of many resistant weeds such as common and mouse ear chickweed. Apply any time when weeds are growing actively, especially in the spring and fall when soil moisture content is high. Spray when grass and weed foliage is dry. Sprayed weeds usually will curl and then slowly die. Respray if new weeds develop later.

Manufactured by
WOODBURY CHEMICAL COMPANY
Division of Techna Corp.
ST JOSEPH, MO 64502 DENVER, COLO

ACCEPTED
7-18-72
499-176



CAUTION
KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY LABELING

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY LABELING

DIRECTIONS FOR USE

Dilute Lawn Weed Killer at the rate of 1 fluid ounce to 1 gallon of water. Apply as a coarse spray and hold nozzle close to foliage to minimize drift onto desirable plants. Apply thoroughly but avoid runoff.

CAUTION: Vapors from this product may be harmful to susceptible plants growing nearby. Do not use on lawns containing susceptible plants as this material may cause injury during the growing season. Minute quantities of this material should not be used for other purposes.

CAUTION: Harmful if swallowed or inhaled. Do not use on lawns containing susceptible plants as this material may cause injury during the growing season. Minute quantities of this material should not be used for other purposes.

Do not reuse container. Crush and dispose of contents.

NOTICE: Buyer should read and understand the entire label before using this product.

EPA Reg. No. 447-176

Woodbury's



CONTAINS SILVER AND LEAD
LAWN WEED KILLER

CAUTION
KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY LABELING

many hard to kill broad-leaved weeds.

SUSCEPTIBLE TO LAWN WEED KILLER

- Self-heal
- Shepherd's-purse
- Hopbit
- Sheep-Sorrel
- Lespedeza
- Moneywort
- Mustards
- Penny Cress
- Functure Vine
- Spotted Spurge
- Pennywort

contains Silver for the control of weeds such as common and mouse ear any time when weeds are growing actively. Spring and fall when soil moisture content in grass and weed foliage is dry. Sprayed grass and weed foliage is dry. Sprayed weeds curl and then slowly die. Re-spray if necessary.

Manufactured by
WILSON CHEMICAL COMPANY
Division of Techna Corp
DENVER, MO 64502; DENVER, COLO

ACCEPTED
7-18-72
499-176

DIRECTIONS FOR USE

Dilute Lawn Weed Killer at the rate of 2 tablespoons (1 fluid ounce) to 1 gallon of water. Apply diluted mixture with a compressed air sprayer at the rate of 1 gallon to approximately 350 square feet of lawn spray. Apply as a coarse spray and hold nozzle near the ground to minimize drift onto desirable plants. Wet weed leaves thoroughly but avoid runoff.

CAUTION: Vapors from this product may cause injury to susceptible plants growing nearby. Avoid spray drifts to susceptible plants as this material will injure tomatoes, beans, flowers, shrubs, trees and other desirable plantings. Use only when there is no hazard from drift. Coarse sprays are less likely to drift. Minute quantities of the spray may cause injury during the growing and dormant periods. Certain grasses such as St. Augustine, centipede and grass substitutes such as dichondra are sensitive to this material and should not be treated. The sprayer used for this material should not be used for other purposes.

CAUTION: Harmful if swallowed. Avoid contact with the skin, eyes or clothing. Do not store near fertilizers, seed, insecticides or fungicides. Do not contaminate water used for irrigation or domestic purposes. Do not apply to newly seeded lawns and do not reseed treated areas for at least four weeks after treatment.

Do not reuse container. Crush and bury in a safe place.

NOTICE: This product contains lead. Lead is a known neurotoxin that can cause brain damage and other serious health effects. Avoid breathing dust or fumes from this product. Wash hands thoroughly after use.

EPA Reg. No. 447-176

WILSON CHEMICAL COMPANY