


CONTENTS

ONE POUND

# LAWN WEED GRANULES



**ACTIVE INGREDIENTS:**

Isooctyl (2-Ethylhexyl) ester\* of  
2,4-Dichlorophenoxyacetic acid----- 30.12%

**INERT INGREDIENTS:----- 69.88%**

**TOTAL-----100.00%**

\*Equivalent to 20% 2,4-dichloro-  
phenoxyacetic acid.

## CAUTION KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR REQUIRED PRECAUTIONS

### ● DIRECTIONS

2,4-D LAWN WEED GRANULES are designed to aid in the control of many broadleaf plants.

To control broad leaved weeds such as chickweeds, dandelions, plantain, ivy, pennywort, bitterweeds and dog fennel, in lawns and parkways (sodded with grass). Apply 1 pound to 4,000 to 6,000 square feet. Use shaker top of this container as sprinkler.

Application should be made when weeds are in fast growing stage in early spring.

Do not reuse container. Destroy when empty.

### WARNING

Avoid contact with skin, eyes and clothing. In case of skin contact wash thoroughly with soap and warm water. Flush eyes with clear water and obtain prompt medical attention. Avoid application to susceptible plants since this product may injure cotton, beans, peas, ornamentals, etc. Do not store near fertilizers, seeds, insecticides or fungicides. Avoid contamination of waters intended for irrigation or domestic uses. Do not use more than recommended amount. Do not apply within 3 feet of shrubs or flowers.

254 4



Do not apply to newly seeded areas. Vapors from this product may injure susceptible plants in the immediate vicinity. May cause injury to bent grasses, St. Augustine, dichondra, carpetgrass or clover lawns.

Manufactured By  
WOODBURY CHEMICAL COMPANY  
St. Joseph, Mo.      Denver, Colo.      Orlando, Fla.      Lubbock, Texas  
USDA Reg. No. 449-235

CONTENTS

LA

ACTIVE INGREDIENT  
Isooctyl (2-Ethylhexyl)  
2,4-dichlorophenoxyacetate  
INERT INGREDIENTS

\*Equivalent to  
phenoxacetate

**KEEP OUT**

SEE SIDE PANEL

DIRECTIONS

2,4-D LAWN WEED GRANULES are used to control broadleaf plants.  
To control broad leaved weeds such as ivy, pennywort, bitterweeds, etc. with grass. Apply 1 pound per 1000 sq. ft. of this container as sprinkled. Application should be made in early spring.  
Do not reuse container. Do not

WARNING

Avoid contact with skin, eyes, etc. Wash thoroughly with soap and water and obtain prompt medical attention if plants since this product may be harmful. Do not store near food, etc. Avoid contamination of water. Do not use more than recommended on shrubs or flowers.

Do not apply to newly seeded areas. Vapors from this product may injure susceptible plants in the immediate vicinity. May cause injury to bent grasses, St. Augustine, dichondra, carpetgrass or clover lawns.

Manufactured By  
WOODBURY CHEMICAL COMPANY

St. Joseph, Mo.

Denver, Colo.

Orlando, Fla.

Lubbock, Texas

USDA Reg. No. 449-235