

DIRECTIONS

BEEF CATTLE AND HORSES: Aids in reduction of Face Flies, controls Ticks, Horn Flies, Lice and Mosquitoes. — Accurately mix Toxalin at the rate of 1 gallon to 140 gallons of water for complete kill of ticks, horn flies and lice present, and protection against re-infestation. Thorough wetting of animals is essential for best results. Repeat application as necessary.

SHEEP AND GOATS: Lice and Sheep Ticks (Keds) — Mix Toxalin at the rate of 1 quart to 50 gallons of water. Thorough wetting is essential for best results. A single application is usually sufficient for control of the pests. Do not use on milk goats.

LICE ON SWINE: Dilute Toxalin at rate of 1 gallon to 230 gallons of water. Wet animals thoroughly. Repeat after 2 to 3 weeks if needed.

AS A DIP: For the control of insects shown on the above animals, use at same rate as spraying. Stir well just before using. Do not dip calves under 3 months of age.

BACK RUBBERS: Mix 1 gallon of Toxalin to 10 gallons of fuel oil for use on beef cattle for control of horn flies and to aid in reduction of lice. Place rubber where animals congregate for best results, such as salt licks, watering places, shade, etc. Do not allow dairy animals to use. If desired, 8 gallons of diesel fuel and 2 gallons of new 20w non-detergent motor oil may be mixed with 1 gallon of this material. In certain situations addition of motor oil may give more desirable results. **DO NOT USE USED MOTOR OIL.**

NOTE: In spraying animals during fall and winter, pick warm sunny days and treat early enough that the animals will be dry before nightfall. Do not treat sick animals. Do not use on emaciated or dairy animals. Do not use on animals within 30 days of slaughter. Do not dip animals within 60 days of slaughter.

WARNING

May be fatal if swallowed. Do not get on skin or clothing or in eyes. Do not inhale spray mist. Wear clean clothing. Use a respirator of a type approved by U. S. Department of Agriculture. Wash thoroughly with soap and water. In case of contact, or after using and before eating or smoking. Keep away from children and domestic animals. Do not store near feed or foodstuffs. "Not for use or storage in or around the home."

This product is toxic to fish and wildlife. Keep out of lakes, ponds and streams. Use only as specified on this label.

EPA Reg. No. 449-249


659


CONDITIONS OF SALE AND WARRANTY:

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application even though the product is used in accordance with Directions. All such risks shall be assumed by the Buyer.

Weedbury Chemical Co. warrants that this product conforms to the chemical description on the label and is properly fit for the purpose referred to in the Directions for Use, subject to the inherent risks referred to above. We do not make any express or implied warranty of fitness or merchantability, or any other express or implied warranty. In no case shall we be liable for consequential or indirect damages resulting from the use or handling of this product. We warrant that the Buyer, after this product is used in accordance with the Directions for Sale and Warranty, shall be able to identify the product by the name of the manufacturer.

Manufactured For
WEEDBURY CHEMICAL COMPANY
ST. JOSEPH, MO.; DENVER, COLO.





TOXALIN

**WOODBURY
CHEMICAL
COMPANY**

St. Joseph, Mo.

WARNING