



Sure Death Brand

REGISTERED
NOV 1957
FEDERAL INSECTICIDE ACT
FOR LISTING UNDER NO. 449-311

ACTIVE INGREDIENTS:

\*2-ethyl-4-methylpentanol ester of 2,4-dichlorophenoxy-

2-ethoxyhexanoic acid (isomer-esters of octyl alcohol)

12.06%

INERT INGREDIENTS:

69.88%

TOTAL

100.00%

\*Equivalent to 100% 2,4-dichlorophenoxyacetic acid.

CAUTION

KEEP OUT OF REACH OF CHILDREN

DIRECTIONS: For use on all plants... to all in the control of many broadleaf plants...

PRECAUTIONS: Do not use more than recommended amounts. Do not use on plants...

For broadcast treatment, apply at the rate of 10 pounds per acre... For spot treatment, apply at the rate of 20 pounds per acre...

Do not use more than recommended amounts. Do not use on plants...

For spot treatment, apply at the rate of 20 pounds per acre... For broadcast treatment, apply at the rate of 10 pounds per acre...

Do not use more than recommended amounts. Do not use on plants...

For spot treatment, apply at the rate of 20 pounds per acre... For broadcast treatment, apply at the rate of 10 pounds per acre...

Do not use more than recommended amounts. Do not use on plants...

contact, wash thoroughly with soap and warm water. Rub eyes with clean  
water and obtain prompt medical attention. Do not go to near-sighted areas,  
roads, insecticides, or fungicides. Avoid contamination of water. Contact

with your doctor if you experience any of the following symptoms:  
dizziness, headache, nausea, vomiting, diarrhea, or difficulty breathing.  
If you experience any of these symptoms, stop using the product immediately  
and seek medical attention.