

DIRECTIONS FOR LIVESTOCK PEST CONTROL

For the control of stable flies, face flies, horn flies, house flies, lice, lone star ticks on dairy cattle, beef cattle, sheep, goats and pigs. Mix 1 1/2 to 3 quarts Clodrin Insecticide Concentrate per 100 gallons of water. Spray to thoroughly cover all parts of the animal, using 2 to 4 quarts of Spray for large animals and proportionately less for smaller animals. Make a second application 14 days later, and thereafter repeat as needed, but not more often than once every 7 days.

Treatment of premises such as barn walls, eaves, fences and other breeding or resting places with the above spray will aid in reducing the fly population in the area. Repeat above applications as necessary to maintain control but no more often than once weekly.

For control of lice and winter ticks on cattle in winter hair coat, mix 1 1/2 pints of Clodrin Concentrate per 30 gallons of water. Spray animal thoroughly using 3 to 5 gallons of spray per large animal. Repeat applications as necessary to maintain control, but not more often than once every 7 days.

BACKRUBBER APPLICATION

For use in backrubbers or face rubbers for the control of horn flies and face flies mix 1 gallon of Clodrin Concentrate in 50 gallons backrubber base oil. This may be diesel fuel or a combination of diesel fuel and motor fuel in accordance with local recommendations.

Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates. Do not apply to calves under 6 months of age.

PRECAUTIONS IN USING

WARNING! Hazardous If Swallowed, Inhaled or Absorbed Through Skin. Wash thoroughly with soap and water after handling and before eating and smoking. Wear clean clothing. In case of spillage on person or clothing, immediately remove clothing and flush skin or eyes with plenty of water; for eyes, get medical attention. Keep away from heat and open flame.

Do not contaminate feed or foodstuffs. During commercial exposure in spray-mixing and loading operations, wear clean synthetic rubber gloves and a mask or respirator of a type found suitable by the U. S. Bureau of Mines for protection against CIODRIN Insecticide.

This product is toxic to fish, birds and other wildlife. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by crushing or perforating and bury in a safe place away from water supplies.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

WOODBURY CHEMICAL COMPANY

DIVISION OF TECHNE CORP.
ST. JOSEPH, MO. 64502 DENVER, COLO.

EPA Reg. No. 100-100000
EPA No. 100-100000

ING

or Absorbed Through Skin.
ing and before eating and
age on person or clothing,
eyes with plenty of water;
n heat and open flame.

mmercial exposure in spray-
hetic rubber gloves and a
e U. S. Bureau of Mines for


ldlife. Do not contaminate
wastes. Apply this product

ing or perforating and bury

or handling of this material
rewith.

COMPANY

P.
R. COLO



CONTENTS
GALLON

CIODRIN INSECTICIDE E32

(CONTAINS 3.2 LBS. CIODRIN INSECTICIDE PER GALLON)

ACTIVE INGREDIENTS	By Weight
Dimethyl Phosphate of Alpha Methylbenzyl	38.20
3-Hydroxy-Cis-Crotonate	44.50
Petroleum Hydrocarbons	17.30
INERT INGREDIENTS	—
Total	100.00



**WOODBURY
CHEMICAL
COMPANY • St. Joseph, Mo.**

WARNING KEEP OUT OF REACH OF CHILDREN SEE SIDE PANEL FOR ADDITIONAL