

Spring Planted Wheat, Oats and Barley: Use up to 5/8 pint per acre (1/4 lb. 2,4-D), from tiller to bootstage. Up to 1-1/4 pints per acre (1/2 lb. 2,4-D) may be applied after the fully tillered stage. Do not apply before crop has reached a height of 4 to 6 inches nor during boot to dough stage. Do not forage or graze treated grain fields within 2 weeks after treatment with 2,4-D. Do not feed treated straw to livestock.

The amounts of Ester should be considered maximum except under conditions where extreme weed competition might lead to crop failure.

Flax: Use 1/3 pint per acre (1/4 lb. 2,4-D) as there is excellent growth to stage of maturity, provided the plants have formed 4 to 6 leaves. (Tolerant varieties: Belwin, Cheyenne, Regal, Fota, Dakota). Do not apply until after boot stage.

In alfalfa pastures (with or without crop growth): Use 1 1/2 quarts per acre (1 1/2 lbs. 2,4-D) for small pastures or 2 quarts of water and apply to 1,000 sq. ft. of pasture area.

General Weeds Control: Use 1 1/2 quarts per acre (1 1/2 lbs. 2,4-D) in light-of-weeds, fence rows and ditch areas.

This product is suitable for all types of application; small-scale application, airplane spraying. Repeat applications are necessary to effectively control some hard to kill weeds. For more information contact your local Agricultural Experiment Station for best local recommendations.

DIRECTIONS: Dilute with sufficient water to permit application with spray equipment available.

SMALL-SCALE SPRAYING: Use up to 10 gallons of water per acre. Do not use mist blowers for application of this material.

LARGE-SCALE SPRAYING: Use up to 100 gallons of water per acre. For general large-volume spraying is made by diluting 1 lb. of this product to 10 gallons of water (1 lb. per 10 gal.).

AIRBORNE APPLICATION: Use up to 10 gallons of water per acre.

CAUTION

Avoid contact with skin and eyes.

Sensitive weeds: (List of weeds) ...

Intermediate weeds: (List of weeds) ...

Moderately resistant weeds: (List of weeds) ...

CAUTION: Do not graze dairy animals for 3 days after application. Avoid spray drift to susceptible plants as this product may injure them. This product is highly flammable and may be highly volatile. Do not use in enclosed areas.

Campanella Note

Four Copy

Clearer before using for other purposes. Do not reuse empty container.
Destroy by burying in a safe place. Do not store near fertilizers, seeds,
insecticides or fungicides. Avoid contamination of water used for
irrigation or domestic purposes.

Avoid inhaling spray. Avoid contact with the skin, eyes or clothing.
Harmful if swallowed.

Vapors from this product may injure susceptible plants in the immediate
vicinity. Do not use on bentgrass, St. Augustine grass, carpetgrass,
Dichondra or clover lawns.

NOTICE: Buyer assumes all risks of use, storage, or handling of this
material not in strict accordance with directions given herewith.

Manufactured by

W. L. GARDNER CHEMICAL COMPANY

St. Joseph, Mo. Denver, Colo. Houston, Tex. Dallas, Texas

U.S. Pat. No. 2,842,000

Copyright 1956

Poor Copy