



[449-450]

1 of 2

NET CONTENTS



1 GALLON



Sure

Death

Brand

PHOSDRIN

EMULSIBLE CONCENTRATE

Contains 4 lbs. Phosdrin Insecticide per gallon

ACTIVE INGREDIENTS

Alpha Isomer of 2 Carbamothoxy 1-methoxyethyl

Dimethyl Phosphate

Related Compounds

Petroleum Hydrocarbons

INERT INGREDIENTS

TOTAL

Equivalent to 4 lbs. of Phosdrin Insecticide

DANGER!!

POISON #1

KEEP OUT OF REACH OF CHILDREN

SEE THE LABEL FOR ALL PRECAUTIONS AND DIRECTIONS

FIRST AID TREATMENT

Atropine is the emergency antidote for PHOSDRIN poisoning. Atropine is obtainable only on a doctor's prescription. Consult your physician about obtaining an adequate supply of 1,000 grain Atropine tablets for emergency use.

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING. If the material has been swallowed, induce vomiting immediately. This may be done by inserting the finger into the throat or by giving warm salt water, 1 tablespoonful of salt to a glass of water, or soapy water. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. If the material has been spilled on the skin, immediately remove the person from the vicinity of the insecticide, remove contaminated clothing and wash skin with soap and water. If the material has been accidentally splashed into the eyes, wash immediately with clear water for 15 to 30 minutes. If warning symptoms appear, administer two 1,000 grain Atropine Tablets immediately.

NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. SEE WARNING SYMPTOMS below. Start up to 30 mg. of atropine immediately if a patient is showing signs of the above, immediately to the nearest physician.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include dry mouth, blurred vision, flushed face, tachycardia, decreased secretions, reactive pin-point pupils, salivation, sweating, and dilated pupils. TREATMENT: Atropine is the antidote. Administer 2 to 3 mg. of atropine subcutaneously every 15 to 30 minutes until complete atropinization has occurred. Atropinization is indicated by the absence of sweating and the appearance of a dry mouth. Oxygen administration may be necessary. Atropine should be continued until the patient has recovered from the effects of the poisoning. Atropine should be continued until the patient has recovered from the effects of the poisoning. Atropine should be continued until the patient has recovered from the effects of the poisoning.

1.8.79 4.00
1.9.81 4.00
1.8.79 4.00

1.9.81

Do not apply to the face... should wear... masks. Replace... or roofs should be... children and domestic... pesting... the...

[449-450]
2 of 2

GENERAL DIRECTIONS

PHOSDRIN is a contact insecticide which is used to control a wide variety of insects and mites on various crops. The material can be used in conventional hydraulic sprayers, low volume ground applicators or airplane sprayers. Use this product only for recommended purposes and at recommended dosages.

DIRECTIONS FOR USE

BROCCOLI CRIBAGE AND LETTUCE For the control of aphids, cabbage root and rootworm, rootworm. Apply PHOSDRIN Insecticide Emulsible Concentrate at the rate of 1.5 to 3 pints per acre. Apply with sufficient water to give uniform coverage. Repeat application when insects first appear and repeat application as often as necessary to maintain control. Do not spray within 3 days of harvesting for broccolis within 4 days for cabbage and within 7 days for lettuce.

SORGHUM For the control of corn earworm and corn leaf aphid, apply 1.5 to 2 pints per acre. Apply with sufficient water to give uniform coverage. Repeat application when infestation appears and repeat as often as necessary to maintain control. Do not spray within 14 days before harvesting grain.

APPLES For the control of Red Banded Leafroller in Apple, apply PHOSDRIN Insecticide Emulsible Concentrate at the rate of 1.5 to 2 pints per acre. Repeat application when insects first appear and repeat as often as necessary to maintain control. Do not spray later than one day before harvest.

DANGER

Phosdrin is very toxic and can be absorbed through the skin. Avoid contact with clothing, shoes, and hands. Wash thoroughly with soap and water after use. Do not eat, drink, or smoke while using this product.

DO NOT SWALLOW OR GET IN EYES OR ON SKIN OR ON CLOTHING. DO NOT GET ON DUST OR EXHAUST. Wear long-sleeved clothes, preferably knitted, and clean, tight-fitting shoes. Apply PHOSDRIN frequently and carefully. Use gloves to protect hands. Wash hands at least 4 times a day. Use protective goggles, goggles, and eye shields. Use eye shields and goggles when spraying. If the material gets in the eyes, immediately flush with running water for 15 minutes and get medical attention. In case of accidental contact, remove all clothing and wash skin with soap and water. Wash clothes before reuse. Wash hands and face immediately after use. Decontaminate hoses and equipment by washing thoroughly with water and flushing with clean water. Wash hands and face immediately after use. Wash clothes before reuse. Do not use near food or feed products. Do not use near water.

WOODBURY CHEMICAL COMPANY