

### CAUTION

Harmful if inhaled or swallowed. Avoid breathing dust or spray. Do not take internally.

Skin contact may be harmful. Avoid contact. Wash hands and face before eating. Take shower or bath after work. Wear regular long-sleeved work clothing. Change to clean clothing daily.

**NOTE FOR PHYSICIANS:** Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

Avoid contamination of food, feed, feeding troughs and watering receptacles. Keep out of reach of children and animals.

**SEVIN-AIR-LV** is generally used without dilution in aerial application or ULV ground equipment. However, it may be diluted with water. 50 mesh or coarser screens should be used throughout the system. If diluting, put about 3/4 of the water in the tank. Close off booms, start pump and maintain moderate bypass agitation while slowly adding the proper amount of SEVIN-AIR-LV. Add remaining water and circulate until suspension is uniform. After spraying, flush tank and lines with clear water.

Recommended dosages refer to quantity of SEVIN-AIR-LV to be used per acre.

PATENT PENDING

**NOTICE:** Do not reuse empty container. Destroy by perforating or crushing and bury in a safe place.

Manufactured For

**TECHNE CORPORATION**

St. Joseph, Mo. 64502; Denver, Colo. 80216

EPA Reg. No. 449-514

EPA Est. No. 32761-MO-2 (7-75)




# Techne

## sevin-air-LV

### ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N-methylcarbamate )	24.4%
INERT INGREDIENTS	75.6%
Total	100.0%

\*Reg. U.S. Trademark—Union Carbide Corp.  
Contains 2 lbs. actual Carbaryl per gallon.



### DIRECTIONS FOR USE

For the Control of Western Corn Rootworm Beetle in North Central States.

**CORN ROOTWORM BEETLES ON CORN:** Apply 1 1/2 quarts per acre. Treatment may be repeated in 7 days if necessary. Do not apply within 7 days of harvest, grazing or ensiling.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Application of this product to the tassel region of corn during the pollen shed period will seriously reduce bee populations.

This product may kill bees in substantial numbers; bees are important pollinators.

To avoid severe bee losses do not apply when bees are visiting the crop or cover crop. Warn bee keepers well in advance of the pesticide application.

**NOTICE:** Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with direction given herewith.

## CAUTION

Harmful if inhaled or swallowed. Avoid breathing dust or spray. Do not take internally.

Skin contact may be harmful. Avoid contact. Wash hands and face before eating. Take shower or bath after work. Wear regular long-sleeved work clothing. Change to clean clothing daily.

**NOTE FOR PHYSICIAN:** Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.

Avoid contamination of food, feed, feeding troughs and watering receptacles. Keep out of reach of children and animals.

**SEVIN-AIR-LV** is generally used without dilution in aerial application or ULV ground equipment. However, it may be diluted with water. 50 mesh or coarser screens should be used throughout the system. If diluting, put about  $\frac{3}{4}$  of the water in the tank. Close off booms, start pump and maintain moderate bypass agitation while slowly adding the proper amount of SEVIN-AIR-LV. Add remaining water and circulate until suspension is uniform. After spraying, flush tank and lines with clear water.

Recommended dosages refer to quantity of SEVIN-AIR-LV to be used per acre.

PATENT PENDING

**NOTICE:** Do not reuse empty container. Destroy by perforating or crushing and bury in a safe place.

Manufactured For

**TECHNE CORPORATION**

St. Joseph Mo. 64502; Denver Colo. 80216

EPA Reg. No. 449-514

EPA Est. No. 32761-MO-2 (7-75)


# Techne

## sevin-air-LV

### ACTIVE INGREDIENT:

Carbaryl (1-naphthyl N methylcarbamate)	24.4%
INERT INGREDIENTS	75.6%
Total	100.0%

\*Reg. U.S. Trademark—Union Carbide Corp.  
Contains 2 lbs. actual Carbaryl per gallon.



## SELECTIONS FOR USE

For the Control of Western Corn Rootworm Beetle in North Central States.

**CORN ROOTWORM BEETLES ON CORN:** Apply  $1\frac{1}{2}$  quarts per acre. Treatment may be repeated in 7 days if necessary. Do not apply within 7 days of harvest, grazing or ensiling.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Application of this product to the tassel region of corn during the pollen shed period will seriously reduce bee populations.

This product may kill bees in substantial numbers; bees are important pollinators.

To avoid severe bee losses do not apply when bees are visiting the crop or cover crop. Warn bee keepers well in advance of the pesticide application.

**NOTICE:** Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with direction given herewith.

## CAUTION

KEEP OUT OF REACH OF CHILDREN  
SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY LABELING