



Do not get in eyes, on skin, or clothing. Do not breathe dust. Wear clean, heavy rubber gloves, rubber boots, and clean, waterproof or freshly laundered protective clothing (coveralls, cap), and goggles when applying or handling. Destroy and replace gloves frequently. Wear an effective mask or respirator of a type passed by U.S.D.A. for EPN protection. Do not contaminate feed or foodstuffs.

Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before re-use. In case of contact, immediately remove contaminated clothing and wash skin thoroughly with soap and warm water; for eyes, flush with water for 15 minutes and get medical attention.

## **DANGER!**

**KEEP OUT OF REACH OF CHILDREN**



### **FIRST AID**

**ATROPINE IS AN ANTIDOTE — CONSULT PHYSICIAN FOR EMERGENCY SUPPLY. CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

### **ANTIDOTES**

**INTERNAL — Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet.**

**EXTERNAL — Immediately remove all contaminated clothing and wash skin thoroughly with soap and warm water.**

### **SYMPTOMS OF POISONING**

The symptoms of poisoning by organophosphorus insecticides, including EPN, are likely to be as follows:

- 1 — Digestive upsets; nausea, vomiting, cramps, feeling of pressure under breast bone, diarrhea.
- 2 — Sweating and excessive salivation.
- 3 — Restlessness, giddiness, headache.
- 4 — Muscle tremors, twitching of the facial and eye muscles.

If any of these symptoms are felt, discontinue operations at once; remove person from area; give two atropine tablets (each 1.00 gr.) and CALL A PHYSICIAN. Do not resume operations with ANY organophosphorus insecticide, including EPN, until the physician has tested a sample of your blood for organophosphorus effect and tells you it is safe to do so.

### **CONDITIONS OF SALE AND WARRANTY:**

The Directions for Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application even though the product is used in accordance with Directions. All such risks shall be assumed by the Buyer.

Woodbury Chemical Co. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the inherent risks referred to above. Woodbury makes no express or implied warranty of fitness or merchantability or any other express or implied warranty. In no case shall Woodbury or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. Woodbury and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of Woodbury Chemical Company.

Manufactured by

**WOODBURY CHEMICAL COMPANY**

DENVER, COLO.

ORLANDO, FLA.

LUBBOCK, TEXAS

ST. JOSEPH, MO.

USDA Reg. 449-



Sure Death Brand

# WEAPON 2-G

FOR CONTROL OF EUROPEAN CORN BORER

7-29-69  
449-516

ACTIVE INGREDIENT:

O-Ethyl O-p-nitrophenyl phenylphosphonothioate

INERT INGREDIENTS:

TOTAL

1  
99  
100

DIRECTIONS

Apply at the rate of 10 to 25 lbs. per acre, using standard granular insecticide application equipment.

**SWEET CORN** — Make first application when 25% of the plants show evidence of leaf feeding and continue at 5 day intervals as long as leaf feeding is evident. From one to three treatments may be required. For control of second brood borers, apply when eggs begin to hatch.

**FIELD CORN** — Apply 10 days after eggs first hatch or when 75% of the plants show evidence of feeding in leaf whorls. Repeat 10 to 15 days later if new evidence of leaf feeding is present. For control of second brood borers, apply when eggs begin to hatch.

**NOTE** — Do not apply within 14 days of harvest.

IMPORTANT

Keep animals and unprotected persons away during treatment and when there is danger from drift. Do not burn, dump, or bury empty containers by burning or burying, stay out of smoke and vapors. Every spill should be cleaned up area with strong water spray. This product is toxic to fish and wildlife. Keep out of rivers, streams, or ponds. Apply this product only in accordance with the label. Keep away from food and feedstuffs, out of reach of children, and off water courses.

DANGER

EXTREMELY HAZARDOUS BY SKIN CONTACT IMMEDIATELY IN SWALLOWING. RAPIDLY ABSORBED THROUGH SKIN. IF EXPOSED, EXPOSED SKIN MAY, WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS.

Do not get on skin or clothing. Do not breathe dust. Wear mask, gloves, goggles, and rubber boots. Wash hands and face thoroughly with soap and water after use. Do not eat, drink, or smoke while using. Do not use in areas where children or livestock are present. Do not use in areas where water courses are present. Do not use in areas where water courses are present. Do not use in areas where water courses are present.

## DANGER!

KEEP OUT OF REACH OF CHILDREN



### POISON

KEEP OUT OF REACH OF CHILDREN. READ LABEL CAREFULLY. NEVER GIVE ANYTHING BY MOUTH TO ANIMALS. NEVER USE IN AREAS WHERE WATER COURSES ARE PRESENT. DO NOT USE IN AREAS WHERE WATER COURSES ARE PRESENT. DO NOT USE IN AREAS WHERE WATER COURSES ARE PRESENT.

DO NOT GET ON SKIN OR CLOTHING. DO NOT BREATHE DUST. WEAR MASK, GLOVES, GOGGLES, AND RUBBER BOOTS. WASH HANDS AND FACE THOROUGHLY WITH SOAP AND WATER AFTER USE. DO NOT EAT, DRINK, OR SMOKE WHILE USING. DO NOT USE IN AREAS WHERE CHILDREN OR LIVESTOCK ARE PRESENT. DO NOT USE IN AREAS WHERE WATER COURSES ARE PRESENT. DO NOT USE IN AREAS WHERE WATER COURSES ARE PRESENT.

DO NOT USE IN AREAS WHERE WATER COURSES ARE PRESENT. DO NOT USE IN AREAS WHERE WATER COURSES ARE PRESENT. DO NOT USE IN AREAS WHERE WATER COURSES ARE PRESENT.

