


U.S. DEPT. OF AGRICULTURE
BUREAU OF PLANT INDUSTRY
WASHINGTON, D.C.
REGISTERED
PO. BOX 100



CONTENTS
GALLON

8 LB. TOXAPHENE EMULSIFIABLE

Contains 8 Pounds Toxaphene per Gallon

ACTIVE INGREDIENTS:	
Toxaphene (technical Chlorinated Camphene with 67% to 69% Chlorine)	70%
INERT INGREDIENT	30%
TOTAL	100%

MIXES WITH WATER IN ALL PROPORTIONS
CAUTION: NOT FOR USE OR STORAGE IN
THE HOME ENVIRONMENT.
DO NOT USE, POUR, SPILL OR STORE
NEAR HEAT OR OPEN FLAME.

WOODBURY
CHEMICAL
COMPANY

St. Louis, Mo.

WARNING KEEP OUT OF REACH OF CHILDREN SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS

DIRECTIONS

USE ONLY A SINGLE APPLICATION

GRASSHOPPERS ON CORN AND COTTON: Under average conditions of rainfall and vegetation, apply telephene at the rate of $1\frac{1}{2}$ pints per acre on corn, 2 pints per acre on cotton, diluted with the volume of water applied per acre by the sprayer. (10 to 50 gallons of water for ground application.) For small areas, use 1 tablespoon in 2 gallons of water per 1,000 square feet. When vegetation is dense and/or grasshoppers are adult, increase the dosage to 3 pints per acre.

For Corn: Do not feed treated forage to dairy animals or animals being finished for slaughter.

For Cotton: Do not graze dairy animals or animals being finished for slaughter in fields treated late in the season.

BAGWORMS ON ORNAMENTALS: Use 1 quart to 100 gallons of water (2 teaspoonfuls per gallon). Spray very thoroughly.

FOR CUTWORM ON CORN: Use 2 pints per acre when applied directly to row; 2 pints per acre when applied over entire area. Mix with sufficient water. (10 to 50 gallons water for ground application.) Do not feed treated forage to dairy animals or animals being finished for slaughter.

FOR FALL ARMYWORM ON CORN: Use at the rate of $2\frac{1}{2}$ pints per acre in sufficient water to give good coverage. Do not feed treated forage to dairy animals or animals being finished for slaughter.

FOR YELLOW STRIPED ARMYWORM ON COTTON: As soon as the larvae appear, apply at the rate of 2 pints per acre in sufficient water to give good coverage. (10 to 50 gallons per acre for ground applications). Do not graze dairy animals or animals being finished for slaughter in fields treated late in the season.

PLANT BUG AND ALFALFA WEEVIL ON SEED ALFALFA: Apply in the early spring or after cutting before new growth is 4 inches tall as insects appear at the rate of 2 pints per acre. In especially dense vegetation, 3 pints per acre may be required. Do not feed treated forage to dairy animals or animals being finished for slaughter. Birds feeding on treated areas may be killed.

WARNING

MAY BE FATAL IF SWALLOWED.

Do Not Contact The Skin.

Do Not Inhale Mist From Sprays.

Do Not Get In Eyes.

Use of a respirator of a type approved by goggles is advisable. Wear clean clothing. In case of contact with soap and water before eating or smoking and children, domestic animals and food. Do not get

Do not feed treated forage to dairy animals or animals being finished for slaughter. Do not store near, or contaminate feed to the edible portions of crops within 30 days of harvest. Do not apply to be fed to dairy or beef animals. If applied to crops, use 3 to 10 gallons of water per acre.

This product will kill fish and wildlife. Keep away from water. Apply this product only as specified on this label. Do not use in containers and dispose of wastes by burying in non-productive areas. Containers should be disposed of by pouring contents with wastes.

Do not apply when weather conditions favor bees. When treating areas frequented by bees, treat on a cool day when they are not flying. This product is toxic to bees. Do not apply when bees are actively visiting the area. Bees are likely to occur.

NOTE: Consult State Agricultural Experiment Station for recommendations.

NOTICE: Buyer assumes all risks of use, storage, and disposal of material not in strict accordance with directions given.

Manufactured For
WOODBURY CHEMICAL

Division of TECHNICAL CHEMICALS

St. Joseph, Mo. 64502; Denver, Colo. 80202

U.S.D.A. Reg. No. 449-532