



# KOPPERS

## TIMBERTOX 40



### PENTA WOOD PRESERVATIVE CONCENTRATE

Preserves Wood-Stops Rot and Decay-Prevents Fungi and Molds of Wood-Aids In Control of Termites and Powder Post Beetles.

**DILUTION:** Before using, dilute at the rate of one part Timbertox 40 to five parts by volume of a petroleum solvent weighing no more than 6.6 lbs. per gallon. The dilution should be not less than 5:1. Timbersol, Pentachlorophenol, Carboline, and other preservatives may be mixed with No. 2 Fuel Oil, Diesel Oil or Kerosene where the wood is to be painted. Use of a preservative diluent. Heavier oils may be used where the wood is not to be painted. When mixed with other preservatives, the mixture should be tested for compatibility. Agitate thoroughly before using.

KEEP OUT OF REACH OF CHILDREN

### WARNING

See side panel for first aid and additional precautionary statements

READ "LIMIT OF WARRANTY AND LIABILITY" BEFORE BUYING OR USING. IF SUCH TERMS ARE NOT ACCEPTABLE, RETURN AT ONCE UNOPENED

<b>ACTIVE INGREDIENTS</b>	
Pentachlorophenol	4.0%
Other Chlorophenols	4.0%
Petroleum Solvents	26.0%
<b>INERT INGREDIENTS:</b>	
	66.0%
Total	100.0%

\*Equivalent to 40.5% Timbersol Pentachlorophenol as defined in Federal Specification TT-W-400

EPA Reg No 453-8  
EPA Est 33760-OR-01

Koppers Company, Inc.  
Wood Treating Chemicals Dept.  
5137 Southwest Avenue, St. Louis, Missouri 63110

NET CONTENTS

**ACCEPTED**  
APR 7 1982

Under the Federal Insecticide Fungicide and Rodenticide Act as amended for the pesticide register number  
EPA Reg. N

U.S. GALLONS

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

### WARNING

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES SKIN AND EYE IRRITATION. MAY CAUSE DELAYED CHEMICAL BURNS. COMBUSTIBLE.

Do not get in eyes, on skin or on clothing. Use of goggles and protective clothing (rubber gloves is preferred) when brushing or dipping and use of an appropriate respirator when appropriate. Avoid prolonged and/or repeated breathing of vapors, mist or substantially saturated atmosphere. Use only in well-ventilated areas. Not for use or storage in or around the home. Keep containers closed when not in use. Do not take internally.

**FIRST AID: If swallowed,** call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**If inhaled,** remove to fresh air. **For skin contact,** wash thoroughly with soap and water. Remove contaminated clothing and shoes. Wash clothes before reuse.

**In case of eye contact,** flush immediately with plenty of water for 15 minutes and get medical attention.

**NOTE TO PHYSICIAN:** Pentachlorophenol in this product is a metabolite of dieldrin. Treat symptomatically.

### ENVIRONMENTAL HAZARDS:

This product is toxic to fish and wildlife. Do not apply to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of waste.

This product is toxic to domestic animals. Treated wood and other wood wastes should not come in contact with domestic animals or be used as mulch where it will come in contact with useful living plants. Care should be taken to prevent drips or spray from contacting ornamental shrubs, trees, grass and other desirable vegetation.

Vapors may cause injury if adequate ventilation is not assured. Do not use this product indoors or any other confined areas where the vapors may concentrate or migrate indoors and cause injury to plant or animal life.

**PHYSICAL OR CHEMICAL HAZARDS: COMBUSTIBLE**  
DO NOT use in proximity to heat or open flame.

**IN CASE OF FIRE:** Use dry chemical or foam water fighting CO<sub>2</sub> or water. Do not spray water on burning containers.