

FOR INDUSTRIAL USE ONLY
DIRECTIONS FOR USE

WOOD PRESERVATION. For best results this product should be applied so as to effect maximum penetration into the wood and absorption especially at joints and wherever end grain exists. Open tank treatment or complete immersion of the wood in the solution is generally recommended for five minutes per inch of thickness. It should be noted that wood items for use in contact with ground, such as fence posts, will need maximum protection. Extend the treating time 12 to 48 hours. If they cannot be dipped, apply several heavy brush coats. Fence posts to be properly treated should be free of bark, dry and well seasoned.

For the protection of wood against termites, powder post beetles and decay, the treatment of wood prior to use is always to be recommended. Obtaining commercially pressure treated wood is the best assurance of thorough treatment, but immersion to get deep penetration and distribution of the preservative can impart a very measurable degree of protection. Where such treating is impractical as in the case of an existing structure, two heavy brush applications of this product should be applied, cutting out and removing all unsound wood, two feet beyond any visible evidence of decay. (In the case of termite control, this would be supplemental treatment to the trenching or soil poison use of the product.) All wood should be normally dry, and the framing or cutting completed before treatment.

Estimated Coverage: 5 to 10 gallons per thousand board feet for open tank treating; 200 square feet per gallon for brush application.

TERMITE CONTROL. Clean out carefully all loose wood and debris under or around infested buildings. Spray all ground under buildings at a rate of 2 gallons of solution per five cubic feet of ground. Break all wood-to-earth contacts, such as porch steps, door frames, etc. and replace with treated wood, or concrete. Where construction permits, dig a trench around all foundations to a depth of 30 inches, being careful not to trench below the top of footings. Apply one gallon of solution per lineal foot of trench for trenches over 15 inches in depth; 1/2 gallon per lineal foot for shallower trenches. Trees, shrubbery or flowers should be protected from treated soil by tar paper or heavy kraft paper. The objective is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment. For additional advice, consult your State Extension Service. For protection of new wood prior to installation, see instructions above. Care must be exercised that the solution does not contact asphaltic products (tar paper, composition shingles, or other such items) or that it is not applied in such a way that it will stain plaster or other surfaces. Treatment of the wood is supplemental to soil treating.

NOTICE

Avoid contamination of feed or foodstuffs.

Do not reuse container. Return to drum reconditioner or destroy and bury in a safe place. Do not contaminate water by cleaning equipment or disposal of waste and containers. Treated sawdust and other wood wastes should not come in contact with domestic animals, or be used as mulch where it will come in contact with useful living plants.

KOPPERS®

PENTA WOOD PRESERVATIVE READY TO USE



Preserves Wood - Stops Rot And
Decay - Prevents Fungi And
Molds Of Wood - Controls Ter-
mites And Powder Post Beetles.

453-66

WOOD TREATING CHEMICALS DEPT.

KOPPERS COMPANY, INC.

5137 SOUTHWEST AVENUE, ST. LOUIS, MISSOURI 63111

WARNING: See side panel for other warnings.
KEEP OUT OF REACH OF CHILDREN

READ "LIMIT OF WARRANTY AND LIABILITY"
BEFORE BUYING OR USING
IF SUCH TERMS ARE NOT ACCEPTABLE, RETURN
AT ONCE UNOPENED.

EPA Reg. No. 453-66
EPA Est. 453-MO-1

ACTIVE INGREDIENTS	
Pentachlorophenol*	4.50%
Other Chlorophenols and Related Compounds*	00.50%
Petroleum Distillate	90.60%
INERT INGREDIENTS:	4.20%
Total	100.00%

*5.2% Technical Pentachlorophenol as defined in
Federal Specification TT-W-570 and A W P A. P8.

NET CONTENTS

U.S. GALLONS


104

KOPPERS

WOOD PRESERVATIVE READY TO USE



Wood - Stops Rot And Prevents Fungi And Wood - Controls Termites and Powder Post Beetles.



WOOD TREATING CHEMICALS DEPT.

KOPPERS COMPANY, INC.

5137 SOUTHWEST AVENUE, ST. LOUIS, MISSOURI 63110

WARNING: See side panel for other warnings.

KEEP OUT OF REACH OF CHILDREN

"LIMIT OF WARRANTY AND LIABILITY"
ON STORAGE OR USING.
DANGERS ARE NOT ACCEPTABLE, RETURN
UNACCEPTED.

ACTIVE INGREDIENTS	
Pentachlorophenol*	4.50%
Other Chlorophenols and Related Compounds*	90.50%
Petroleum Distillate	4.20%
INERT INGREDIENTS:	
Total	100.00%

*52% Technical Pentachlorophenol as defined in Federal Specification TT-W-570 and A.W.P.A. P8.

No. 453-66
3-MO-1

CONTENTS U.S. GALLONS

104 3-01



WARNING

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES SKIN AND EYE IRRITATION. MAY CAUSE DELAYED CHEMICAL BURNS. COMBUSTIBLE.

Do not get in eyes, on skin or on clothing. Do not breathe vapor or spray mist.

Wear protective clothing and rubber gloves when handling this product or freshly treated lumber. Use only with adequate ventilation.

Do not use, pour, spill or store near heat or open flame.

FIRST AID: If swallowed induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Call a physician. Never give anything by mouth to an unconscious person.

FIRST AID: In case of contact, wash skin with soap and water, for eyes, flush with water for at least 15 minutes and get medical attention.

NOTE TO PHYSICIAN: This product is a metabolic stimulant, causes hyperthermia. Treat symptomatically.

ENVIRONMENTAL CAUTIONS: This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Vapors may cause injury if adequate ventilation is not insured. Do not use this product indoors, or any other confined areas, where the vapors may concentrate and cause injury to plant or animal life. Keep containers closed when not in use.

Care should be taken to prevent drip or spray from contacting ornamental shrubs, trees, grass, and other desirable vegetation.

LIMIT OF WARRANTY AND LIABILITY

This company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use. This product is sold subject to the understanding that the buyer assumes all risks of the use or handling which may result in loss or damage which are beyond the control of the seller, such as for example incompatibility with other products and the manner of its use or application. **NO OTHER EXPRESSED OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.** The exclusive remedy of the buyer, and the limit of liability of this company or any other seller for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. The buyer and all users are deemed to have accepted the terms of this notice which may not be varied by any verbal or written agreement.

FPL 1135 R 05

105