

100 S
Final
4-11-86

300	168530
17	4

MAR 31 1986

Koppers Company, Inc.
1201 Koppers Building
Pittsburgh, PA 15219

Attention: John E. Marcinowski

Gentlemen:

Subject: Pole-Life Preservative Paste TB
EPA Registration No. 453-103
Void-Fill 10
EPA Registration No. 453-74
Pole-Treat 15
EPA Registration No. 453-171
Tritox Preservative Paste
EPA Registration No. 453-182
Pole-Life Preservative Paste TF
EPA Registration No. 453-259
Woodtox 140-T
EPA Registration No. 453-271
Your Application Submissions Dated February 25, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted before you release the product for shipment.

1. The precautionary statements must precede the Directions for Use.
2. The hazard and child warning words must appear on the front or beginning of the label.
3. The first aid statements must also appear on the front or beginning of the label, following the ingredient statement.

88886:Notes:7-4:KFNCO:3/6/86:3/18/86:eg:vo
CONCURRENCES

SYMBOL ▶									
SURNAME ▶									
DATE ▶									

4. Storage and Disposal sections must be placed immediately within or after the Directions for Use.

Stamped copies of each label are enclosed for your records.

Sincerely yours,

Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosures

WOODTOX 140-T READY TO USE WATER REPELLENT WOOD PRESERVATIVE

RESTRICTED USE PESTICIDE

For sale to and use only for by certified applicators or by persons under their supervision and only for those uses covered by the certified applicators' certification.

DIRECTIONS:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT! DO NOT DILUTE FOR EXTERIOR USE ONLY.

This product is a clean oil solution useful for the protection of wood against fungus growths which cause rot and stain. It contains water repellents to aid in the control of shrinking, swelling, end checking, grain raising and warping.

For best results, this product should be applied so as to effect maximum penetration into the wood and heavy absorption especially at joints and wherever end grain exists. A 3-minute immersion period is recommended for millwork. For other open tank treatments, complete immersion of the wood in the solution is generally recommended for five minutes per inch of thickness. For the control of dimensional changes, shrinkage and swelling, the treatment of the end grain is most important since the moisture pick-up there is a hundred to a thousand times greater than at the flat or edge grain surface for many species of wood.

Where open tank treating is impractical, two heavy brush applications of this product should be applied, cutting out and removing all unsound wood two feet beyond any visible evidence of decay. All wood should be normally dry, and the framing or cutting completed before application of this product.

INGREDIENTS

Active Ingredients:

Pentachlorophenol*	4.47%
Other Chlorophenols and Related Compounds*	0.53%

Inert Ingredients	95.00%
Total	100.00%


*5.2% Technical Pentachlorophenol as defined in Federal Specification TT-W-570.

EPA Reg. No. 453-271
EPA Est. 453-MO-1

**ACCEPTED
with COMMENTS
to EPA Letter Dated**

MAR 31 1986

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
453-271**



STORAGE AND DISPOSAL

Storage: Store in a closed, properly labeled container in a cool place. If static generating conditions exist, provide necessary grounding and bonding. Keep containers closed when not in use.

PESTICIDE DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

APPLICATOR SAFETY:

The U.S. EPA has determined that pentachlorophenol can produce defects in the offspring of laboratory animals. Exposure to pentachlorophenol during pregnancy should be avoided.

Applicators must wear gloves impervious to the wood treatment formulation in all situations where dermal contact is expected (e.g., handling freshly treated wood and manually opening cylinder doors).

Individuals who manually open cylinder doors must wear gloves and a respirator.

Individuals who enter pressure treatment cylinders and other related equipment that is contaminated with wood treatment formulation (e.g., cylinders that are in operation or are not free of the treatment solution) must wear protective clothing (including overalls, jacket, gloves and boots) impervious to the wood treatment formulation and a respirator.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation (e.g., manually opening/closing cylinder doors, moving trams out of cylinders, mixing chemicals, and handling freshly treated wood).

Wash thoroughly after skin contact, and before eating, drinking, use of tobacco products, or using restrooms.

NOTE TO USER: As used on this label, the term "respirators" means properly fitting, well-maintained, half-mask canister or cartridge respirators which are MSHA/NIOSH-approved for organic vapors and acid gases.

DANGER: MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. CAUSES SKIN AND EYE IRRITATION. MAY CAUSE SEVERE BURNS. Do not get in eyes, on skin or on clothing. Do not breathe vapors or spray mist. Use with adequate ventilation. Do not take internally. Wash thoroughly after skin contact, before eating, drinking, use of tobacco products, or using restrooms. Wear goggles or face shield when handling or applying. Use only in well ventilated areas.

KEEP OUT OF REACH OF CHILDREN.

FIRST AID:

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

In case of contact wash skin with soap and water, for eyes, flush with water for at least 15 minutes and get medical attention.

If inhaled, remove to fresh air.

NOTE TO PHYSICIAN: Pentachlorophenol in this product is a metabolic stimulant, causes hyperthermia. Treat symptomatically.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is toxic to domestic animals. Treated sawdust and other wood wastes should not come in contact with domestic animals or be used as mulch where it will come in contact with useful living plants. Care should be taken to prevent drip from contacting ornamental shrubs, trees, grass and other desirable vegetation.

Vapors may cause injury if adequate ventilation is not insured. Do not use this product indoors, or any other confined areas, where the vapors may concentrate or migrate indoors and cause injury to plant or animal life.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Close container after each use.

LIMIT OF WARRANTY AND LIABILITY

This company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use. This product is sold subject to the understanding that the buyer assumes all risks of use or handling of this material not in strict accordance with the directions given herewith which are beyond the control of the seller, such as for example incompatibility with other products and the manner of its use of application. NO OTHER EXPRESSED OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE. The exclusive remedy of the buyer, and the limit of liability of this company or any other seller for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. The buyer and all users are deemed to have accepted the terms of this notice which may not be varied by any verbal or written agreement.

Koppers Company, Inc.
Wood Treating Chemicals Dept.
5137 Southwest Avenue, St. Louis, Missouri 63110

Net Contents _____ Pounds _____

Medical Emergencies: 1 800 553-5631 In Pennsylvania Call: 1 800 327-6571

FPL 2304 R05

