




WOODTREAT C8 CONCENTRATE WATER REPELLENT FUNGICIDE

DILUTE BEFORE USING

Controls Mold, Stain, and Mildew on Wood, Rope
and Canvas Equipment.

WARNING KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED. MAY BE ABSORBED ED
THROUGH SKIN. CAUSES SKIN IRRITATION.
COMBUSTIBLE.

See side panel for additional precautionary statements.

READ LIMIT OF WARRANTY AND LIABILITY
BEFORE BUYING OR USING
IF SUCH TERMS ARE NOT ACCEPTABLE RETURN
AT ONCE UNOPENED

ACTIVE INGREDIENTS:
Copper 8-Quinolinate 1.2%
INERT INGREDIENTS 98.8%
TOTAL 100.0%

EPA Reg. No. 453-280
EPA Est. 453 MO 1

Net Contents U.S. Gallons (Liters)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This fungicide is recognized as effective for above ground use, and is not recommended for ground contact.

DILUTION: Before using, dilute at the ratio of one part of product to four parts by volume of a mineral spirits, naphtha or equivalent solvent weighing not more than 6.56 lbs. per gallon to make a ready-to-use solution containing not less than 0.25% copper-8-quinolinate by weight. The diluent shall have a distillation end point no greater than 360° for quick drying and paintability. Agitate thoroughly before using.

This clear light green solution has been developed for treatment of wood, rope, and canvas against fungi which cause mold, mildew, decay and stain. It contains water repellents to aid in the control of swelling, checking, grain raising and warping.

Completely the object to be treated in the solution for 30 seconds. Allow sufficient time for the treated object to dry prior to any further processing.

For objects that cannot be immersed, liberal application by flooding, rolling, or brushing should be applied.

Treatment of wood can also be accomplished by vacuum pressure.

ESTIMATED COVERAGE: 5 to 10 gallons per thousand board feet for open tank treatment 200 square feet per gallon for brush application.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide spray mixture, or rinsate cannot be used or chemically reprocessed should be disposed according to procedures approved by Federal, State or local disposal authorities.

BEST DOCUMENT AVAILABLE

LIMIT OF WARRANTY AND LIABILITY

This company warrants that this material conforms to the chemical in the directions for use. This product is sold subject to the user's not in strict accordance with the directions given herewith which may vary with other products and the manner of its use or application. NO OTHER WARRANTY IS MADE. The exclusive remedy of the buyer, and the limit of liability, shall be the purchase price of this product. The buyer and all users are deemed to have accepted the terms of this warranty.

KOPPERS COMPANY, INC., WA
5137 SOUTHWEST AVENUE

ERS

FUNGICIDE

Wood, Rope

REACH OF CHILDREN

BSORBED ED
ATION.

ments.

INGREDIENTS:	
er-8-Quinolinate	1.2%
INGREDIENTS	98.8%
TOTAL	100.0%

EPA Reg. No. 453-280
EPA Est. 453-MO-1

llons (liters)



BEST DOCUMENT AVAILABLE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This fungicide is recognized as effective for above ground use, and is not recommended for ground contact.

DILUTION: Before using, dilute at the ratio of one part this product to four parts by volume of a mineral spirits, naphtha, or equivalent solvent weighing not more than 6.56 lbs./gal. to make a ready-to-use solution containing not less than .25% copper-8-quinolinate by weight. The diluent should have a distillation end point no greater than 360° for quick drying and paintability. Agitate thoroughly before using.

This clear light green solution has been developed for the protection of wood, rope, and canvas against fungus growths which cause mold, mildew, decay and stain. It also contains water repellents to aid in the control of shrinking, swelling, and checking, grain raising and warping.

Immerse completely the object to be treated in the solution for 15 to 30 seconds. Allow sufficient time for the treated objects to dry prior to any further processing.

For objects that cannot be immersed, liberal application by flooding, rolling, or brushing should be applied.

Treatment of wood can also be accomplished by vacuum or pressure.

ESTIMATED COVERAGE: 5 to 10 gallons per thousand board feet for open tank treatment. 200 square feet per gallon for brush application.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinseate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by Federal, State or local disposal authorities.

BEST DOCUMENT AVAILABLE

LIMIT OF WARRANTY AND LIABILITY

This company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use. This product is sold subject to the understanding that the buyer assumes all risks of use or handling of this material not in strict accordance with the directions given hereon which are beyond the control of the seller, such as for example, incompatibility with other products and the manner of its use or application. NO OTHER EXPRESSED OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE. The exclusive remedy of the buyer, and the limit of liability of this company or any other seller for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. The buyer and all users are deemed to have accepted the terms of this notice which may not be varied by any verbal or written agreement.

KOPPERS COMPANY, INC., WOOD TREATING CHEMICALS DEPT.

5137 SOUTHWEST AVENUE, ST. LOUIS, MISSOURI 63110

13

CONTAINER DISPOSAL: Triple rinse (or equivalent) and dispose of in an approved landfill or bury in a safe place.

GENERAL: Consult Federal, State or local disposal authorities for approved alternative procedure.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)

HARMFUL IF SWALLOWED. MAY BE ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION.

Do not get in eyes, on skin or on clothing. Do not breathe vapor or spray mist. Wear protective clothing and rubber gloves when handling this product or freshly treated lumber.

KEEP OUT OF REACH OF CHILDREN.

USE WITH ADEQUATE VENTILATION.

Vapors may cause injury if adequate ventilation is not insured. Do not use this product indoors or any other confined area where vapors may concentrate and cause injury to plant or animal life. Keep containers closed when not in use.

FIRST AID:

If swallowed, CALL A PHYSICIAN IMMEDIATELY. DO NOT induce vomiting. In case of skin contact, wash thoroughly with soap and water; for eyes, flush immediately with plenty of water for 15 minutes and get medical attention. If inhaled, remove to fresh air.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use, pour, spill or store near heat or open flame.

IN CASE OF FIRE: Use dry chemicals, foam, water fog or CO₂. Cool closed containers with water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

14