

# DORMANT SPRAY OIL

Shake Well Before Using

## DIRECTIONS

For Dormant application to Fruit trees (Apple, Pear, Peach, Cherry) mix as a 2-3% oil emulsion. For small operations use 1/2 pint in 3 gallons of water in pressure type sprayer. For larger operations use 3 gallons in 100 gallons of water. Agitate mixture thoroughly to get a smooth creamy emulsion. Apply in the spring when buds are dormant, spraying with as high pressure as possible until run-off occurs. Temperatures at time of application should be above 40° F. May be mixed with Dinitro materials for increased insecticidal efficiency.

Controls Early Green Aphids, Scale Insects, Forbes Scale and Red Mite. May also be used in the Dormant Stage on deciduous shade and ornamental trees and shrubs.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

NET CONTENTS 1 QUART  
U.S.D.A. Reg. No. 456-38

INSECTICIDES

**DORMANT**

**SPRAY**

**EMULSIFIABLE OIL**

FOR MIXING WITH WATER

### ACTIVE INGREDIENTS:

Paraffinic Base Oil.....85.0%  
INERT INGREDIENTS.....15.0%

Total.....100.0%

ACCEPTED

June 8, 1967

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. .... SUBJECT  
TO ATTACHED COMMENTS.

C-954  
456-38

The use of this material being beyond the control of the Seller, Seller makes no war-  
ranty of any kind for the use of this material. Buyer assumes the risk  
of use, handling or storage whether in accordance with directions or not.

MANUFACTURED BY

**CHEMICAL FORMULATORS, INC.**

NITRO, W VA

KNOXVILLE, TENN

# DORMANT SPRAY OIL

Shake Well Before Using

## DIRECTIONS

CAUTION: KEEP OUT OF REACH OF CHILDREN.

NET CONTENTS 1 QUART  
U.S.D.A. Reg. No. 456-38



# DORMANT SPRAY

## EMULSIFIABLE OIL

FOR MIXING WITH WATER

### ACTIVE INGREDIENTS:

Paraffinic Base Oil.....85.0%

INERT INGREDIENTS.....15.0%

Total.....100.0%

*Handwritten notes:*  
9/1/67  
RECEIVED  
AGRICULTURAL  
DEPARTMENT  
WASHINGTON, D.C.

The use of this material being beyond the control of the Seller, Seller makes no warranty, express or implied concerning the use of this material. Buyer assumes all risk of use, handling or storage whether in accordance with directions or not.

MANUFACTURED BY  
**CHEMICAL FORMULATORS, INC.**  
NITRO, W.VA. KNOXVILLE, TENN.

# DORMANT SPRAY OIL

Shake Well Before Using

## DIRECTIONS

For Dormant application to Fruit trees (Apple, Pear, Peach, Cherry) mix as a 2-3% oil emulsion. For small operations use 1/2 pint in 3 gallons of water in pressure type sprayer. For larger operations use 3 gallons in 100 gallons of water. Agitate mixture thoroughly to get a smooth creamy emulsion. Apply in the spring when buds are dormant, spraying with as high pressure as possible until run-off occurs. Temperatures at time of application should be above 40° F. May be mixed with Dinitro materials for increased insecticidal efficiency.

Controls Ear's Green Aphids, Scale Insects, Embry Scale and Red Mite. May also be used in the Dormant Stage on deciduous trees and ornamental trees and shrubs.

CAUTION: KEEP OUT OF REACH OF CHILDREN.

NET CONTENTS 1 QUART  
U.S.D.A. Reg. No. 456-38

# DORMANT SPRAY

## EMULSIFIABLE OIL

FOR MIXING WITH WATER

ACTIVE INGREDIENTS:  
Paraffinic Base Oil.....85.0%  
INERT INGREDIENTS.....15.0%  
Total.....100.0%

ACCEPTED  
June 8, 1967  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTRATION  
ED UNDER FD-302 (REV. 5-22-64)  
IN ACCORDANCE WITH 40 CFR 155.101

MANUFACTURED BY  
**CHEMICAL FORMULATORS, INC.**  
Nashville, Tenn.

This material is being sold beyond the control of the Seller. Seller makes no warranty or express or implied concerning the use of this material. Buyer assumes all risk of handling or storage whether in accordance with directions or not.