

458-26 PMJ 1965

<b>US ENVIRONMENTAL PROTECTION AGENCY</b> <b>OFFICE OF PESTICIDES PROGRAMS</b> <b>REGISTRATION DIVISION (TS-767)</b> <b>WASHINGTON, DC 20460</b>	<b>EPA REGISTRATION NO.</b> 458-26	<b>DATE OF ISSUANCE</b> OCT 10 1985
	<b>TERM OF ISSUANCE</b> Conditional	
	<b>NAME OF PESTICIDE PRODUCT</b> USOL Zinc Wood Preservative	

**NOTICE OF PESTICIDE:** ☒ REGISTRATION  
☐ REREISTRATION  
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

**NAME AND ADDRESS OF REGISTRANT (Include ZIP code)**

Standard Tar Products Company, Inc.  
2456 West Cornell Street  
Milwaukee, WI 53209-6294

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:


1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phrase "EPA registration No. 458-26."
  - b. Under "Provides Protection" correct the spelling of "Frames" and "Siding."
  - c. Delete "And other wood-boring insects" or indicate those intended.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

☐ ATTACHMENT IS APPLICABLE

**SIGNATURE OF APPROVING OFFICIAL** *Harry M. Jacoby* **DATE** 10/10/85

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

  
Henry M. Jacoby  
Product Manager (21)  
Fungicide-Herbicide Branch  
Registration Division (TS-767)

Enclosure

RD/FHB:Job-88257:Forrest:RD-64:KENCO:9/28/85:del.10/7/85:Kim



EPA Reg. No. 458-  
EPA Est. No. 458-WI-1

ZINC  
WOOD PRESERVATIVE

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

OCT 10 1985

STOPS WOOD ROT, DECAY, MILDEW  
AND TERMITE ATTACK

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

PAINTABLE . READY TO USE

458-26

To Protect Wood Used Above and Below Ground

ACTIVE INGREDIENT:

Zinc Naphthenate . . . . . 15.7% Minimum  
(equivalent to 2% metallic Zinc)

INERT INGREDIENTS: . . . . . 84.3% Maximum

Total 100.0%

WARNING: Keep out of reach of children

See side panel for additional  
precautionary statements

NET CONTENTS.

Manufactured by  
STANDARD TAR PRODUCTS CO., INC.  
2456 West Cornell St, Milwaukee, WI 53209

HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS

WARNING

Harmful if swallowed, inhaled or absorbed through skin. Causes eye and skin irritation. Use only in well ventilated area. Do not breathe vapor or spray mist. Do not get in eyes, on skin, or on clothing. Wear goggles, rubber gloves and protective clothing when applying or handling the freshly treated lumber. Wash thoroughly after handling.

Keep out of reach of children

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, flush immediately with plenty of water for 15 minutes and get medical attention.

If swallowed, call physician immediately. Do not induce vomiting.

If inhaled, remove to fresh air.

For skin contact, wash thoroughly with soap and water. Remove contaminated clothing and shoes. Wash clothes before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Use with adequate ventilation.

Do not use or store inside the home.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For Outdoor Use Only.

Use as received without dilution.

Shake Well Before Using.

TO STOP WOOD ROT, DECAY AND MILDEW

Wood should be dry, unpainted, well seasoned and bark free.

COATING: Apply two or three drenching coats with a mop, sprinkling can or brush.

DIPPING: Soak five minutes or more for each inch of thickness of wood. Posts, poles and timbers should soak 24 to 48 hours.

Allow treated surface to dry (usually all solvent is gone in 24 hours) before painting or varnishing.

Can be painted over when thoroughly dry.

For wood containing resins and other materials, weathering will enhance paint adhesion.

Do not apply over painted or varnished surface.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Keep closures tight and upright to prevent leakage. Soak up spills or leaks with sand, dirt or synthetic absorbent and remove to container.

DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.


CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

## FABRIC AND CORDAGE PROTECTION

Can be used to protect and preserve fabric against mildew, mold and fabric destroying and staining fungus, including rope, fish net, twine, canvas, burlap and other fabrics. Materials should be thoroughly saturated until wet and air dried before use. Material can be either sprayed or dipped for complete saturation. Treats approximately 75 square feet of fabric per gallon. Do not use on fabric intended for food or feed contact surfaces or clothing. Not for use on fabric or cordage in ground contact situations.

Do not use on wood intended for food, feed, potable water, livestock or dairy animals contact surfaces.

May injure living plants during applications. Cover plants to protect against direct contact.





## ZINC

### WOOD PRESERVATIVE

. PROVIDES PROTECTION for years from decay, mildew and rotting for wooden flooring, for decks and patios, ladders, doors, window frames and sashes, fence posts, stakes and small dimensional lumber, wood siding and shingles. Will not leach from wood.

. PREVENTS ATTACK by termites and other wood-boring insects.

. GIVES CLEAN, PAINTABLE SURFACE for protection of wood above ground. Surfaces will not crack, peel, blister or flake.

. ECONOMICAL to use. Increases life of wood. Saves repairs and replacements.

. PENETRATING solution soaks in deeply, dries clean and leaves no sticky surfaces.

. CONVENIENT to use. No stirring or mixing. Ready for immediate use. Wood can be treated by coating or soaking.

### APPROXIMATE COVERAGE

Depending upon method of application and porosity, texture and dryness of wood:  
200-400 square feet per gallon.

### CLEAN UP

Rinse brushes and equipment with mineral spirits immediately after completion of jobs for fast clean up.

### KEEP FROM FREEZING

Subject to proper handling and storage, this product is warranted to be of merchantable quality and there are no warranties which extend beyond the descriptions hereon. Liability is limited to replacing or giving credit for the purchase price. Manufacturer shall not be liable for any special or consequential damages.

