




EPA Reg. No. 458-60
EPA Est. No. 458-WI-1

COPPER GREENTM
WOOD PRESERVATIVE CONCENTRATE

STOPS WOOD ROT, DECAY, MILDEW
AND PREVENTS TERMITE ATTACK



1 Gallon Makes 12 Gallons

To protect wood used above and below ground
or in contact with water

ACTIVE INGREDIENT:

Copper 2 - ethyl hexanoate . 66.10% minimum
(equivalent to 12% metallic copper)


INERT INGREDIENTS: 33.90% maximum
Total 100.00%

DANGER.: Keep out of reach of children

See side panel for additional
precautionary statements

NET CONTENTS

Manufactured by
STANDARD TAR PRODUCTS CO., INC.
2456 West Cornell St. Milwaukee, WI 53209



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

DANGER

Corrosive, causes irreversible eye damage and skin damage. Harmful if swallowed, inhaled or absorbed through skin. Causes eye and skin irritation. Use only in well ventilated area. Do not breathe vapor or spray mist. Do not get in eyes, on skin, or on clothing. Wear goggles, face shield or safety glasses, rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling.

Keep out of reach of children

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, flush immediately with plenty of water for 15 minutes and get medical attention.

If swallowed, call physician immediately. Do not induce vomiting.

If inhaled, remove to fresh air.

For skin contact, wash thoroughly with soap and water. Remove contaminated clothing and shoes. Wash clothes before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of waste.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Use with adequate ventilation.

Do not use or store inside the home.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For Outdoor Use Only.

Shake Well Before Using.

TO STOP WOOD ROT, DECAY AND MILDEW

Wood should be dry, unpainted, well seasoned and bark free.

COATING: Apply two or three drenching coats with a mop, sprinkling can or brush. Allow at least one hour between applications.

DIPPING: Soak five minutes or more for each inch of thickness of wood. Posts, poles and timbers should soak 24 to 48 hours.

Allow treated surface to dry (usually all solvent is gone in 24 hours) before painting or varnishing.

Oil or alkyd stains or paints can be applied after an overnight dry, but the green may bleed through lighter colors. Do not over coat with latex paint or clear finishes until thoroughly cured (6 to 12 months).

Do not apply over painted or varnished surfaces.

Do not apply over bark.

STORAGE AND DISPOSAL

DO NOT USE OR STORE INSIDE THE HOME. DO NOT REUSE EMPTY CONTAINER. KEEP AWAY FROM FOOD AND FEED. KEEP CLOSURES TIGHT AND UPRIGHT TO PREVENT LEAKAGE. SOAK UP SPILLS OR LEAKS WITH SAND, DIRT OR SYNTHETIC ABSORBENT AND REMOVE TO CONTAINER. DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL. PESTICIDE WASTES ARE TOXIC. IMPROPER DISPOSAL OF EXCESS PESTICIDE, SPRAY MIXTURE, OR RINSATE IS A VIOLATION OF FEDERAL LAW. IF THESE WASTES CANNOT BE DISPOSED OF BY USE ACCORDING TO LABEL INSTRUCTIONS, CONTACT YOUR STATE PESTICIDE OR ENVIRONMENTAL AGENCY, OR THE HAZARDOUS WASTE REPRESENTATIVE AT THE NEAREST E.P.A. REGIONAL OFFICE FOR GUIDANCE.

HOMEOWNER USE: SECURELY WRAP ORIGINAL CONTAINER IN SEVERAL LAYERS OF NEWSPAPER AND DISCARD IN TRASH.

INDUSTRIAL USE: WASTES RESULTING FROM THE USE OF THIS PRODUCT MAY BE DISPOSED OF ON SITE OR AT AN APPROVED WASTE DISPOSAL FACILITY.

TRIPLE RINSE (OR EQUIVALENT), THEN OFFER FOR RECYCLING OR RECONDITIONING, OR PUNCTURE AND DISPOSE OF IN A SANITARY LANDFILL, OR BY OTHER PROCEDURES APPROVED BY STATE AND LOCAL AUTHORITIES.

2014

Copper GreenTM
Wood Preservative Concentrate



- PROVIDES PROTECTION for years from decay for wood in contact with soil - fence posts, gate posts, corral posts, barn timbers and the like. Can also be used on wood surfaces in contact with soil, concrete or water including Foundation, sills, docks and boats.
- PREVENTS ATTACK by termites and other wood-boring insects. Powder post beetles are killed by application of this preservative
- PENETRATING solution soaks in deeply, dries clean and leaves no sticky surfaces.
- LASTING protection. Stays in wood and remains effective for years. Will not leach from wood.
- ECONOMICAL to use. Increases life of wood. Saves repairs and replacements.

Copper Green 11-1 Concentrate is easily diluted with petroleum solvents such as paint thinner, mineral spirits, light fuel oil or kerosene.

To obtain various metallic copper concentrations, use the following dilution table.

For 0.4% copper,	add	29	gallons	to	one gallon Concentrate
For 0.8% copper,	add	14	gallons	to	one gallon Concentrate
For 1.0% copper,	add	11	gallons	to	one gallon Concentrate
For 2.0% copper,	add	5	gallons	to	one gallon Concentrate
For 3.0% copper,	add	3	gallons	to	one gallon Concentrate

APPROXIMATE COVERAGE

Depending upon method of application and porosity, texture and dryness of wood: 200-400 square feet per gallon.

CLEAN UP

Rinse brushes and equipment with mineral spirits after completion of jobs for fast clean up.

KEEP FROM FREEZING

IMPORTANT NOTICE TO BUYER: Neither manufacturer nor seller makes any representation of warranty, expressed or implied, concerning this material, other than indicated on the label. Neither shall be held responsible in any manner for any personal injury, property damage or other type of loss resulting from the improper handling, storage and use of this material. See label directions. The buyer accepts and uses this material under these conditions.

Manufacturer will refund the purchase price or replace this product, if within one year of the date of purchase, it is shown to be defective. Manufacturer's liability under any warranty, whether expressed or implied, is limited to one year from date of purchase and does not include any

FABRIC AND CORDAGE PROTECTION

Can be used to protect and preserve fabric against mildew, mold and fabric destroying and staining fungus, including rope, fish net, twine, canvas, burlap and other fabrics. Materials should be thoroughly saturated until wet and air dried before use. Material can be either sprayed or dipped for complete saturation. Treats approximately 75 square feet of fabric per gallon. Do not use on fabric intended for food or feed contact surfaces or clothing. Not for use on fabric or cordage in ground contact situations.

Do not use on wood intended for food, feed, potable water, livestock or dairy animals contact surfaces.

May injure living plants during applications. Cover plants to protect against direct contact.

CONCENTRATE should be diluted so that the treating solution contains from 0.4 to 0.8% copper as metal. For lumber to be used above ground but sheltered from rain and sun, 0.4% will provide necessary protection. For all exterior uses where rain and sunlight will be a factor, 0.8% copper as metal should be applied when the dip treatment is used. Suggested dosage for below ground use is 1.0 to 3.0%. Suggested dosage for wood in contact with water is 2.0% or greater.