



METHYL BROMIDE

SPEC

ACTIVE INGREDIENT: Methyl Bromide 100%
E.P.A. Registration No. 464-3-AA

Before Using: Read the Printed Directions of The Dow Chemical Company for Specific Fumigation Treatment. Comply With Local Ordinances or Regulations.

Do not enter a treated area without a gas mask unless you have checked the area with a halide leak detector to make sure dangerous concentrations of gas are not present. If there is any doubt, wear a gas mask. A full face gas mask with an air supply tank or airline is recommended. Read and follow the gas mask manufacturer's recommendations. A full face mask with a fresh black canister meeting specifications of the U.S. Bureau of Mines for organic vapors can also be used under certain circumstances where the vapor concentration is known to be under 2% by volume (5 lb. per 1000 cu. ft.). Canisters should be used for no more than one-half hour. Destroy used canisters by crushing.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

D174

THE DOW CHEMICAL COMPANY

AND SUBSIDIARIES

MIDLAND, MICHIGAN 48640, USA ZÜRICH, SWITZERLAND HONG KONG, CHINA
CORAL GABLES, FLORIDA 33134, USA SARINIA, ONTARIO, CANADA
* REGISTERED TRADEMARK OF THE DOW CHEMICAL COMPANY

DANGER POISON

KEEP OUT OF REACH OF CHILDREN.
EXTREMELY HAZARDOUS LIQUID AND VAPOR UNDER PRESSURE • INHALATION MAY BE FATAL OR CAUSE DELAYED LUNG INJURY • LIQUID AND VAPOR CAUSE BURNS WHICH MAY BE DELAYED

Do Not Breathe Vapor • Use Only With Adequate Ventilation • Do Not Get in Eyes, on Skin, on Clothing • Do Not Use Ordinary Rubber Protective Clothing Including Gloves and Boots • Keep Away From Heat

SEND FOR A DOCTOR IMMEDIATELY IN CASE OF EXPOSURE.

FIRST AID

IF INHALED — Carry patient to fresh air. Call a physician at once. Make sure patient can breathe freely. Keep patient lying down and warm. Give artificial respiration if breathing has stopped. Oxygen should be administered only by qualified personnel.

IN CASE OF CONTACT — Immediately remove all contaminated skin clothing including shoes, clothing, and adhesive or other bandages. Wash skin thoroughly with soap and water. If irritation or blisters develop, get medical attention. For eyes, flush immediately with plenty of water for at least 15 minutes and get medical attention. Do not reuse shoes or clothing until free of all contamination.

NOTE TO PHYSICIAN: Keep patient at rest and under observation for 24 to 48 hours.

DO NOT SPILL OR DISCHARGE CONTENTS OUTSIDE OF AREAS CONFINED FOR TREATMENT. KEEP CHILDREN AND ANIMALS AWAY FROM AREAS UNDER TREATMENT.

DE SPECIMEN LABEL



POISON

METHYL
BROMIDE,
LIQUID

DE

SPECIMEN LABEL

ACCEPTED

FEB 22 1974

UNDER THE FEDERAL PESTICIDE
FUNCTION AND CONTROL ACT
FOR PESTICIDES REGISTERED
UNDER 464-3 SUBJECT
TO ATTACHED CONDITIONS.



POISON

METHYL
BROMIDE
LIQUID