ACCEPTED
FEB 19 1975
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 464-198

RECEIVED
9 DEC 1974
REGISTRATION DIVISION
PESTICIDES, EPA

SPECIMEN LABEL
REDUCED TO 80%

VERTIFUME*

EFFECTIVE FUMIGANT FOR CONTROLLING INSECT PESTS IN STORED GRAIN

82.9
16.5
0.6

1 D.

ECAUTIONS

RECOMMENDED DOSAGES

Grain Temperature 60 F or Higher		Wheat Rye Barley	Corn Oats Corn Grits	Grain Sorghum
	Types of Storage	Gallons per 1000 Bushels		
Flat Storage	Wooden Bins	4	6	6
	Steel and Concrete Bins	3	5	7
Elevator Storage and Ship's Hold	Wooden Cribbed Bins	3	6	5
	Steel and Concrete Bins	2	4	5
		Gallons per Box Car		
Box Cars	Average Condition and Load	5	8	12

Note On less than 1000 bushel lots use the same dosage as recommended for 1000 bushels. With very small lots wet the texture's surface with fumigant.

DIRECTIONS

FLAT STORAGE

ELEVATOR STORAGE

BOX CARS

BULK CERTIFIED OR HYBRID SEED GRAIN

CEREAL LEAF BEETLE

DANGER.

RICE AND CRACKED RICE. Use 4 gallons of VERTIFUME per 1000 bushels if average grain temperature is 75 F or above. If temperature is between 60 F and 75 F use 6 gallons per 1000 bushels. If necessary to fumigate when grain temperature is below 60 F use 8 gallons per 1000 bushels. See Use Precautions.

RECIRCULATION METHOD.

NOTE Do not use containers or handling equipment of aluminum, magnesium, or their alloys as under certain conditions VERTIFUME may be severely corrosive to such metals.

Do not reuse empty container. Drain drum and allow remaining contents to evaporate completely. Return to drum reconditioner or dispose of in a safe place.

SEE YOUR STATE AGRICULTURAL EXPERIMENT STATION OR EXTENSION SERVICE SPECIALISTS FOR GENERAL INFORMATION.

STORE IN A TIGHTLY CLOSED CONTAINER IN A COOL LOCATION AWAY FROM DWELLINGS. KEEP FUMIGANT PROPERLY LABELED.

NOTICE

AGRICULTURAL CHEMICAL

Do Not Ship or Store with Food, Feeds, or Clothing

PRECAUCION AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

TRANSLATION: (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

DANGER POISON

KEEP OUT OF REACH OF CHILDREN
HAZARDOUS VAPOR AND LIQUID
MAY BE FATAL IF INHALED OR SWALLOWED
CONTACT CAUSES SKIN IRRITATION
MAY CAUSE EYE IRRITATION
Use Only With Adequate Ventilation
Do Not Breathe Vapor • Do Not Take Internally
Avoid Contact With Skin

SEND FOR A DOCTOR IMMEDIATELY IN CASE OF ACCIDENT

FIRST AID TREATMENT

In case of skin contact, wash with soap and water. For eyes, flush with plenty of water for at least 15 minutes and get medical attention. Remove and wash clothing before re-use. Do not wear shoes until free of all chemical odor.

If illness results from inhalation, remove to fresh air and call a physician. If swallowed, call a physician. Induce vomiting by giving an emetic such as 2 tablespoonfuls of salt in a glass of warm water.

Do not use fumigated material or feed it to livestock until aeration has eliminated the odor of the fumigant.

To prevent thermal decomposition avoid contact with flame or hot surfaces. Thermal decomposition may form highly poisonous phosgene gas.

CLASSIFIED BY UNDERWRITERS LABORATORIES, INC. AS TO FIRE HAZARD ONLY.

VERTIFUME CLASSED 1 TO 5 LESS HAZARDOUS THAN PARAFFIN OIL IN RESPECT TO FIRE HAZARD.

SEE UL INDEX OF CLASSIFIED PRODUCTS 993P.

54 GALLONS

THE DOW CHEMICAL COMPANY

AND SUBSIDIARIES

MIDLAND, MICHIGAN 48640 USA ZURICH, SWITZERLAND HONG KONG, BC
CORAL GABLES, FLORIDA 33134 USA SARNIA, ONTARIO, CANADA

C 1174

. IN NOVEMBER, 1974

36-1140 PRINTED IN JULY, 1974

EPA ESTABLISHMENT NUMBERS ADDED
CAL STATEMENT ADDED (3) UL