




DOWFUME 75  
Fumigant



Label Copy  
DOWFUME 75  
December 22, 1975  
Page 2

Concentrations of carbon tetrachloride in air may be determined with instruments such as the Gas-tech Model 1072, Gastech, Inc., Johnson Instrument Div., 2560 Wyandotte St., Mountainview, California.

Do not apply fumigant when room temperature is below 60 degrees F. To apply DOWFUME 75 fumigant to specimen cases, one fumigator opens the case front while the other fumigator introduces the fumigant into the metal cup attached to the case front. Apply 50 cc's DOWFUME 75 per 12 cubic feet of case volume. Close and reseal case front. Do not open cases for 96 hours. After the 96 hour exposure period, open cases and aerate until carbon tetrachloride concentration is below 10 ppm. Follow the same precautions during aeration as during application. Re-treat at six month intervals or when evidence of insect re-infestation occurs.

After application has been completed, post all entrances to the treated area with placards identifying the hazard i.e., DANGER-POISON, DOWFUME 75 Fumigant containing carbon tetrachloride, and the first aid treatment that appears in this brochure. Do not remove placards until concentrations of carbon tetrachloride are determined to be less than 10 parts per million.

Use only for Terrestrial Beetles and Similar Pests Infesting Museum Biological Specimens Not on Public Display.

ACTIVE INGREDIENTS:

Ethylene Dichloride ..... 70.0%  
Carbon Tetrachloride ..... 30.0%

E.P.A. Registration No. 464-34-AA      E.P.A. Est. No. 464-TX-1

FOR USE BY TRAINED PERSONNEL ONLY

NOTE: DOWFUME 75 Fumigant contains carbon tetrachloride which is poisonous when inhaled or swallowed. See precautions and first aid measures before using.

USE DIRECTIONS

Fumigations should only be conducted on weekends or holidays when the building is empty of people other than trained fumigators. During fumigation, fumigators should work in pairs. When applying the fumigant wear a full-face gas mask with a black canister meeting specifications of the U. S. Bureau of Mines for organic vapors or use an air supplied respirator. Canisters should be used only one time and for no more than one-half hour. Destroy used canisters by crushing to prevent re-use.

Do not let personnel re-occupy area under fumigation until air concentrations of carbon tetrachloride are determined to be less than 10 parts per million. Aerate room by opening windows and doors. If necessary use a fan to speed aeration.

AGRICULTURAL CHEMICAL

Do Not Ship or Store with Food, Feeds, or Clothing

PRECAUCION AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

TRANSLATION: (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

  
DANGER POISON  
KEEP OUT OF REACH OF CHILDREN  
HAZARDOUS VAPOR AND LIQUID  
MAY BE FATAL IF INHALED OR SWALLOWED  
MAY CAUSE EYE IRRITATION