



RADAPON®

Liquid

Grass Killer

For Use on Railroad Right-of-Ways

Containing 4 Pounds of Dalapon*
Sodium Salt 78% Per Gallon

ACTIVE INGREDIENTS:

Dalapon (2,2-dichloropropionic acid), Sodium Salt 30.7%

INERT INGREDIENTS: 69.3%

2,2-dichloropropionic acid equivalent 26.6% ---- 2.7 lb./gallon

U.S.D.A. Registration No. 464-174

Directions


To control established grasses such as Johnson, Bermuda, para, quack, and
phragmites (plume grass) on railroad berm and ballast areas, apply 2 to 4
gallons of Radapon Liquid per acre-mile after growth is well developed during
spring or early summer. Under most conditions 12 gallons per acre-mile
suggested. Dilute with sufficient water to give uniform wetting of foliage
(100 or more gallons of spray mix per acre-mile with on-the-track equipment).
Formula 40® Weed Killer may be added to spray mix for control of broad-leaved
weeds, but contact weed killers which produce rapid foliage burn should not
be used. Undiluted Radapon Liquid is not compatible with Formula 40
and must be diluted before Formula 40 is added. Application of spray
mixes containing 2,4-D should be delayed until most of the weed seedlings and
grasses have emerged. If regrowth of established grasses occurs, make a second
application during the same season, using 5 to 8 gallons of Radapon Liquid per
acre-mile.

IMPORTANT: Use Radapon Liquid spray mixtures within 1 to 2 days after mixing,
since they may lose strength on long standing, particularly under high temper-
atures. Flush spraying equipment with plenty of water immediately after use
to avoid contamination of later sprays or possible corrosion of equipment.

To avoid injury to desirable plants, do not allow spray or spray drift to contact
foliage or roots of such plants, including lawns or other desirable turf. Contami-
nated irrigation water may cause injury to desirable plants.

Do not contaminate waters used for domestic or irrigation purposes.

NOTICE: Seller makes no warranty of any kind, express or implied, concerning
the use of this product. Buyer assumes all risk of use or handling, whether
in accordance with directions or not.



Local conditions affect the use of herbicides. State agricultural experiment
station or extension weed service specialists in many states issue recommenda-
tions to fit local conditions.

CAUTION
KEEP OUT OF REACH OF CHILDREN
Causes Eye Irritation - May Cause Skin Irritation
Avoid Contact with Eyes, Skin or Clothing

) In required
) type size

In case of contact, flush eyes with water for at least 15
minutes and get medical attention. For skin, remove grossly
contaminated clothing and wash skin with plenty of water.
Wash contaminated clothing before re-use.

Contents hereof licensed for use under United States Patent No. 2,642,354

Trademark of The Dow Chemical Company Abroad

THE DOW CHEMICAL COMPANY

Midland, Michigan

