

7-24-67 464-195

DOW ETHYLENE DIBROMDE

A FUMIGANT TO CONTROL INSECTS INFESTING CERTAIN FRUITS, VEGETABLES

Active Ingredient:

Ethylene Dibromide _____ 100% U.S.D.A. Registration No. 464-195

DIRECTIONS

Use as a fumigant for the control of insect pests infesting citrus, pineapples, guavas, papayas, mangoes, cucumbers, bell peppers, bitter melon, cavendish bananas, zuccini squash, string beans, litchi nuts, plums and cantaloupes.

Use only in accordance with the recommendations and instructions issued by the United States Department of Agriculture for various quarantine programs and for the Mediterranean Fruit Fly control program. Fumigations should be conducted only with the approval and supervision of proper U.S.D.A. authorities.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably for escenable to seller, and buyer assumes the risk of any such use.

USE PRECAUTIONS

The conditions of use of this fumigant are prescribed by governmental regulations. The buyer assumes all risk of damage to the fumigated material. The buyer should consult with the United States Department of Agriculture concerning the type and extent of damage, if any, to be expected. To avoid or minimize damage, do not use more than 1 pound of Dow Ethylene Dibromide per 1000 cubic feet of fumigated space.

NOTE: Do not use containers or handling equipment of aluminum, magnesium, or their alloys, as under certain conditions ethylene dibromide may be severely corrosive to such metals. Exposure to ethylene dibromide or its vapors may cause serious damage to rubber products, surface finishes, and certain types of plastics products.

NOTE

This product will solidify at temperatures below 50°F.

WARNING ~

KEEP OUT OF REACH OF CHILDREN
HARMFUL LIQUID AND VAPOR
CAUSES SKIN IRRITATION AND
BLISTERS ON PROLONGED CONTACT
ABSORBED THROUGH SKIN

Avoid Breathing Vapor
Do Not Get in Eyes, on Skin, on Clothing
Do Not Take Internally
Use Only with Adequate Ventilation

In case of contact, immediately remove contaminated shoes and clothing and wash skin with soap and water; flush eyes with plenty of water for at least 15 minutes and get medical attention. Do not wear shoes or clothing until ABSOLUTELY free of all chemical odor.

If illness results from inhalation, remove to fresh air and call a doctor.

If swallowed, call a doctor. Induce vomiting by giving an emetic such as two tablespoonfuls of table salt in a glass of warm water.

GALLONS

