



DIRECTIONS FOR MIXING AND USE

To prepare finished spray, mix Korlan 25W wettable powder insecticide with water in accordance with chart below.

TYPE AND USE	Amount Korlan 25W to use for				REMARKS
	1% Ronnel	1 gal.	3 gal.	25 gal.	
RESIDUAL FLY SPRAY A 1/2% spray will usually give 2 weeks control. A 1% spray will usually give 4 to 6 weeks control.					Spray walls, ceilings, partitions to obtain complete coverage with little or no runoff. Use 1 gallon of diluted spray per 500 to 1000 sq. ft.
Farm Buildings: Poultry houses, livestock shelters, dairy and hog barns	1/2% or 1%	2 1/2 oz. or 5 oz.	1 1/2 lb. or 1 lb.	4 lb. or 8 lb.	Add 3 ounces of sugar per gallon of diluted spray for added effectiveness. To prevent contamination, keep milk and milking equipment covered while spraying.
Food Processing Plants:	1/2% or 1%	2 1/2 oz. or 5 oz.	1 1/2 lb. or 1 lb.	4 lb. or 8 lb.	Do not apply in the edible product areas of food processing plants.
Refuse Areas and containers:	1%	5 oz.	1 lb.	8 lb.	Spray to soak all exposed surfaces.
FLY BAIT: Where flies congregate. Barn floors, windows and doorways.	2%	11 oz.	2 lb.	16 lb.	Add 3 ounces sugar per gallon of diluted spray. Apply with sprinkling can or sprayer at 1 or 2 day intervals.
MISCELLANEOUS INSECTS: Fleas and Spiders in buildings and dog kennels.	1%	5 oz.	1 lb.	8 lb.	Apply 1 gallon of dilute spray per 1000 square feet. Spray floors, walls, cracks, crevices, etc., where insects breed and harbor, including animals sleeping quarters.



NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

CAUTION HARMFUL IF SWALLOWED

Avoid prolonged breathing of dust or spray mist. Avoid contact with skin. Wash thoroughly with soap and water after handling. Avoid contamination of food, feedstuffs, and water supplies.

KEEP MATERIAL PROPERLY LABELED AND OUT OF REACH OF CHILDREN.

SPECIMEN LABEL

50 LB.

Active Ingredients:
Ronnel™ (O,O-dimethyl O-(2,4,5-trichlorophenyl) phosphorothioate) 25%
Inert Ingredients 75%
* Trademark of The Dow Chemical Company abroad.
** Prepared from technical grade, not suitable for internal use in animals.
E.P.A. Registration No. 464-200-AA

CAUTION
KEEP OUT OF REACH OF CHILDREN
Read Complete Precautions on Side Panel
THE DOW CHEMICAL COMPANY
AND SUBSIDIARIES
MIDLAND MICHIGAN 48640 USA ZÜRICH SWITZERLAND HONG KONG H.K.
CORAL GABLES FLORIDA 33134 USA SARNIA ONTARIO CANADA
* TRADEMARK OF THE DOW CHEMICAL COMPANY

FIRST AID TREATMENT

If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Repeat until vomit fluid is clear.

CALL A PHYSICIAN IMMEDIATELY.

NOTE TO PHYSICIAN

This material is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

86-1090 PRINTED IN U.S.A. IN FEBRUARY, 1972.
REPLACES SPECIMEN LABEL 86-1090 PRINTED IN FEBRUARY, 1961.

REVISIONS INCLUDE: (1) DIRECTIONS FOR USE COMPLETELY REWRITTEN. (2) WORLDWIDE COMPANY SIGNATURE. (3) "USDA" CHANGED TO "EPA." (4) ENVIRONMENTAL CAUTIONS ADDED. (5) AHI SYMBOL ADDED.

for farm, ranch,
dairy barns

50 LB.

Active Ingredients:

Ronnel** [O,O-dimethyl O-(2,4,5-trichlorophenyl) phosphorothioate[†]] .. 25%

Inert Ingredients..... 75%

** Trademark of The Dow Chemical Company abroad

† Prepared from technical grade; not suitable for internal use in animals.

E.P.A. Registration No. 464-200-AA

CAUTION

KEEP OUT OF REACH OF CHILDREN

Read Complete Precautions on Side Panel

THE DOW CHEMICAL COMPANY

AND SUBSIDIARIES

MIDLAND, MICHIGAN 48640, USA ZURICH, SWITZERLAND HONG KONG, BCC

CORAL GABLES, FLORIDA 33134, USA SARNIA, ONTARIO, CANADA

* Trademark of THE DOW CHEMICAL COMPANY

**CAUTION
HARMFUL IF SWALLOWED**

Avoid prolonged breathing of dust or spray mist.

Avoid contact with skin.

Wash thoroughly with soap and water after handling.

Avoid contamination of food, feedstuffs, and water supplies.

**KEEP MATERIAL PROPERLY LABELED AND
OUT OF REACH OF CHILDREN.**

SPECIMEN LABEL

FIRST AID TREATMENT

If swallowed, induce vomiting by giving a table-
spoonful of salt in a glass of warm water. Repeat
until vomit fluid is clear.

CALL A PHYSICIAN IMMEDIATELY.

NOTE TO PHYSICIAN

This material is a cholinesterase inhibitor. Treat
symptomatically. Atropine is an antidote.

E1171

FEBRUARY, 1972.

PRINTED IN FEBRUARY, 1961.

IS FOR USE COMPLETELY REWRITTEN.