



TORDON* 10K PELLETS

SPECIMEN LABEL

50 LB. BRUSH KILLER

For the Control of Unwanted Woody Plants Particularly on Utility Rights-of-Way and on Industrial Sites.

ACTIVE INGREDIENT:

Picloram (4-amino-3,5,6-trichloropicolinic acid) potassium salt... 11.6%
INERT INGREDIENTS:..... 88.4%
Picloram acid equivalent..... 10.0%
E.P.A. Registration No. 464-320-AA

TORDON 10K Pellets, a highly effective brush killer, is designed to be applied to the soil for the control of undesirable woody plants. It is intended for use on utility rights-of-way such as electrical power lines, communication lines, pipelines, highways and railroads. It also can be used in forests and on industrial sites. TORDON 10K Pellets may be applied as spot or broadcast treatments. The application method and equipment used should assure uniform distribution of the recommended dosage over the treated area. Rapid response should not be expected. Maximum effects of treatment with TORDON 10K Pellets do not become apparent until after the chemical has been carried by moisture into the root zones of the woody plants. TORDON 10K Pellets are non-corrosive to application equipment, non-volatile, and non-flammable.

USE DIRECTIONS

TORDON 10K Pellets may be applied at anytime soil is not frozen. However, best results are obtained from application in the spring before growth begins or during periods of vigorous growth when subsequent rainfall can be expected. Distribute TORDON 10K Pellets uniformly by spot or broadcast treatment to the soil over the roots of woody plants to be controlled. **READ AND FOLLOW ALL USE PRECAUTIONS ON THIS LABEL.**

Broadcast application is the preferred method of treatment for dense stands of brush. Use TORDON 10K Pellets at the rate of 20 to 85 pounds/acre (approximately 1 to 2 pounds per 1,000 square feet) and distribute evenly over the entire area where brush is to be controlled.


To control hawthorne, kudzu, redbud and sumac and certain other easy to control species, use TORDON 10K Pellets at the rate of 20 to 50 pounds per acre.

To control moderately susceptible species such as aspen, brambles, buttonbrush, chokecherry, conifers, dogwood, elderberry, juniper sp., locusts and mulberry, maple and sassafras use TORDON 10K Pellets at the rate of 60 pounds per acre.

To control solid stands of hard-to-kill species such as ash, blackgum, cypress, gallberry, hickory, oak and sourwood use TORDON 10K Pellets at the rate of 85 pounds per acre.

To control stands of mixed brush species (from moderately susceptible to hard to kill species) use TORDON 10K Pellets at the rate of 75 pounds per acre.

Spot application is preferred for treating individual trees or scattered stands of brush. Spread TORDON 10K Pellets evenly on the soil over the root systems of individual trees or clumps of trees or brush at the rate of 3 ounces per 100 square feet of soil surface.



USE PRECAUTIONS

Apply this product only as specified on this label.

Avoid use in certain areas: The active ingredient in TORDON 10K Pellets is highly active and can remain in the soil for more than one growing season. Very small amounts can injure sensitive crops and many broadleaf plants. Therefore, do not apply on or near blueberries, tobacco, potatoes, soybeans, beans, most vegetable crops or shade trees, ornamentals, flowers, and fruit plants.

The active ingredient in TORDON 10K Pellets is water soluble and should not be applied where surface water from treated areas can run off to crop lands either planted or to be planted.

Avoid movement of treated soil: TORDON herbicide may remain in treated soil for an extended period. Do not move treated soil to other areas and do not use such soil to grow plants.

Avoid water contamination: Do not allow TORDON 10K Pellets to contaminate water used for irrigation, drinking, or other domestic purposes. Do not apply on inner banks or bottoms of irrigation ditches. Do not apply on areas from which surface run off water may go into streams, ponds, or wells supplying irrigation water. Do not clean containers or application equipment on or near these areas.

Avoid improper storage and equipment use: Do not store near fertilizers, seeds, insecticides, fungicides or other pesticides. Containers and equipment used for TORDON 10K Pellets should not be used for other agricultural chemicals since small residues of TORDON herbicide can damage desirable plants.

Avoid improper disposal: Rinse equipment and containers and dispose of waste by burying in non-cropland away from water supplies. Do not reuse containers. Bury them with waste or dispose in a sanitary landfill. Where required, follow official local container disposal regulations.

Be sure that use of this product conforms to all applicable regulations.

CAUTION

KEEP OUT OF REACH OF CHILDREN
Read Complete Precautions on Side Panel

NOTICE: Seller warrants that the product conforms to its label and that it is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions or to the treatment of the product with any substance other than water, and buyer assumes the risk of any such use.

THE DOW CHEMICAL COMPANY
AND SUBSIDIARIES

MIDLAND MICHIGAN 48640 USA ZURICH SWITZERLAND HONG KONG, CHINA
CORAL GABLES FLORIDA 33134 USA SARNIA ONTARIO CANADA
*Trademark of THE DOW CHEMICAL COMPANY

36-1162 - PRINTED IN THE U.S.A. IN APRIL, 1974

REPLACES SPECIMEN LABEL 86-1162 PRINTED IN APRIL, 1973

REVISIONS INCLUDE: (1) GENERAL REVISION OF LABEL
(2) LOWER USE RECOMMENDATIONS ADDED. (3) ADDITIONAL SPECIES ADDED (4) USE PRECAUTIONS REVISED.