



# LAWN WEED KILLER

Low Volatile Ester Formulation of 2,4-D and Silvex for Control of Broadleaf Weeds in Lawns

**SPECIMEN LABEL**

**Active Ingredients:**

2,4-Dichlorophenoxyacetic acid, butoxy propyl ester 21.4%  
Silvex (2,4,5-trichlorophenoxy) propionic acid, butoxy propyl ester 10.0%  
Inert ingredients 68.6%

**Trade Equivalents:**

2,4-Dichlorophenoxyacetic acid 1.1% 1.1 liquid  
Silvex (2,4,5-trichlorophenoxy) propionic acid 6.6% 2.0 liquid

EPA Registration No. 464-382-A-A EPA Est. 464-ME-1

**AGRICULTURAL CHEMICAL**

**Do Not Ship or Store with Food, Feeds, or Clothing**

**PRECAUCION AL USUARIO:** No se debe almacenar, ni almacenar, ni transportar con alimentos, ni con alimentos, ni con ropa o con ropa.

**TRANSLATION:** Do not ship, store, or transport with food, feeds, or clothing.

LAWN WEED KILLER effectively controls the following broadleaf weeds and many more when used according to directions:

Butcher's broom	Controlled by	Regrowth
Buttercup	Healed	Plantain
Crack willow	Kentucky	Plantain
Crabgrass	London pride	Regrowth
Crowfoot	Maize	Regrowth
Dandelion	Medicinal herb	Regrowth
Dark spiky	Medicinal herb	Regrowth
Green willow	Ornamental	Regrowth

**WHEN TO APPLY**

LAWN WEED KILLER can be used to control broadleaf weeds at any time during the growing season but best results are obtained when weeds are growing actively and soil moisture is high, usually the spring or fall. If soil is dry, water lawns thoroughly before spraying. Apply during the cooler part of the day and avoid water or rain or wind that could cause spray to drift.

**HOW TO APPLY**

Apply as a mist spray using a low pressure flow thru 40 psi sprayer such as knapsack type, garden hose pump sprayer or other misting spray equipment so as to give thorough and even spray coverage. Backing is not necessary. Avoid contact with flowers, shrubs, trees or other desirable plants such as roses and

spray drift from this product may be injurious to nearby plants. One application of LAWN WEED KILLER will control most weeds listed. However, certain hard to kill weeds such as dock, thistle, knotweed, oxalis and black medick may require a second application 10 days after the first. Weeds such as henbit, wild quail and wild onion should be treated when they appear in early spring and again in late fall. Do not water or cut lawn within 24 hours after application.

**AMOUNT TO USE**

Use LAWN WEED KILLER at the rate of 1 1/2 to 2 1/2 tablespoons (1/2 to 1/3 gallon of water) for each 500 sq. ft. of lawn area to be sprayed. When using a knapsack or similar type sprayer add the required amount of LAWN WEED KILLER to the required amount of water in the sprayer tank and mix by stirring or shaking vigorously. The following mixing proportions table is intended as a convenient guide for the preparation of finished sprays:

Area to be treated	Amount of LAWN WEED KILLER required	Amount of water required
175 sq. ft.	1 1/2 oz.	1 gallon
500 sq. ft.	4 1/2 oz.	3 gallons
1650 sq. ft.	14 1/2 oz.	10 gallons

When using a sprayer, be sure to use both a nozzle and a fan direction to give an amount of LAWN WEED KILLER in the spray volume equivalent to the proportions for a given area as shown in the above table.

**NOTE:** Bentgrass, carpetgrass, centpedegrass, red fescue and St. Augustine grass are sensitive to LAWN WEED KILLER and may be temporarily injured. For these lawns use one-half the recommended rate and make 2 applications 10 days apart. Do not apply to new grass lawns, not to Dichondra, Lippia or clover.

**USE PRECAUTIONS**

**IMPORTANT:** Do not allow LAWN WEED KILLER to contact veg. tables, flowers, food trees, ornamentals or other desirable plants.

At higher temperatures, vapors may cause injury to susceptible plants growing in the immediate vicinity of treated areas.

Do not apply to newly seeded grass until lawn has been cut at least 3 times.

Do not reseed treated areas for at least 4 weeks after application. Use one sprayer exclusively for weed killer sprays.

Do not use same type of fertilizer, insecticide or fungicide. Store in original container.

Do not contaminate water used for domestic or irrigation purposes. Do not use this container. When empty, wash thoroughly and dispose.

This product is toxic to fish. Keep out of lakes, streams and ponds. Apply only as directed on this label.

## CAUTION

**KEEP OUT OF REACH OF CHILDREN  
MAY BE HARMFUL IF SWALLOWED**

Avoid contact with eyes and skin. In case of eye contact, immediately flush with plenty of clean water for at least 15 minutes. Avoid breathing spray mist.


**Lot Content**

Notice: This is a restricted use product. For full details of use, directions, and other information, see the label. This label is for use only on the areas specified. It is not to be used on any other areas. **NEVER HARMFUL TO FISHES, BIRDS & PART OF THE BIRD FLORA.** This product is toxic to fish and other aquatic animals. Do not use in or near streams, rivers, ponds, lakes, or other bodies of water.

U.S. Patent No. 2,749,460 A1174

### THE DOW CHEMICAL COMPANY

AND SUBSIDIARIES  
MIDLAND, MICHIGAN 48840, U.S.A. ZURICH, SWITZERLAND HONG KONG, H.K.  
SINGAPORE, SINGAPORE  
LONDON, ENGLAND  
TORONTO, ONTARIO, CANADA  
\* DIVISION OF THE DOW CHEMICAL COMPANY



86-1232 PRINTED IN U.S.A. IN DECEMBER, 1974

REPLACES SPECIMEN LABEL 86-1232 PRINTED IN OCTOBER, 1971

REVISIONS INCLUDE: (1) EPA ESTABLISHED MENT NUMBER ADDED  
(2) AGRICULTURAL CHEMICAL STATEMENT ADDED (3) SPANISH WARNING ADDED