

SPECIMEN LABEL
REDUCED TO 95%

LOT



POISON

**FLAMMABLE
LIQUID
N.O.S.**



FLAMMABLE LIQUID

NET CONTENTS

THE DOW CHEMICAL COMPANY
AND SUBSIDIARIES

MIDLAND MICHIGAN 48640 USA HORGEN SWITZERLAND HONG KONG
CORAL GABLES FLORIDA 33134 USA SARNIA ONTARIO CANADA
Trademark of THE DOW CHEMICAL COMPANY

3

SPECIMEN LABEL
REDUCED TO 72%

ACCEPTED
MAY 1 1973
U.S. Federal Insecticide
Fungicide and Rodenticide Act
Registration No. 464-392
EPA Reg. No. 464-392



VIDDEN DC-15 SOIL FUNGICIDE AND NEMATICIDE

A Multi-Purpose, Preplant Soil Fumigant for Use to Control Nematodes, Symphylians, Wireworms and Certain Soil Borne Diseases in Crop Lands

ACTIVE INGREDIENTS

1,3-Dichloropropene and related chlorinated aliphatics 85%
Propicrin (Trichloronitromethane) 15%
Contains 10.2 pounds active ingredients including not less than 4.8 pounds of 1,3-dichloropropene per gallon.
Registration No. 464-392
Est. No. 464-CA-1

PRECAUCION AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
TRANSLATION (TO THE USER): If you cannot read English, do not use this product until the label has been fully explained to you.

KEEP OUT OF REACH OF CHILDREN

DANGER POISON

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

HAZARDOUS LIQUID AND VAPOR • MAY BE FATAL IF INHALED, ABSORBED THROUGH SKIN, OR SWALLOWED • CAUSES BURNS OF MOUTH OR EYES • MAY PRODUCE KIDNEY AND LIVER DAMAGE UPON PROLONGED EXPOSURE • VAPOR EXTREMELY IRRITATING
Do Not Breathe Vapor • Do Not Get in Eyes, on Skin, on Clothing • Do Not Take Internally • Use Only With Adequate Ventilation • Wear Eye and Skin Protection Necessary to Prevent Contact When Handling VIDDEN DC-15 • Wash Thoroughly After Handling and Before Eating or Smoking
Protective gear such as boots or gloves becomes contaminated immediately wash with soap and water. Never wear protective gear having the odor of 1,3-dichloropropene. Aerate and wash protective gear thoroughly after use until all odor is gone.
Do not use or dispose of contaminated leather goods, including shoes.
SEE FURTHER INSTRUCTIONS UNDER HANDLING PRECAUTIONS SECTION ON SIDE PANEL

IF INHALED remove to fresh air. If not breathing, give artificial respiration preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.
IF ON SKIN, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. If water not immediately available, remove excess chemical from skin with sorbent material such as tawel or dry soil, then proceed at once to location where water is available and thoroughly wash contaminated skin with plenty of water. Call a physician.
IF IN EYES, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician. **IF SWALLOWED**, immediately induce vomiting by giving two glasses of water and sticking finger down throat. Call a physician. Never give anything by mouth to an unconscious person.

**PHYSICAL OR CHEMICAL HAZARDS
COMBUSTIBLE**

Do Not Use, Pour, Spill, or Store near Heat or Open Flame
Do Not Cut or Weld Container

ENVIRONMENTAL HAZARDS

To avoid injury to fish and other wildlife, do not spill or empty into streams, ponds, or any other bodies of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

AGRICULTURAL CHEMICAL

Do Not Ship or Store with Food, Feeds, Drugs or Clothing

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HANDLING PRECAUTIONS
DO NOT INHALE VAPORS. NIOSH or MSHA approved respiratory protection should be worn when VIDDEN DC-15 liquid soil fumigant is exposed in the atmosphere or when conducting operations which vent to the atmosphere. A NIOSH or MSHA approved full face respirator shall be used during small spills, repairs, calibrations, fillings, sampling and when working in poorly ventilated areas. When in use, canisters or cartridges shall be replaced after each half hour of use or sooner if specified by manufacturer or at first sign of indoor breathing while wearing respirator. NIOSH approved cartridges such as a Mesh 4003 will be adequate for short term situations such as listed above.
When very high concentrations of vapors might be expected, such as large spills in poorly ventilated areas, a self-contained or supplied respirator should be used.

DO NOT GET ON SKIN. When handling or working with VIDDEN DC-15, wear clean, dry, clothing and heavy footwear. Immediately remove contaminated clothing. Aerate and wash all clothing and gear thoroughly after use.
There are no known toxic clothing materials that are completely impervious to VIDDEN DC-15. The best gear (the layers of polyethylene minimum 1 mil) or other barrier material that is completely discarded upon contact with the fumigant. Do not use polyethylene or other impervious plastic longer term than 10 days. Wash your protective gear thoroughly and immediately wash with soap and water. Never wear protective gear that has been used with VIDDEN DC-15. Wash and aerate all protective gear thoroughly after use.

DO NOT GET IN EYES. Wear eye protection when handling VIDDEN DC-15.
DO NOT SWALLOW. Do not use the mouth to apply VIDDEN DC-15 to plants.

STORAGE, SHIPMENT AND DISPOSAL
Store in original container in a cool, dry place. Do not use if container is damaged, leaking, or if contents are contaminated. Do not use if contents are contaminated with water. Do not use if contents are contaminated with water. Do not use if contents are contaminated with water. Do not use if contents are contaminated with water.

SHIPMENT Do not ship in same container as food, drugs, or other hazardous materials.
DISPOSAL Follow equipment and container and disposal facilities. Do not dispose of in water, soil, or air. Do not dispose of in water, soil, or air. Do not dispose of in water, soil, or air.

DO NOT REUSE ORIGINAL CONTAINERS SUCH AS DRUMS

GENERAL INFORMATION
Apply VIDDEN DC-15 to soil fumigant and use as a preplant soil fumigant. Do not use on plants or animals. Do not use on plants or animals. Do not use on plants or animals. Do not use on plants or animals.

Nursery Crops including floral plants, ornamentals, shrubs and bushes, forest shade, fruit and nut trees and vine and bramble fruits of all types. When to treat: Apply VIDDEN DC-15 whenever soil conditions are suitable for planting. Do not apply to soil in the spring or in the summer before planting. Do not apply to soil in the spring or in the summer before planting. Do not apply to soil in the spring or in the summer before planting.

Soil Preparation An immediate application of the soil should be in good seed bed condition. Free of rocks and undecomposed plant material and with soil moisture at about one half of field capacity. Soil temperature should be 40 to 60°F at the depth of application and undecomposed plant material should be 40 to 60°F at the depth of application and undecomposed plant material should be 40 to 60°F at the depth of application.

Application VIDDEN DC-15 may be applied as a preplant soil fumigant (broadcast) treatment using a soil type applicator or as a preplant soil fumigant (broadcast) treatment using a soil type applicator or as a preplant soil fumigant (broadcast) treatment using a soil type applicator.

Rate of Use Do not use more than 1.5 gallons per acre per application. Do not use more than 1.5 gallons per acre per application. Do not use more than 1.5 gallons per acre per application.

**DOSAGE AND USE RECOMMENDATIONS
to Control Nematodes, Symphylians and Wireworms**

Crops (consult list of individual crops under General Information)	Type of Treatment	Soil Type	Dosage	
			Gallons Per Acre	Fl Oz 1000 ft Row Per Chisel
Shade Rooted Plants	M	M	1.5	1.5
Apple	M	M	1.5	1.5
Strawberries	M	M	1.5	1.5
Sugar Beets	M	M	1.5	1.5
Pineapple	M	M	1.5	1.5
Citrus Florida	M	M	1.5	1.5

Nursery and Field Crops (see list of individual crops under General Information)	Type of Treatment	Soil Type	Dosage - Gallons Per Acre to Penetrate Various Depths	
			1-2 ft	2-3 ft
Apple	M	M	1.5	1.5
Strawberries	M	M	1.5	1.5
Sugar Beets	M	M	1.5	1.5
Pineapple	M	M	1.5	1.5
Citrus Florida	M	M	1.5	1.5

**DOSAGE AND USE RECOMMENDATIONS
to Control Soil Borne Disease**

Crop	Type of Treatment	Gallons Per Acre	Dosage	
			Fl Oz 1000 ft Row Per Chisel	Fl Oz 1000 ft Row Per Chisel
Sweet Potatoes	M	1.5	1.5	1.5
Tobacco	M	1.5	1.5	1.5
Peanuts	M	1.5	1.5	1.5
White Potatoes	M	1.5	1.5	1.5
Mint	M	1.5	1.5	1.5
Onions	M	1.5	1.5	1.5

Exposure Period After application, the soil should be covered with a 2 to 4 inch layer of soil. Do not plant until the soil is covered with a 2 to 4 inch layer of soil.

Action of Soil Before Planting After application, the soil should be covered with a 2 to 4 inch layer of soil. Do not plant until the soil is covered with a 2 to 4 inch layer of soil.

USE PRECAUTIONS

Do not use on plants or animals. Do not use on plants or animals.

86-1267 PRINTED IN U.S.A. IN MARCH, 1979
86-1267 PRINTED IN U.S.A. IN MARCH, 1979
DESTROY OLD SPECIMEN LABELS
CHANGES INCLUDE: (1) COMPLETELY NEW FORMAT (2) PRECAUTIONARY INFORMATION FOR 1,3-DICHLOROPROPENE PRODUCTS (3) ADDED SECONDARY FLAMMABLE DOT LABEL

SPECIMEN LABEL
REDUCED TO 95%

LOT



POISON

**CHLOROPICRIN
MIXTURE**

6



FLAMMABLE LIQUID

NET CONTENTS

THE DOW CHEMICAL COMPANY

AND SUBSIDIARIES

MIDLAND MICHIGAN 48640 USA HORGEN SWITZERLAND HONG KONG
CORAL GABLES FLORIDA 33134 USA SARNIA ONTARIO CANADA

Trademark of THE DOW CHEMICAL COMPANY