

464-395

4-26-1971

11



# 2,4-D SODIUM SALT WEED KILLER

Active Ingredients:  
2,4-Dichlorophenoxyacetic Acid, Sodium Salt, Monohydrate... 95%  
(2,4-Dichlorophenoxyacetic Acid Equivalent 80.5%)  
Inert Ingredients ..... 5%  
USDA Registration No. 464-395

### DIRECTIONS

**WEED CONTROL IN ASPARAGUS:** To control wild morning-glory and certain other broad-leaved weeds in asparagus plantings, use 2 to 2½ pounds per acre in approximately 60 gallons of water. In airplane application, use 2 pounds in approximately 12 gallons of water per acre. A wetting agent can be added if desired in both ground and airplane sprays. Apply on actively growing weeds, usually in April or May. Make no more than 2 applications, and these should be spaced at least 1 month apart during the harvest season. Post-harvest spraying should be only by ground rig, using drop nozzles to avoid spraying the fern.

### USE PRECAUTIONS

Do not apply 2,4-D Sodium Salt, directly to, or otherwise permit it to come into contact with vegetables, flowers, grapes, fruit trees, ornamentals, cotton, or other desirable plants which are sensitive to 2,4-D Sodium Salt and similar materials, and do not permit spray mist containing it to drift onto them, since even minute quantities of the spray may cause severe injury during both growing and dormant periods. (Coarse sprays are less likely to drift.) Accordingly, applications by airplane, ground rigs and hand dispensers should be carried out only when there is no hazard from drift. Do not apply by airplane in the vicinity of cotton, grapes or other desirable 2,4-D Sodium Salt susceptible vegetation. Do not contaminate irrigation ditches or water used for domestic purposes.

Do not store near fertilizers, seeds, insecticides or fungicides. Excessive amounts of 2,4-D Sodium Salt in the soil may temporarily inhibit seed germination or plant growth.

To avoid injury to desirable plants, do not store, handle or apply other agricultural chemicals with the same containers or equipment used for 2,4-D Sodium Salt.

Local conditions may effect the use of herbicides. State Agricultural Experiment Station and State Extension Service weed specialists in many states issue recommendations for local conditions.

Be sure that use of this product conforms to all applicable regulations.

Rinse equipment and containers and dispose of wastes by burying in noncrop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes.

### CAUTION

**KEEP OUT OF REACH OF CHILDREN  
IRRITATING DUST  
HARMFUL IF SWALLOWED**

**Avoid Inhaling Dust  
Avoid Contact with Skin, Eyes, or Clothing**

**DO NOT STORE NEAR SEEDS, INSECTICIDES,  
FUNGICIDES OR FERTILIZERS**

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. A271

ACCEPTED  
APR 26 1971  
464-395  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
AS REGISTERED UNDER NO.

LOT

50 POUNDS

## THE DOW CHEMICAL COMPANY

AND SUBSIDIARIES

AND MICHIGAN 48640, USA ZURICH, SWITZERLAND HONG KONG, S.C.C.  
GABLES, FLORIDA 33134, USA SARNIA, ONTARIO, CANADA

\*Trademark of THE DOW CHEMICAL COMPANY