

DOW
*
DOG
FLEA COLLAR
FOR LARGE DOGS

SPECIMEN LABEL

Kills fleas for up to 4 months and aids in the control of ticks for up to 3 months. Under conditions of heavy flea infestation, it may be necessary to replace after 3 months.

Active Ingredient:

Fospirate (Dimethyl 3,5,6-trichloro-2-pyridyl phosphate) 15%
Inert Ingredients 85%

E.P.A. Registration No. 464-429
E.P.A. Est. 33921-OH-1

CAUTION

**Do not allow children to play with this collar.
See additional precautions on back panel.**

NET CONTENTS
1 FLEA COLLAR—1.0 OZ. NET WEIGHT

U.S. Patent No. 3,244,586

THE DOW CHEMICAL COMPANY
MIDLAND, MICHIGAN 48640

* Trademark of THE DOW CHEMICAL COMPANY

DIRECTIONS

Place Flea Collar around dog's neck, insert end through buckle and adjust for proper fit. Irritation to the skin may occur if collar is fastened too tightly. If collar is too long, trim off excess and discard.

When you open this pouch, you will see a fine dust of fospirate on the collar. This is normal. Do not try to remove it before putting the collar on your pet.

Activity against fleas may be observed within a few hours and will continue for up to 4 months while collar is worn. Live fleas from the premises may continue to appear on the dog but they will also be killed.

Flea Collar may be worn with regular collar. Replace Flea Collar when effectiveness diminishes.

CAUTION

Collar is intended for use only as an insecticide generator, and is not to be taken internally by man or animals • Do not open protective pouch until ready to use • Do not use collars on sick or convalescing dogs • Do not allow dog to chew on collar • Remove collar if irritation develops.

A376

PRINTED IN U.S.A. IN APRIL, 1976.

