



SPECIMEN LABEL

N-SERVE* TG

Nitrogen Stabilizer

Aug 6, 1974
44-134

WARNING

KEEP OUT OF REACH OF CHILDREN

Read Complete Precautions

ACTIVE INGREDIENTS

Nitrapyrin 2-chloro 6-trichloromethyl-pyridine	90.0
Related chlorinated pyridines	10.0

EPA Reg. No. 464-434

DIRECTIONS

N-SERVE TG Nitrogen Stabilizer

BEFORE USING THIS PRODUCT
READ THE MANUFACTURER'S USE RECOMMENDATIONS
AND APPLICATION HANDBOOK

USE PRECAUTIONS

WARNING

KEEP OUT OF REACH OF CHILDREN
MAY BE ABSORBED THROUGH SKIN FROM
STRONG SOLUTIONS • MAY BE HARMFUL IF SWALLOWED
MAY CAUSE EYE IRRITATION

NOTICE

Net
Contents

THE DOW CHEMICAL COMPANY

MIDLAND, MICHIGAN 48640, U.S.A. ZÜRICH, SWITZERLAND HONG KONG
ORLANDO, FLORIDA 32814, U.S.A. SARNIA, ONTARIO, CANADA
*A trademark of THE DOW CHEMICAL COMPANY

Lot

86-1321 PRINTED IN THE U.S.A. IN JUNE, 1974
THIS IS THE INITIAL PRINTING OF THIS SPECIMEN LABEL.



N-SERVE TG

Nitrogen Stabilizer

Use to delay nitrification of ammoniacal and urea nitrogen fertilizer compositions in the soil by controlling the nitrification process.

WARNING

KEEP OUT OF REACH OF CHILDREN

Read Complete Precautions

ACTIVE INGREDIENTS:

Nitrapyrin [2-chloro-6-(trichloromethyl) pyridine]..... 90.0%
Related chlorinated pyridines..... 10.0%

EPA Reg. No. 464-434

DIRECTIONS

Use in conjunction with anhydrous ammonia applications, also for formulating liquid concentrates to be used with solid ammoniacal and urea nitrogen fertilizers, liquid ammonia fertilizers, and anhydrous ammonia.

N-SERVE TG Nitrogen Stabilizer is the technical grade chemical that can be dissolved directly in anhydrous ammonia and applied in this manner at a minimum depth of four inches below the soil surface. Recommended use rates are 1/4 to 1/2 pound nitrapyrin per acre on corn, cotton, sorghum, and wheat. Apply only once per year either as a Pre-plant or At-plant application with ureas or ammoniacal fertilizers. Pre-plant applications might also be made in the fall.

Do not rotate with crops other than those specified on this label. Crop rotation here means harvesting two crops planted on the same land within one calendar year.

It can be dissolved in methylene chloride or xylene and applied to dry fertilizer for later application. All such fertilizer mixtures when used must be applied in accordance with the above instructions and the use recommendations in the application handbook.

**BEFORE USING THIS PRODUCT
READ THE MANUFACTURER'S USE RECOMMENDATIONS
AND APPLICATION HANDBOOK**

USE PRECAUTIONS

Apply only as specified on this label.

Do not spill or empty product into streams, ponds or other bodies of water.

Rinse equipment and containers and dispose of wastes by burying in non-croplands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes.

WARNING

**KEEP OUT OF REACH OF CHILDREN
MAY BE ABSORBED THROUGH SKIN FROM
STRONG SOLUTIONS • MAY BE HARMFUL IF SWALLOWED
MAY CAUSE EYE IRRITATION**

Avoid prolonged or repeated skin contact. Avoid contact with eyes. In case of contact, flush skin or eyes with plenty of water; for eyes get medical attention. Wash contaminated clothing before reuse.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

U S Patent No. 3,153,594

574

Net
Content

THE DOW CHEMICAL COMPANY

AND SUBSIDIARIES

MIDLAND, MICHIGAN 48840, USA ZURICH, SWITZERLAND HONG KONG, BCC
CORAL GABLES, FLORIDA 33134, USA SARNIA, ONTARIO, CANADA

* Trademark of THE DOW CHEMICAL COMPANY