



**CAUTION
KEEP OUT OF REACH OF CHILDREN
HARMFUL IF SWALLOWED
COMBUSTIBLE**

Avoid breathing of spray mists • Avoid skin contact • Wash hands thoroughly after using • Avoid contamination of cooking utensils, food, feedstuffs, and water supplies • Remove fish bowls and bird cages from room during spraying • **DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME** • Keep container closed when not in use.

Do not reuse empty container • Destroy by perforating or crushing • Bury or discard in a safe place away from water supplies

NOTE TO PHYSICIAN: Ronnel is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

NOTICE This is a restricted use pesticide. It is to be used only by persons who are trained and certified in the use of restricted use pesticides. For more information, see the label. **A PART OF THE PESTICIDE CONTROL ACT**

**KORLAN[®]
INSECTICIDE
MIST SPRAY**

Kills — Roaches, ants, flying moths, crickets, spiders, flies, silverfish, and certain other insects in dwellings, apartment houses, office buildings, and warehouses.

Active Ingredients
Ronnel 0.0 dimethyl 0, 2, 4, 6-tetrachlorophenyl phosphorothioate 1.5%
Pyrethrins 0.1%
Technical p-terphenyl butoxide 0.5%
Petroleum distillate 97.7%
Inert ingredients 0.2%
Trademark of The Dow Chemical Company abroad.
Equivalent to (0.4) butylcarbitol 6-propylpiperonyl ether and 0.10 of related compounds.
E.P.A. Registration No. 464-440

**CAUTION
KEEP OUT OF REACH OF CHILDREN
Read Complete Precautions on Side Panel**

1 POUND

**THE DOW CHEMICAL COMPANY
MIDLAND MICHIGAN 48640**

DIRECTIONS FOR USE

Preparation of Building Remove pets and fish bowls from areas to be treated. Remove occupants from room while applying mist spray. Completely remove exposed food or utensils to prevent contamination. Open cabinets and other enclosures to allow mist spray to penetrate all areas. Shut off all fans and air conditioners. Close all outside windows and doors. Extinguish all open flames, including pilot lights.

Application of Spray Direct spray from mist applicator behind refrigerators, cabinets and fixtures where pests hide. Then place spray applicators to give complete dispersion of mist spray throughout the room. Apply spray at the rate of one gallon per 50,000 cubic feet of room volume. **APPLICATOR SHOULD WEAR A DUST MASK OR OTHER SUITABLE EQUIPMENT TO PREVENT INHALATION OF SPRAY PARTICLES.** Do not remain in treated area and leave room undisturbed for at least two hours after application has been completed. Before occupying the room ventilate for 30 minutes by opening doors and windows.

NOTE Do not use in food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.