

ACCEPTED
August 11, 1973
1713
11241-1522



SPECIMEN LABEL

DOWICIL* A-40

ANTIMICROBIAL

Controls mildew-type fungi in acrylic-base paint films.

Active Ingredients:	40%
2,3,5-Trichloro-4-propylsulfonyl pyridine	36%
Other chlorinated pyridines	4%
Inert Ingredients:	60%
E.P.A. Registration No. 464-452	

DIRECTIONS FOR USE

Acrylic Paints: Protect exterior acrylic-base paint film from mold attack and subsequent deterioration by milling 12.5-25 lb. DOWICIL A-40 Antimicrobial in 100 gallons of paint.

Note: In cases of severe mold growth (contamination of substrate or several years of mold growth on a previously painted surface), higher concentrations of DOWICIL A-40 Antimicrobial must be used. The most efficacious level must be determined by the industrial chemist for each formulation. Outdoor testing is recommended to determine the exact level of effectiveness. Do not reuse empty container. Dispose of it by burying it with waste, or by burning it.

This product is toxic to fish and wildlife. Do not contaminate water by cleaning of equipment and disposal of wastes.

NOTICE

DANGER
CAUSES BURNS OF EYES AND SKIN.
HARMFUL IF SWALLOWED
Do Not Get in Eyes, on Skin, or on Clothing.
Wear Chemical Workers' Goggles or their Equivalent, Face Shield, and Rubber Gloves when Handling.
Wash Thoroughly After Handling.
FIRST AID: In case of eye contact, wash immediately with plenty of water for at least 15 minutes and get medical attention. In case of skin contact, wash immediately with soap and plenty of water. Wash contaminated clothing before reuse.

Net: 5 Gallons

FOR USE IN MANUFACTURING PROCESSES ONLY

THE DOW CHEMICAL COMPANY

AND SUBSIDIARIES
MIDLAND MICHIGAN 48640 USA ZURICH SWITZERLAND HONG KONG
CORAL GABLES FLORIDA 33134 USA SARVIA ONTARIO CANADA
* Trademark of THE DOW CHEMICAL COMPANY

DOWICIL* A-40

ANTIMICROBIAL

Controls mildew-type fungi in acrylic-base paint films.

Active ingredients	40%
2,5-Trichloro-4-propylsulfonylpyridine	36%
Other chlorinated pyridines	4%
Inert Ingredients:	60%

E.P.A. Registration No. 464-452

DIRECTIONS FOR USE

Acrylic Paints: Add 1.2 to 2.5 lb. DOWICIL A-40 antimicrobial per 100 gallons of paint.

Note: In cases of severe mold growth (contamination of substrate or several years of mold growth on a previously painted surface), high concentrations of DOWICIL A-40 Antimicrobial must be used. The most efficacious level must be determined by the industrial chemist for each formulation. Outdoor testing is recommended to determine the exact level of effectiveness. Do not reuse empty container. Dispose of it by burying it with waste or by burning it.

Do not contaminate water, soil, or ground with disposal of wastes.

NOTICE

DANGER
CAUSES BURNS OF EYES AND SKIN.
HARMFUL IF SWALLOWED
 Do Not Get in Eyes, on Skin, or on Clothing.
 Wear Chemical Workers' Goggles or their Equivalent,
 Face Shield, and Rubber Gloves when Handling.
 Wash Thoroughly After Handling.
FIRST AID: In case of eye contact, wash immediately with plenty of water for at least 15 minutes and get medical attention. In case of skin contact, wash immediately with soap and plenty of water. Wash contaminated clothing before reuse.

Net: 5 Gallons

FOR USE IN MANUFACTURING PROCESSES ONLY

THE DOW CHEMICAL COMPANY

AND SUBSIDIARIES

MIDLAND MICHIGAN 48640 USA ZURICH SWITZERLAND HONG KONG
 CORAL GABLES FLORIDA 33134 USA SARNIA ONTARIO CANADA

* Trademark of THE DOW CHEMICAL COMPANY