



SPECIMEN LABEL
REDUCED TO 84%

PREMIERGE 3⁰

DINITRO AMINE HERBICIDE

Contains Dinoseb

ACTIVE INGREDIENT:
Dinoseb (2-sec-butyl-4,6-dinitrophenol), as the alkanolamine salts (of the ethanol series)..... 50.7%
INERT INGREDIENTS..... 49.3%
Contains the equivalent of 31.8% or 3 pounds of dinoseb per gallon.
E.P.A. Registration No. 464-490
E.P.A. Est. No. 464-CA-1^{WP}; 464-MI-1^{MM}.
Superscript used corresponds to letter in Lot No.

PRECAUCION AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
TRANSLATION: (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

In case of an emergency endangering life or property involving this product, call collect, day or night
AREA CODE 517-636-4400

AGRICULTURAL CHEMICAL
Do Not Ship or Store with Food, Feeds, or Clothing

DANGER POISON

KEEP OUT OF REACH OF CHILDREN AND FARM ANIMALS
MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN
Do Not Get in Eyes, on Skin, on Clothing • Do Not Take Internally • Avoid Breathing Spray Mist
Keep Away from Heat and Open Flames • Do Not Wear Contaminated Clothing or Shoes

Wear suitable protective equipment such as chemical workers goggles, rubber or plastic gloves and rubber or plastic apron while pouring and transferring the concentrated product and at other times when contact is likely. Wear protective clothing such as long sleeved shirt and long legged pants or coveralls while mixing and spraying. To avoid breathing spray mist wear a mask or respirator of a type recommended by the U.S. Bureau of Mines. Keep respirator clean - wash thoroughly and change cartridge as needed.

FIRST AID TREATMENT — ANTIDOTE

SYMPTOMS OF POISONING: Excessive Fatigue, Sweating, Thirst and Fever. If symptoms of poisoning develop from any type of exposure, SEND FOR A PHYSICIAN. **FIRST AID:** Have patient lie quiet in coolest spot available. If feverish, cool with cold compresses or by immersion in cool water. **If Swallowed, SEND FOR A PHYSICIAN.** Induce vomiting by giving an emetic such as two teaspoonfuls of table salt in a glass of warm water; repeat until vomit fluid is clear, then give two teaspoonfuls of baking soda in a glass of water. Treat as in FIRST AID, above. **If Splashed in Eyes,** immediately flush eyes with plenty of water for at least 15 minutes and get medical attention. **If Spilled on Skin,** immediately remove contaminated clothing, including shoes, and wash skin with soap and plenty of water. If symptoms of poisoning develop, send for a physician and treat as in FIRST AID, above. Discard contaminated clothing and shoes, or clean them thoroughly before re-use. **NOTE TO ATTENDING PHYSICIAN:** Active ingredient is a metabolic stimulant. Treat symptomatically.

86-1365 PRINTED IN U.S.A. IN NOVEMBER, 1975.

18.9 L/5 GAL

REPLACES SPECIMEN LABEL 86-1365 PRINTED IN MAY, 1975.
DISCARD PREVIOUS SPECIMEN LABELS.
REVISIONS INCLUDE: COMPLETE REVISION.