

ACCEPTED
OCT 24 1975
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 464-523

DOW

SPECIMEN LABEL
REDUCED TO 85%

LORSBAN^{*} 15G GRANULAR INSECTICIDE

To Control Larvae of Northern and Western Corn Rootworm in Field Corn

ACTIVE INGREDIENT:
Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl)phosphorothioate] 15.0%
INERT INGREDIENTS: 85.0%
E.P.A. Registration No. 464-523
E.P.A. Est. 32761-MO-2

AGRICULTURAL CHEMICAL

Do Not Ship or Store with Food, Feeds, or Clothing
PRECAUCION AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicado ampliamente.

TRANSLATION: (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

USE DIRECTIONS

Field Corn: To control larvae of northern and western corn rootworms apply LORSBAN 15G granular insecticide at planting time as a band (row) treatment at the rate of 6 to 8 ounces per 1,000 feet of row. Equivalent rates of LORSBAN 15G per acre for various row spacing

are given in the accompanying table. Incorporate the granules into the top 1 inch of soil by placing in a 6 to 7 inch wide band over the row behind the planter shoe and ahead of the press wheels. Do not make more than one application per season.

Amount of LORSBAN 15G Per 1,000 Feet of Row	Pounds of LORSBAN 15G Required Per Acre for Various Row Spacing					
	40"	38"	36"	34"	32"	30"
6 ounces	5.0	5.25	5.5	5.75	6.0	6.5
8 ounces	6.5	7.0	7.25	7.75	8.25	8.75

USE PRECAUTIONS

Do not plant subsequent crops within 1 year after treatment.

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

Dispose of wastes by burying in non-crop lands away from water supplies. Dispose of container by burying with wastes or by burning. If burned, keep out of smoke and fumes.

CAUTION

**KEEP OUT OF REACH OF CHILDREN
MAY BE HARMFUL IF SWALLOWED**

Do not take internally. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Wash contaminated clothing before re-use. Keep away from food, feedstuffs, and domestic water supplies.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

U. S. Patent No. 3,244,586

975

Lot

THE DOW CHEMICAL COMPANY

AND SUBSIDIARIES

MIDLAND, MICHIGAN 48640, USA ZURICH, SWITZERLAND HONG KONG, BCC
CORAL GABLES, FLORIDA 33134, USA SARNIA, ONTARIO, CANADA
*Trademark of THE DOW CHEMICAL COMPANY

Lb

86-1375 PRINTED IN U.S.A. IN OCTOBER, 1975.

THIS IS THE INITIAL PRINTING OF THIS SPECIMEN LABEL.

464-523

10/24/1975

Page 121