



# LORSBAN<sup>\*</sup> 15G

## GRANULAR INSECTICIDE

**SPECIMEN LABEL**  
REDUCED TO 80%

### To Control Larvae of Northern and Western Corn Rootworm in Field Corn

#### ACTIVE INGREDIENT:

Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl)phosphorothioate] ..... 15.0%

INERT INGREDIENTS: ..... 85.0%

E.P.A. Registration No. 464-523

E.P.A. Est. 32761-MO-2

### AGRICULTURAL CHEMICAL

Do Not Ship or Store with Food, Feeds, or Clothing

**PRECAUCION AL USUARIO:** Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicado ampliamente.

**TRANSLATION: (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)**

#### USE DIRECTIONS

**Field Corn:** To control larvae of northern and western corn rootworms apply LORSBAN 15G granular insecticide at planting time as a band (row) treatment at the rate of 6 to 8 ounces per 1,000 feet of row. Equivalent rates of LORSBAN 15G per acre for various row spacing

are given in the accompanying table. Incorporate the granules into the top 1 inch of soil by placing in a 6 to 7 inch wide band over the row behind the planter shoe and ahead of the press wheels. Do not make more than one application per season.

Amount of LORSBAN 15G Per 1,000 Feet of Row	Pounds of LORSBAN 15G Required Per Acre for Various Row Spacing					
	40"	38"	36"	34"	32"	30"
6 ounces	5.0	5.25	5.5	5.75	6.0	6.5
8 ounces	6.5	7.0	7.25	7.75	8.25	8.75

#### USE PRECAUTIONS

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

Dispose of wastes by burying in non-crop lands away from water supplies. Dispose of container by burying with wastes or by burning. If burned, keep out of smoke and fumes.

### CAUTION

**KEEP OUT OF REACH OF CHILDREN  
MAY BE HARMFUL IF SWALLOWED**

Do not take internally. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Wash contaminated clothing before re-use. Keep away from food, feedstuffs, and domestic water supplies.

**NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE express or implied extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

U. S. Patent No. 3,244,586

A376

Lot

### THE DOW CHEMICAL COMPANY

AND SUBSIDIARIES

MIDLAND, MICHIGAN 48640, USA    ZÜRICH, SWITZERLAND    HONG KONG, BCC  
CORAL GABLES, FLORIDA 33134, USA    SARNIA, ONTARIO, CANADA  
\*Trademark of THE DOW CHEMICAL COMPANY

86-1375 PRINTED IN U.S.A. IN SEPTEMBER, 1976.

REPLACES SPECIMEN LABEL 86-1375 PRINTED IN OCTOBER, 1975.

DISCARD PREVIOUS SPECIMEN LABELS.

REVISIONS INCLUDE: RECROPPING RESTRICTION DELETED.

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this product is registered under EPA Reg. No. 464-523

**ACCEPTED**  
**SEP 30 1976**  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, this product is registered under EPA Reg. No. 464-523

464-523

9/30/1976

Page 121