

464 - 523

8/25/1978

132



SPECIMEN LABEL
REDUCED TO 50%

LORSBAN* 15G

GRANULAR INSECTICIDE

To Control Larvae of Northern and Western Corn Rootworm and Cutworms in Field Corn

ACTIVE INGREDIENT:

Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate] 15.0%

INERT INGREDIENTS: 85.0%

E.P.A. Registration No. 464-523
E.P.A. Est. 464-MI-1

PRECAUCION AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

TRANSLATION: (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

KEEP OUT OF REACH OF CHILDREN

CAUTION

MAY BE HARMFUL IF SWALLOWED

Do not take internally • Avoid contact with eyes, skin, and clothing
Wash thoroughly after handling • Wash contaminated clothing before re-use • Keep away from food, feedstuffs, and domestic water supplies.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

In case of an emergency endangering life or property involving this product, call collect
517-636-4400

AGRICULTURAL CHEMICAL
Do Not Ship or Store with Foods, Feeds, Drugs or Clothing

22.68 KG / 50 LB

THE DOW CHEMICAL COMPANY

AND SUBSIDIARIES

MIDLAND, MICHIGAN 48640, USA HORGEN, SWITZERLAND HONG KONG

CORAL GARLES, FLORIDA 33134, USA SARNIA, ONTARIO, CANADA

*Trademark of THE DOW CHEMICAL COMPANY

86-1375 PRINTED IN U.S.A. IN JULY, 1978.

REPLACES SPECIMEN LABEL 86-1375 PRINTED IN AUGUST, 1977.

DISCARD PREVIOUS SPECIMEN LABELS

REVISIONS INCLUDE: 1. ADDING THE EMERGENCY RESPONSE NUMBER

2. ADDING DRUGS TO AG/CHEM STATEMENT

3. ADDING CALIBRATION TABLE

2.72

SPECIMEN LABEL
(BACK)
REDUCED TO 40%



LORSBAN 15G

GRANULAR INSECTICIDE

To Control Larvae of Northern and Western Corn Rootworm and Cutworms in Field Corn

ACTIVE INGREDIENT:

Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate] 15.0%
INERT INGREDIENTS: 85.0%
 E.P.A. Registration No. 464-523
 E.P.A. Est. 464-MI-1

NOTE (Cutworm Control): Use of LORSBAN 15G at the rate of 8 ounces per 1000 feet of row also will control moderate to low infestations of cutworms. In cases of severe infestation, however, enough cutworms outside the treated band may survive to cause crop damage. If this situation occurs, it may be necessary to apply a rescue treatment to control the surviving worms. Consult your State Agricultural Experiment Station or Extension Service specialist for further information concerning insecticides registered for this purpose.

USE DIRECTIONS

Field Corn: To control larvae of northern and western corn rootworms apply LORSBAN 15G granular insecticide at planting time as a band (row) treatment at the rate of 6 to 8 ounces per 1,000 feet of row. Equivalent rates of LORSBAN 15G per acre for various row spacing are given in the accompanying table. Incorporate the granules into the top 1 inch of soil by placing in a 6 to 7 inch wide band over the row behind the planter shoe and ahead of the press wheels. Do not make more than one application per season.

USE PRECAUTIONS

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

Dispose of wastes by burying in non-crop lands away from water supplies. Dispose of container by burying with wastes or by burning. If burned, keep out of smoke and fumes.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

U S Patent No. 3,244,586

13121-058-3

E678

Amount of LORSBAN 15G Per 1,000 Feet of Row	Pounds of LORSBAN 15G Required Per Acre for Various Row Spacing							
	40"	38"	36"	34"	32"	30"		
6 ounces	5.0	5.25	5.5	5.75	6.0	6.5		
8 ounces	6.5	7.0	7.25	7.75	8.25	8.75		

GENERAL INSTRUCTIONS FOR EQUIPMENT CALIBRATION

Caution: The following chart lists suggested initial gauge settings for application of LORSBAN 15G insecticide with one hopper opening per row. Be sure to check the actual application rate under your operating conditions.

1. Fill hopper
2. Attach a plastic bag to tube opening.
3. Set your planter to the initial settings shown on chart.
4. Measure off 1,000 row feet and drive your planter the pre-measured distance at your desired speed.

5. Each bag should contain 6 to 8 ounces of granules depending on your desired rate.

NOTE: Ounces (WT) of granules Approx. ounces (volume)

6 oz. wt. 8 fl. oz. (1 cup)

8 oz. wt. 11 fl. oz.

6. If the result is over or under the desired rate—adjust the settings and repeat the calibration.

LORSBAN 15G INSECTICIDE — CALIBRATION

Planter Type	Speed, mph																	
	2		3		4		5		6		7		8		9		10	
	Application Rate, oz. per 1,000 row ft.																	
	6	8	6	8	6	8	6	8	6	8	6	8	6	8	6	8	6	8
	Gauge Setting																	
Gandy ¹	11.5	13.6	14.4	16.7	16.7	19.7	18.8	22.0	20.8	24.3	22.6	26.2	24.2	27.8	25.8	29.3	27.8	30.7
John Deere ² (new) C.C.	7	8-9	10	12	12	16	15	19	18	22	20	25	22	27	24	30	26	31
John Deere ² (old) C	1/21	1/22	1/28	1/25	1/25	1/27	2/2	1/30	2/6	2/3	2/11	2/6	2/16	2/10	2/22	2/13	2/29	
Noble ³ (new)	4	6	8	8	8	10	10	12	11	13	12	15	13	17	15	18	16	20
Noble ³ (old)	6	7	8	10	10	13	13	16	15	19	17	22	19	25	22	27	23	30
International Harvester ⁴	1/1.8	1/2.9	1/3.4	1/5.1	1/5.0	1/7.3	1/8.9	1/8.7	1/8.5	2/2.8	2/0.3	2/6.0	2/2.7	2/9.0	2/5.0	3/2.3	2/7.5	3/5.5
Alis Chalmers ⁴	5	5	5	7	5	7	5	7	5	7	5	7	5	7	5	7	5	7

1. Gauge settings.
 2. Gauge setting with range 1 to 2; number shown is range / notch.
 3. Gauge setting shown with stem gates & dial settings—number shown is gate / dial.
 4. Gauge setting is constant regardless of speed.