

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

Hazards to Humans

**HARMFUL IF SWALLOWED - HARMFUL IF ABSORBED THROUGH SKIN
CAUSES EYE AND SKIN IRRITATION**

**Avoid Contact with Eyes, Skin or Clothing - Wash Thoroughly After Handling
Remove Contaminated Clothing and Wash Before Reuse - Avoid Breathing
Vapors and Spray Mist - Avoid Spraying Food Crops - Keep Away from
Food, Feedstuffs, and Domestic Water Supplies - Keep Container Closed
Handle Concentrate in a Ventilated Area**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Contains aromatic petroleum solvent. Call a physician immediately. **IF ON SKIN:** Immediately remove contaminated clothing and wash

with plenty of soap and water. Get medical attention if irritation persists. **IF IN EYES:** Flush eyes with plenty of water for 15 minutes. Call a physician.

NOTE TO PHYSICIAN: Dursban is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

Physical or Chemical Hazards

COMBUSTIBLE

Do Not Use or Store Near Heat or Open Flame






Environmental Hazards

DURSBAN L.O. Insecticide is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

In case of an emergency endangering life or property involving this product, call collect **317-835-4400**

AGRICULTURAL CHEMICAL
Do Not Ship or Store with Food, Feeds, Drugs or Clothing

LOT

Amount of DURSBAN L.O.	Amount of Water	Concentration of Spray Active Ingredient
 DURSBAN L.O.	 1gal	= 0.50%
 DURSBAN L.O.	 +  1gal + 1gal	= 0.25%

1
2
3
4
5
6
7
8
9
0
A
B
C
D
E
F
G
H
I
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
X
Y
Z
.-
/

REDUCED 0%

DOW DURSBAN L.O. Insecticide

Active Ingredients: chlorpyrifos 41.5%, xylene range aromatic solvent 11.5%, INERT INGREDIENTS 47.0%

KEEP OUT OF REACH OF CHILDREN

WARNING

1.35 fl. oz. (40 ml)

EPA Registration No. 464-571

SEE ENCLOSED BOOKLET FOR COMPLETE USE DIRECTION AND PRECAUTIONS

THE DOW CHEMICAL COMPANY
MIDLAND, MICHIGAN 48666

BEST DOCUMENT AVAILABLE

SPECIMEN LABEL
(BACK)

THE DOW CHEMICAL COMPANY
ADVISORIAL
MIDLAND MICHIGAN 48806 USA HONG KONG
CORAL GABLES, FLORIDA 33134 USA BARRA, ONTARIO, CANADA
Manufactured at THE DOW CHEMICAL COMPANY

DOW
DURSBAN*
L.O.
Insecticide

Controls Numerous Pests in and Around Households

To Be Applied Only By or Under the Supervision of Pest Control Operators, Public Health Organizations, and Other Trained Personnel Responsible for Insect Control Programs

ACTIVE INGREDIENTS:
Chlorpyrifos (95% Chlorpyrifos Ethylphosphorothioate) 41.5%
Limonene (95% Limonene) 11.5%
INERT INGREDIENTS 47.0%
Contains 6 pounds of Chlorpyrifos per gallon.
EPA Registration No. 498-072
EPA Tel. 1-773-781-1

PRECAUTIONAL USAGE: Situated in low angles, no use with products that are in contact with side splash area.

TRANSLATION: (TO THE USER) If you cannot read English, do not use this product until the label has been fully explained to you.

Do Not Remove Packages From Containers Except For Immediate Use

Store Above Freezing (32° F)

Note: Crystals may form in this product. If stored below freezing (32° F), crystals are present, warm to above 65° F and shake thoroughly until crystals disappear. Freezing does not affect product quality or performance.

CONTENTS	PAGE
PRECAUTIONARY STATEMENTS	3
Hazards to Humans	3
Statement of Practical Treatment	3
Physical or Chemical Hazards	4
Environmental Hazards	4
PESTS INDOORS	4-11
General Information	4
Spray Dilution Chart	5
Application Within	
Food Handling Establishments	6
Residential Buildings	7
Control of Carpet Beetles	8
Control of Brown Dog Ticks	8
Control of Fleas	9
Wood Infesting Insects	9
General Information	9
Dosage and Mixing Instructions	9
Control of Wood Infesting Beetles	9
Control of Carpet Ants	10
Control of Termites	10
PESTS OUT-OF-DOORS	11
General Information	11
Outside Surfaces of Buildings	11
STORAGE AND DISPOSAL	12
Prohibitions	12
Pesticide Disposal	12
Littering Disposal	12
NOTICE	12

DURSBAN*
L.O.
INSECTICIDE

18011-016-1 A682

KEEP OUT OF REACH OF CHILDREN
WARNING

PRECAUTIONARY STATEMENTS
Hazards to Humans
HARMFUL IF SWALLOWED • HARMFUL IF ABSORBED THROUGH SKIN • CAUSES EYE AND SKIN IRRITATION

Avoid Contact with Eyes, Skin or Clothing
Wash Thoroughly After Handling • Remove Contaminated Clothing and Wash Before Reuse • Avoid Breathing Vapors and Spray Mist • Avoid Spraying Food Crops • Keep Away from Food, Feedstuffs, and Domestic Water Supplies • Keep Containers Closed

Handle Concentrate in a Ventilated Area

STATEMENT OF PRACTICAL TREATMENT IF SWALLOWED: Do not induce vomiting. Contains aromatic petroleum solvent. Call a physician immediately. **IF ON SKIN:** Immediately remove contaminated clothing and wash with plenty of soap and water. Get medical attention if irritation persists. **IF IN EYES:** Flush eyes with plenty of water for 15 minutes. Call a physician.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

Physical or Chemical Hazards
COMBUSTIBLE

Do Not Use or Store Near Heat or Open Flame

Environmental Hazards
DURSBAN L.O. is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

In case of an emergency endangering life or property involving this product, call collect 817-636-4400

AGRICULTURAL CHEMICAL
Do Not Ship or Store with Food, Feeds, Drugs or Clothing

USE DIRECTIONS
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PESTS INDOORS
General Information: Use DURSBAN L.O. insecticide to control the pests indicated in the areas listed below by application as a 0.25% or 0.5% chlorpyrifos spray. Use the 0.25% spray to control light infestations and the 0.5% spray to quickly reduce heavy infestations or as directed. To prepare the spray, dilute DURSBAN L.O. with water as shown in the following **SPRAY DILUTION CHART**. Repeat the treatment as needed.

Page 3

Page 5

Page 7

SPRAY DILUTION CHART

Quantity of Spray Material Required	Amount of DURSBAN L.O. to Use	
	0.25% spray	0.50% spray
Water-base spray		
1 qt.	2.0	4.0
1 pt.	1.0	2.0
1/2 qt.	1.0	2.0
1/4 qt.	0.5	1.0
1/8 qt.	0.25	0.5
1/16 qt.	0.125	0.25
1/32 qt.	0.0625	0.125
1/64 qt.	0.03125	0.0625
1/128 qt.	0.015625	0.03125

Note: 1 fluid ounce = 2.95735 centiliters = 6 teaspoons

often than once every 7 days in restaurants and similar food service establishments or more often than once every 14 days in other types of food handling establishments. In case of emergency (call back) DURSBAN L.O. may be applied after 7 days from the last treatment, but emergency use should be limited to once per month.

APPLICATION OF THIS PRODUCT IN FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AND/OR CRACK AND CREVICE TREATMENT ARE NOT PERMITTED

Application Within Residential Buildings Including Homes and Apartment Buildings and Within Nonfood Areas of Industrial, Institutional, and Commercial Buildings Including Hospitals, Stores, Manufacturing Plants and Warehouses:

For Spot Treatment Only—Apply as a coarse spray or with a paint brush to localized areas where cockroaches (including strong resistant to certain other insecticides), ants, clover mites, crickets, fleas, silverfish, and spiders are found or normally occur including dark corners of rooms and closets; cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators, and cabinets, around plumbing and other utility installations. For ants apply to ant trails—also around doors and windows and wherever else these pests may find entrance. For clover mites use a 0.5% spray only.

Note: A period of 8 to 7 days is normally required for maximum effect on cockroaches.

Application Within Food Handling Establishments (Places Other Than Private Residences in Which Food is Held, Prepared, Packaged or Served) including, but Not Limited to, Restaurants, Grocery Stores, Bakeries, Softening Plants, Canneries, and Grain Mills: Use as a spot treatment around both food and nonfood areas (including cockroaches including strong resistant to certain other insecticides), ants, crickets, fire-breath silverfish, spiders, and stored product insects such as confused flour beetles, saw-toothed grain beetles, Indian meal moths, yellow weevils, Mediterranean flour moths, and red flour beetles. Apply as a coarse low pressure (70 psi or less) spray to localized areas. Do not introduce the spray into the air or allow the spray to contact food or food contacting surfaces. Areas treated may include dark corners of rooms and closets, along and behind baseboards, under and behind stoves, refrigeration units and similar food preparation areas and equipment, floor drains, and around plumbing and other utility installations. For ants apply to ant trails and wherever these pests may find entrance.

Spot treatment may include crack and crevice treatment by applying small amounts of material directly into openings leading to voids and hollow spaces in walls and on and around equipment, legs and bases of equipment. Equipment capable of delivering a jet stream of insecticide should be used. Repeat treatment as needed but not more

than once every 7 days in restaurants and similar food service establishments or more often than once every 14 days in other types of food handling establishments. In case of emergency (call back) DURSBAN L.O. may be applied after 7 days from the last treatment, but emergency use should be limited to once per month.

For control of brown dog ticks, thoroughly apply 0.5% spray as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of pet areas. Additionally, treat pets with a product registered for use on pets.

For control of fleas, thoroughly apply a fine-grained broadcast spray of 0.25% to infested areas, carpets, pet beds and resting areas. Use one gallon of diluted spray per 1000 square feet. Do not use on fish bowls and remove fish to other containers from area prior to treating. Other than the applicator, treated areas should be vacated during application. DO NOT PERMIT HUMANS OR PETS TO CONTACT TREATED SURFACES UNTIL THE SPRAY HAS DRIED. Old pet bedding should be replaced with fresh clean bedding after treatment. Do not treat pets with the product. To control the source of flea infestation, pets inhabiting the treated premises should be treated with a product registered for application to animals.

Do not use this product with other insecticides (DDE) containing products. Do not tank-mix with other insecticides or pyrethrin-containing products.

BEST DOCUMENT AVAILABLE

**BEACH OF CHILDREN
WARNING**

HAZARDOUS STATEMENTS
POISON TO HUMANS
**SWALLOWED - HARMFUL IF
 INGESTED - CAUSES EYE
 SKIN IRRITATION**

...in Eyes, Skin or Clothing
 ...After Reading - Remove
 Clothing and Wash Before
 Breathing Vapors and Spray
 Spraying Food Crops - Keep
 ... Foodstuffs, and Domestic
 ... Keep Container Closed
 ... in a Ventilated Area

PRACTICAL TREATMENT

Do not induce vomiting. Do
 not use solvent. Call a physician
 immediately. Remove
 clothing and wash with plenty of
 water. Flush eyes with plenty of
 water. Call a physician
 immediately. Chlorpyrifos is a choline
 esterase inhibitor. Atropine
 is an antidote.

Chemical Hazards

FLAMMABLE
 Store Near Heat or Open Flame
 ... Hazardous ...
 ... to fish, birds, and other
 ... Apply directly to water. Do not
 ... by cleaning of equipment.
 ... Apply this product only as
 ... label.

... emergency endangering life or
 ... property, call collect
 ... 1-800-440-4400

AGRICULTURAL CHEMICAL
 Store with Food, Feeds, Drugs or
 Clothing

DIRECTIONS

... Federal law to use this product in
 ... a way which is labeled.

PESTS Indoors

... Use DURSBAN L.O. insecticide
 ... the pests indicated in the areas
 ... application as a 0.25% or 0.5%
 ... Use the 0.25% spray to control
 ... and the 0.5% spray to quickly
 ... infestations or as directed to
 ... dilute DURSBAN L.O. with
 ... the following SPRAY DILUTION
 ... treatment as needed.

SPRAY DILUTION CHART

Gallons of Water Required	Amount of DURSBAN L.O. To Use	
	0.25% spray	0.50% spray
1	1/4 oz	1/2 oz
2	1/2 oz	1 oz
3	3/4 oz	1 1/2 oz
4	1 oz	2 oz
5	1 1/4 oz	2 1/2 oz
6	1 1/2 oz	3 oz
7	1 3/4 oz	3 1/2 oz
8	2 oz	4 oz
9	2 1/4 oz	4 1/2 oz
10	2 1/2 oz	5 oz
11	2 3/4 oz	5 1/2 oz
12	3 oz	6 oz
13	3 1/4 oz	6 1/2 oz
14	3 1/2 oz	7 oz
15	3 3/4 oz	7 1/2 oz
16	4 oz	8 oz
17	4 1/4 oz	8 1/2 oz
18	4 1/2 oz	9 oz
19	4 3/4 oz	9 1/2 oz
20	5 oz	10 oz

then than once every 7 days in restaurants and
 similar food service establishments or more often
 than once every 14 days in other types of food
 handling establishments. In case of emergency
 local health officials, DURSBAN L.O. may be applied after 2
 days from the last treatment, but emergency use
 should be limited to once per month.

APPLICATION OF THIS PRODUCT IN FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AND/OR CRACK AND CREVICE TREATMENT ARE NOT PERMITTED

Application Within Residential Buildings including Homes and Apartment Buildings and Within Nonfood Areas of Industrial, Institutional, and Commercial Buildings including Hospitals, Schools, Manufacturing Plants, and Warehouses:
For Spot Treatment Only—Apply as a coarse spray or with a paint brush to localized areas where cockroaches, including strains resistant to certain insecticides, ants, clover mites, crickets, firebrats, silverfish, and spiders are found or normally occur including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators, and cabinets, around plumbing and other utility installations. For ants, apply to ant trails also around floors and windows and wherever else these pests may find entrance. For clover mites use a 0.5% spray only. Note: A period of 6 to 7 days is normally required for maximum effect on cockroaches.

For control of carpet beetles, thoroughly apply a 0.5% spray as a spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever else these insects are seen or suspected.

For control of brown dog ticks, thoroughly apply a 0.5% spray as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding, if present, should be removed and replaced with clean, fresh bedding. After treatment of pet areas, additionally apply to pet with a product registered for use on pets.

For control of fleas, thoroughly apply a fine spray of broadest spray of 0.25% to infested dogs, cats, pet beds and pet resting areas. Use one gallon of diluted spray per 1000 square feet of doghouse and fish bowls and remove birds, cats, dogs and fish from areas prior to treating. Other than the applicator, treated areas should be vacated during application. **DO NOT PERMIT HUMANS OR PETS TO CONTACT TREATED SURFACES UNTIL THE SPRAY HAS DRIED.** Old pet bedding should be replaced with fresh, clean bedding after treatment. Do not treat pets with this product. To control the source of flea infestation, pets inhabiting the treated premises should be treated with a product registered for application to animals.


WOOD INFESTING INSECTS

General Information—To avoid breathing spray mist during application in confined areas, wear a mask or respirator of a type recommended by NIOSH for known spray mist and organic vapors. Also, wear suitable protective equipment and clothing to help avoid exposure to eyes and skin when this product is applied in crawl spaces or other confined areas. As a minimum, chemical workers, goggles, neoprene or natural rubber gloves and footwear, a long-sleeved shirt and long-legged pants or coveralls are recommended.

Do not permit humans or pets to contact treated surfaces until spray has dried. When spraying overhead interior areas of homes, apartment buildings, etc., to the point of runoff, cover all surfaces below the area being sprayed with plastic sheeting or other material which could be disposed of by placing in trash if contamination from dripping occurs.

Preparation and Mixing Instructions—To prepare a 0.5% aqueous emulsion containing 0.5% chlorpyrifos, add 1 1/2 fl oz (40 ml) of DURSBAN L.O. insecticide to every gallon of final spray mixture desired. To prepare a 1% emulsion add 2.75 fl oz (80 ml) of product per gallon of spray.

For control of wood-boring beetles of the families Lucidae, Bostichidae, Anobiidae and Cerambycidae in homes and other structures, apply a solution containing 0.5% or 1% chlorpyrifos. For treatment of small areas, apply by brushing the emulsion evenly on wood surfaces.



For large or overhead areas, apply as a coarse spray to the point of runoff.

For control of carpenter ants in homes and other structures apply a solution containing 0.5% chlorpyrifos around doors and windows and other places where carpenter ants enter the premises and where they crawl and hide. Also spray into cracks and crevices of through openings or small newly drilled holes into wall voids where these ants or their nests are present. Use a sufficient amount of coarse spray to cover the area to the point of runoff.

For control of termites (localized areas in structures) apply a 0.5% solution to voids and channels in damaged wood and in spaces between wooden members of a structure and between wood and foundations where infestation is likely to occur. Application may be made to inaccessible areas by drilling and then injecting the solution. Use a sufficient amount of coarse spray to cover the area to the point of runoff. Treatment of localized areas is intended to kill workers and winged reproductive forms of termites in the treated areas and to prevent infestations for a temporary period. This type of application is not intended to be a substitute for spot treatment or mechanical alteration to control subterranean termites.

ATTENTION (Pests Induced): Do not apply water base sprays of this product in condenser motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use in poultry houses or other animal buildings. Do not allow spray to contact food, feedstuffs, and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

PESTS OUT-OF-DOORS

General Information: Use DURSBAN L.O. for control of certain pests on outside surfaces of buildings and for perimeter treatment. Consult the following directions for dosage and application details to control the pests listed.

Perimeter Treatment and Pests on Outside Surfaces of Buildings: Use DURSBAN L.O. at the rate of 4 fluid ounces per 3 gallons of water (0.5% chlorpyrifos emulsion) to control area, clover mites, cockroaches, crickets, earwigs, fleas, flies, millipedes, mosquitoes, sowbugs (pillbugs), spiders, and ticks by application as a residual spray or with a paint brush to outside surfaces of buildings including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Do not treat or allow the spray to contact flowering plants because of possible injury. Repeat treatment as needed to maintain effectiveness.

NOTE: To help prevent infestation of buildings by ants, crickets, earwigs, millipedes, and sowbugs (pillbugs), treat a band of soil 6 to 10 feet wide around the adjacent to buildings, also the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Use 8 ounces of DURSBAN L.O. per 100 gallons of water and apply as a coarse spray at the rate of about 10 gallons spray mixture per 1000 sq. ft. to thoroughly and uniformly wet the band area.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Disposal: Pesticide, spray mixture, or rinse water that cannot be used according to label directions must be disposed of according to applicable Federal, State or local procedures.

Container Disposal: Do not reuse empty container. Wrap container and put in trash collection. Triple-rinse (or equivalent), then offer for recycling or reconditioning, or dispose of in a sanitary landfill or by incineration if allowed by state and local authorities.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.
 U.S. Patent No. 3,244,586

BEST DOCUMENT AVAILABLE

NOV 2

Dr. D. H. Naiffiger
Dow Chemical, U.S.A.
Agricultural Products Department
P. O. Box 1706
Midland, MI 48640

Dear Dr. Vathes:

Subject: Dursban L.O. Insecticide
EPA Registration No. 464-571
Your Application Dated September 30, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (22-767)

Enclosure

TS-767;ELLENBERGER;DCR-23715;WANG-0123C;rfr;Kaven;479-2013;10/27/82

BEST DOCUMENT AVAILABLE

NET WT

SPECIMEN LABEL
REDUCED TO 14%

NOV 02 1992



Printed in the U.S.A. by
Dow Chemical Company
Midland, Michigan 48640

Dursban L.O.

insecticide

**Controls Numerous Pests
In and Around Households**

ACTIVE INGREDIENTS

Chlorpyrifos (O,O-Diethyl O-(2,5,6-trichloro-2-pyridyl)phosphorothioate)

Xylene range aromatic solvent

INERT INGREDIENTS

Contains 4 pounds of chlorpyrifos per gallon
EPA Registration No. 464-571
EPA Est. 11715 (N-1)

KEEP OUT OF REACH OF CHILDREN

WARNING

See Side Panel for Additional Precautionary Statements

12-1.35 fl oz (40 ml) bottles

Do Not Remove Packages From Container
Except For Immediate Use

To Be Applied Only By or Under the Supervision of
Pest Control Operators, Public Health Organizations
and Other Trained Personnel Responsible for Insect
Control Programs

Store Above Freezing (32°F)
NOTE: Crystals may form in this product if stored below freezing
(32°F). If crystals are present, warm to above 56°F and shake vigor-
ously until crystals disappear. Freezing does not affect product
quality or performance.

PRECAUCION AL USUARIO: Si usted no lee inglés, no use este
producto hasta que la etiqueta le haya sido explicada
ampliamente.

TRANSLATION (TO THE USER): If you cannot read English, do
not use this product until the label has been fully explained to
you.

SEE ENCLOSED BOOKLET FOR COMPLETE USE AND PRECAUTIONARY INFORMATION

THE DOW CHEMICAL COMPANY

MIDLAND MICHIGAN 48640

A DIVISION OF THE DOW CHEMICAL COMPANY

76066 A 782

STANDARD PRINTING COMPANY, INC. 1000 N. W. 10th St., Ft. Lauderdale, FL 33304
DOW CHEMICAL COMPANY, INC. 1800 N. W. 22nd St., Ft. Lauderdale, FL 33305
DOW CHEMICAL COMPANY, INC. 1800 N. W. 22nd St., Ft. Lauderdale, FL 33305
DOW CHEMICAL COMPANY, INC. 1800 N. W. 22nd St., Ft. Lauderdale, FL 33305
DOW CHEMICAL COMPANY, INC. 1800 N. W. 22nd St., Ft. Lauderdale, FL 33305

BEST COPY AVAILABLE