

100
100
464-598
SEP 27 1985

Mrs. Judy Page
Dow Chemical USA
P.O. Box 1705
Midland, MI 48641

Dear Mrs. Page:

Subject: Dursban 50 W
EPA Registration No. 464-598
Your Application Dated July 31, 1985

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A) is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

PD/IRB:JOB:94142:Ellenberger:156122:RD-67:KENCO:9/23/85:del.10/04/85:dej

CONCURRENCES							
SYMBOL ▶							
SURNAME ▶							
DATE ▶							

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 30-JUL 85 PAGE: 1

SPECIFICATION NUMBER: 01638-LS STYLE: 1 DESCRIPTION: PROPOSED SPECIMEN LABEL

REQUESTOR: ROSS/MILLIGAN

PRODUCT NAME: MURSBAN* 50W Insecticide in Water Soluble Packets

DATE CODE: 8725 PREVIOUS DATE CODE: 235 DISPOSAL: 2 31 DEC 85

TEXT MASTER: 0838-HELD FOR OR HOLD BY: EVA ROSS

Specimen Label

MURSBAN* 50W Insecticide in Water Soluble Packets

To Be Applied Only by or Under the Direct Supervision of Commercial Applicators Responsible for Insect Control Programs. Sale to or Use by Persons Owning or Occupying a Dwelling is Strictly Prohibited.

Active Ingredients:

1. Lomegrifos (E)-O-methyl O-(3,5,6-trichloro-2-pyridyl)

Phosphorothioated 50%

Inert Ingredients 50%

E.P.A. Registration No. 164-938

E.P.A. Est. 13967-0J-1

ACCEPTED
with COMMENTS
in EPA Reg. 164

8725 05

Under
Filed
as
to
44-598

KEEP OUT OF REACH OF CHILDREN

WARNING

AVOID: Inhalation, Absorption, or Ingestion. Avoid contact with eyes, nose, mouth, and skin. Avoid contact with clothing. Avoid contact with food, feedstuffs, and water. Avoid contact with children and pets.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

May be fatal if swallowed, inhaled, or absorbed through skin. Causes eye irritation.

Do Not Get In Eyes, On Skin or Clothing. Avoid breathing dust and spray. Wash thoroughly with soap and water after handling and before eating or drinking. Remove contaminated clothing and wash before reuse. Keep away from food, feedstuffs, and water.

First Aid: If swallowed: Do not induce vomiting. Drink plenty of water. If inhaled: Leave area and breathe fresh air. If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

First Aid: If swallowed: Do not induce vomiting. Drink plenty of water. If inhaled: Leave area and breathe fresh air. If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

First Aid: If swallowed: Do not induce vomiting. Drink plenty of water. If inhaled: Leave area and breathe fresh air. If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

First Aid: If swallowed: Do not induce vomiting. Drink plenty of water. If inhaled: Leave area and breathe fresh air. If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

First Aid: If swallowed: Do not induce vomiting. Drink plenty of water. If inhaled: Leave area and breathe fresh air. If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

CONTINUED

BEST AVAILABLE COPY

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 30-JUL-85 PAGE: 2

SPECIFICATION NUMBER: 91333-LS STYLE: 1 DESCRIPTION: PREPARED SECTION LA

FOUNDER: ROSS/MILLIGAN

PRODUCT NAME: DUREBAN® 50W Insecticide in Water Soluble Package

DUREBAN® 50W Insecticide in Water Soluble Package is a cholinesterase inhibitor. It is a contact insecticide. If exposed, symptoms and signs blood cholinesterase tests may indicate significance of exposure. Cholinesterase tests are usually performed only by injection. The reference antidote, oximes, such as 2-PAM/Protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

Environmental Hazards

This insecticide is toxic to birds and wildlife, and extremely toxic to fish and aquatic organisms. Do not apply directly to water. Birds and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate soil. Do not contaminate water by cleaning of equipment or disposal of mixtures. DUREBAN® product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Read and understand the entire label before using. Use only according to label directions.

Read and understand the entire label before using. Use only according to label directions.

DUREBAN® 50W Insecticide in Water Soluble Package is a cholinesterase inhibitor. It is a contact insecticide. If exposed, symptoms and signs blood cholinesterase tests may indicate significance of exposure. Cholinesterase tests are usually performed only by injection. The reference antidote, oximes, such as 2-PAM/Protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

IF CASE OF AN EMERGENCY

indicating life or property involving this product, call collect 1-800-633-4499.

AGRICULTURAL CHEMICAL

Do not mix or store with food, feed, drugs, or clothing.

DO NOT VIOLATE FEDERAL LAWS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

10

CONTINUED

BEST AVAILABLE COPY

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRODUCT: DURSIBAN 509 PAGE: 1

SPECIFICATION NUMBER: 01338-15 STYLE: 1 DESCRIPTION: PROPOSED SPECIFIED LABEL
REQUESTOR: ROSS HILLMAN
PRODUCT NAME: DURSIBAN 509 Insecticide in Water Soluble Packets

DO NOT add not formal to this product into other end-use products (DURBAN)

(5) GENERAL INFORMATION

This outer protective package contains four 4 oz. water-soluble packets. Do not allow packets to become wet prior to adding to the spray tank. Wear gloves when handling water-soluble packets. Do not handle with wet gloves. Do not excessively handle water-soluble packets since this may cause packets to burst and outer package to protect remaining packets.

(6)

DURSIBAN 509 insecticide is a formulation designed for use as a spray to control various pest infestations to trees, turf and ornamental plants. The pests controlled are listed in the scope and limitations. DURSIBAN 509 is compatible with insecticide, miticide, and fungicide commonly recommended except for all lime material. Do not use Bordeaux mixture or lime. A small amount of spray mixture should be prepared to check for compatibility before a large volume of spray is mixed. DURSIBAN 509 mixes readily with water to form a suspension. DURSIBAN 509 contains a wetting agent. Do not use additional wetting agents, surfactants or stickers.

(7)

DO NOT use for site handling equipment. DURSIBAN 509 is a contact insecticide and is likely to occur near protective equipment and clothing. Do not use near face, hand, gloved coveralls and a tank suit. Do not use to prevent exposure of eyes and skin to prevent bee stings. Do not use with ground application in confined areas. Do not use for and applications approved by PHOSH/NSHA for verticides.

(8)

DO NOT allow children to play on treated areas until spray has dried. Keep out of fishponds and other ponds or water. Do not treat vegetable gardens. Do not allow livestock to graze in treated areas. Do not feed livestock leaves or stems of plants used for screening in livestock pens or for livestock bedding. Do not use in poultry houses.

(9) MIXING INSTRUCTIONS

(10) CONTINUED

BEST AVAILABLE COPY

20

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 30-JUL-85 PAGE: 4

SPECIFICATION NUMBER: 01638-15 STYLE: I DESCRIPTION: PROPOSED SPECIMEN LABEL

REQUESTOR: ROSS/MILLIGAN

PRODUCT NAME: DURSBAK 50W Insecticide in Water Soluble Packets

For seedling, nursery, and general sanitation systems.

(10)

1. Fill the spray tank 1/3 - 1/2 of water. (80L0100FE;100PM) For seedling sanitation systems, seedlings should be covered with water.

(11)

2. Activate sanitation system.

(12)

3. Add required number of water-soluble packets to obtain desired dilution.

(13)

4. Complete tank filling while the packet dissolves and DURSBAK 50W disperses.

(14)

5. Before beginning to spray make sure DURSBAK 50W has dissolved and water-soluble packet is completely dissolved.

(15)

6. DURSBAK 50W should be applied depending on the water temperature and the degree of infestation. The packets and DURSBAK 50W should be completely dispersed within approximately 5 minutes from the time they were added to the water.

(16) Turf and Other Outdoor Use:

Use DURSBAK 50W to control root-inhabiting larvae, soil-couplers, grubs, scarabid larvae, and other known or suspected soil-borne insects in the following locations in accordance with the recommended dilution: Apply DURSBAK 50W in enough water to obtain complete and uniform coverage of the treated area. For use on lawns, apply 10 to 20 gallons of water per acre in a manner to obtain complete and uniform coverage of the treated area. If a good free-flowing water source is available, apply from that equipment. For best results, thoroughly water immediately after treatment to wash the insecticide into the turf, except as noted.

(CONTINUED)

BEST AVAILABLE COPY

SPECIFICATION NUMBER: 06-18-15 STYLE: 1 DESCRIPTION: PROPOSED SPECIMEN LIA
SLL

FRONTIER RANCH: DISINFESTATION - Insecticide in Water Soluble Packets

419 Page 4
and, including various free intro

1211, 101102, 120000

Un 356 r = 0.10

CONCLUSION

[illegible]

Summary

1. *Introduction*

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 84

• 100% Satisfaction Guarantee

1955

000000

1115, 2557, 1710, 1601, 1514, 1454, 1380, 1270, 1170, 1100, 1050, 1010, 960, 910, 860, 810, 760, 710, 660, 610, 560, 510, 460, 410, 360, 310, 260, 210, 160, 110, 60, 10.

Introduction

1144

input (100)

1. *Chlorophyll a* and *b* contents

1. *Thymus praecox* L. *Thymus* L.

1961] *McGee and McGee*

1949, 1950, 1951, 1952, 1953, 1954, 1955, 1956, 1957, 1958, 1959, 1960, 1961, 1962, 1963, 1964, 1965, 1966, 1967, 1968, 1969, 1970, 1971, 1972, 1973, 1974, 1975, 1976, 1977, 1978, 1979, 1980, 1981, 1982, 1983, 1984, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 26

[illegible][illegible]

2011-12

1991-1992

Ineq. (14) and (15) conclude the proof. The case $\alpha = 0$ is obvious. $\square$

• 100 percent of all that will be done

* *lin.* (the *int.* of *lin.* is *int.*)

17) Wiederholung des 1. Teils[illegible]

• 1994 •

1944

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 30-JUL-85 PAGE: 1

SPECIFICATION NUMBER: 91248-15 SIZE: 1 DESCRIPTION: PROPOSED SPECIFIED LA
BEL

REQUESTOR: ROSS/MILLIGAN

PRODUCT NAME: DURSBAK 50W Insecticide in Water Soluble Packets

Seals are present and provide a guarantee of a suitable public health
product. Do not allow public use of the tree areas during application
or until spray has dried. Apply DURSBAK 50W in water at rate of 1.2
lb/1,000 sq ft. (equivalent to 1.2 oz/gal) per acre. Apply using
agricultural sprayers, mist applicators, knapsack sprayers, or other
suitable hand- or power-operated spray equipment. Apply to low
underbrush, grassy areas, weeds, ground surfaces and debris around
enough spray volume to obtain thorough coverage (usually 10 to 100
gallons per acre).

0180

1. DURSBAK 50W (DURSBAK) coming to rest on area treated and control of
insects will be killed for various periods of time after
application, depending on exposure of treated areas to weathering
conditions.

0170

2. For DURSBAK 50W (DURSBAK) to be effective on insects, the treated area must be
exposed for 12 to 24 hours after treatment.

0160

3. DURSBAK 50W (DURSBAK) is

0150

4. DURSBAK 50W (DURSBAK) is

0140

5. DURSBAK 50W (DURSBAK) is

0130

6. DURSBAK 50W (DURSBAK) is

0120

7. DURSBAK 50W (DURSBAK) is

0110

0100

BEST AVAILABLE COPY

QUALITY ASSURANCE
70-JUL-85 PAGE 7

SPECIFICATION NUMBER: 101-30-01 SYLL: 1 DESCRIPTION: IMPROVED SPECIMEN LABEL

SEQUENCE: 0000111600

-PRODUCT NAME: PULSAR® Self-Injecting and Water Soluble Tablets

1. Several hundred problem areas in mid-April and again in mid-May were recommended by your Local Agricultural Extension Service (see table).

260 amount of BULKHEAD 504 per acre

• • •

White grub (Such as: Black cutworms, stem-borer, European chaffer, northern striped chaffer and Japanese beetle larvae etc.)

• • •

There have been 16 thirty-two (32) photos

29)

For 190P11, locate traps 190P61+ early when traps are found and actively feeding near the soil surface usually during late May and August or as recommended by your local Agricultural Extension Service. Feed 190P11 immediately after the wind increases to the ground level with 1/2 to 1 inch of water to wash the 190P11s down into the underground soil. 190P61

144

Chen, Y. & J. A. J. H. Reijnders, 1999.

•

[illegible]

1. 2. 3.

[illegible]

1

[illegible]

434

16. *Chrysomelidae* (Coleoptera): 100% (1/1)

DATE INDEXED:

BEST AVAILABLE COPY

SPECIFICATION NUMBER: 01338-15 STYLE: 1 DESCRIPTION: PROPOSED SPECIFIC LABEL
REQUESTOR: ROSS/ALLILOGAN
PRODUCT NAME: DUESBURG* 50W Insoluble in Water Soluble Packets

14. For control of children infesting outdoor turkey pens, use CHURCHMAN 50W as a spray to the soil using 100-150 ml/l of water per acre.

To prevent turkeys from becoming infested with chiggers, remove the soil in pens just before turkeys are transferred to them. For turkeys already infested with chiggers, remove the soil in pens thoroughly. Allow it to sit three weeks for chiggers to die on the surface to heal before turkeys are slaughtered. For optimum results, draw a 10-15 ft. protective ring around the periphery of the treated pens.

Treatment is limited to 2 applications to the soil in 1 year, and at intervals of not less than 4 weeks. Do not treat soil in furrows less than 7 days before furrows are to be ploughed. Avoid getting the spray on trees or in waterways. When used, should be covered during weeding operations, and water troughs should be flushed out immediately after the spraying operations. Do not use on alfalfa and corn directly on the land.

Impaired liver and kidney function could

Number : IN-1069002 - stop to 3000 for duration .

16. 10. 51 by: [unclear] [unclear]

14. (BOLLING) sorted trees (not planted) and for additional help in sorting the trees of sod to be cut. Immediately after planting the trees, cut them with at least 1/2 core inch diameter or sufficient volume to transplant without sink below the cut line.

1. The first step is to identify the problem. This involves understanding the current situation and what needs to be changed.

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
 LABEL CONFIRMATION COPY PRINTED: 30-JUL-85 PAGE: 2

SPECIFICATION NUMBER: 01638-LS SITE: I DESCRIPTION: PROPOSED SPECIMEN LABEL

REQUESTOR: ROSS WILLIGAN

PRODUCT NAME: DURSBAK 50W Insecticide in Water Soluble Packet

Do not apply a volume or rate of water to cause runoff. Apply to soil when vegetation has dried and when soil is moist but not wet.

(32)

PRECAUTION: PERSONNEL handling treated soil should wear elbow-length neoprene gloves and neoprene gaiters. Protective clothing and boots should be worn to prevent repeated skin exposure to treated soil.

(33)

CONTAMINATION PERIOD: 42 days from day of application

(44) Pest Control on Outside Surfaces of and Around Buildings
 Apply DURSBAK 50W by application as a residual spray to outside surfaces of buildings including porches, window frames, eaves, gutters, attics, eave dams and other areas where pests are or have been seen. Repeat treatment is needed to maintain effect. Avoid application to surfaces where visible staining is objectionable.

(45) Post*

and
 see
 treatment and
 follow-up
 see table
 for table

Summary
 1. 1. 1.
 2. 1. 1.
 3. 1. 1.
 4. 1. 1.
 5. 1. 1.
 6. 1. 1.
 7. 1. 1.
 8. 1. 1.
 9. 1. 1.
 10. 1. 1.
 11. 1. 1.
 12. 1. 1.
 13. 1. 1.
 14. 1. 1.
 15. 1. 1.
 16. 1. 1.
 17. 1. 1.
 18. 1. 1.
 19. 1. 1.
 20. 1. 1.
 21. 1. 1.
 22. 1. 1.
 23. 1. 1.
 24. 1. 1.
 25. 1. 1.
 26. 1. 1.
 27. 1. 1.
 28. 1. 1.
 29. 1. 1.
 30. 1. 1.
 31. 1. 1.
 32. 1. 1.
 33. 1. 1.
 34. 1. 1.
 35. 1. 1.
 36. 1. 1.
 37. 1. 1.
 38. 1. 1.
 39. 1. 1.
 40. 1. 1.
 41. 1. 1.
 42. 1. 1.
 43. 1. 1.
 44. 1. 1.
 45. 1. 1.
 46. 1. 1.
 47. 1. 1.
 48. 1. 1.
 49. 1. 1.
 50. 1. 1.
 51. 1. 1.
 52. 1. 1.
 53. 1. 1.
 54. 1. 1.
 55. 1. 1.
 56. 1. 1.
 57. 1. 1.
 58. 1. 1.
 59. 1. 1.
 60. 1. 1.
 61. 1. 1.
 62. 1. 1.
 63. 1. 1.
 64. 1. 1.
 65. 1. 1.
 66. 1. 1.
 67. 1. 1.
 68. 1. 1.
 69. 1. 1.
 70. 1. 1.
 71. 1. 1.
 72. 1. 1.
 73. 1. 1.
 74. 1. 1.
 75. 1. 1.
 76. 1. 1.
 77. 1. 1.
 78. 1. 1.
 79. 1. 1.
 80. 1. 1.
 81. 1. 1.
 82. 1. 1.
 83. 1. 1.
 84. 1. 1.
 85. 1. 1.
 86. 1. 1.
 87. 1. 1.
 88. 1. 1.
 89. 1. 1.
 90. 1. 1.
 91. 1. 1.
 92. 1. 1.
 93. 1. 1.
 94. 1. 1.
 95. 1. 1.
 96. 1. 1.
 97. 1. 1.
 98. 1. 1.
 99. 1. 1.
 100. 1. 1.

BEST AVAILABLE COPY

SPECIFICATION NUMBER: 91838-10 STYLE: 1 DESCRIPTION: PROPOSED SPECIFIER LA
GEI
REQUESTOR: FUSSELLIGAN
PRODUCT NAME: GURSBAN 500 Insecticide in Water Soluble Packets

(46)
Numbers in parentheses refer to specific directions.

(47) Amount of GURSBAN 500 in Water to Make 50 Gallons of Diluted
Spray:

1 oz. (One 4 oz. packet) 1 lb. (Sixteen 4 oz. packets)

(48) For Band Treatment (1)

(49) On Outside Surface:

(50) Specific Directions:

1. To help prevent infestation of buildings, treat a band of soil
to 10 feet wide around and adjacent to building. For the building
foundation to a height of 2 to 3 feet above ground level, and
and entrance. Use 4 ounces (one 4 oz. packet) of GURSBAN 500 per
gallon of water and apply to a depth of 1 inch at the side of building
and entrance for 1,000 sq. ft. to thoroughly and uniformly
wet the band area.

(51)

1. To help prevent infestation of trees, remove all material from the
ground and other material in the area of the tree to be treated.

2. On certain ornamental Greenhouses, including the area around
the GURSBAN 500 insecticide to treat flowers, shrubs, evergreen
trees and vines and flowering trees found to be infested with
listed in the following table. Apply GURSBAN 500 with water
according to directions given in the table and follow the
and/or lower treated areas around the ground to provide
complete and uniform coverage. For best results, apply the
to thoroughly wet both upper and lower leaf surfaces and apply
time and from directly above to ensure coverage of both sides
and from the top of the tree to the bottom of the trunk and
and from the top of the tree to the bottom of the trunk and

(53)

CONTINUED

BEST AVAILABLE COPY

* * * * * PENDING APPROVAL * * * * *

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 30 JUL 85 PAGE: 11

SPECIFICATION NUMBER: 91688-15 STYLE: I DESCRIPTION: PROPOSED PRODUCT LABEL

REGULATOR: ROSS/MILLIGAN

PRODUCT NAME: DURSABAN 50W Insecticide in Water Soluble Packet

For all your state agricultural experiment station or Extension Service Specialist for application timing and other pertinent information.

(54)

NOTE: Greenhouse Growth Unadorned (EUBH): Environmental factors insufficiently affect photoactivity. DURSABAN 50W has been tested on numerous ornamental plants without causing serious phytotoxicity. However, because of the numerous varieties grown, it is recommended that a small group of plants be treated at the recommended rate under anticipated growing conditions and observed for phytotoxicity for 7 days. The test group should be made 7 days after the treatment and observed for another 7 days after the second treatment. The following species should not be treated:

(55) Plant Species Scientific Name

IIALBAdelphium wilsonii

IIALBAbeladonia leucophaea

IIALBReseda

IIALBAbellia

IIALBAbellia leucophaea

IIALBAbellia leucophaea

IIALBAbellia leucophaea

IIALBAbellia leucophaea

IIALBAbellia leucophaea

IIALBAbellia leucophaea

IIALBAbellia leucophaea

IIALBAbellia leucophaea

IIALBAbellia leucophaea

IIALBAbellia leucophaea

IIALBAbellia leucophaea

IIALBAbellia leucophaea

IIALBAbellia leucophaea

IIALBAbellia leucophaea

IIALBAbellia leucophaea

(56) Common Name

Abellia

Abellia

Abellia

Abellia

Abellia

Abellia

Abellia

Abellia

Abellia

Abellia

Abellia

Instructions
Boston Fern, Fluffy ruffle Fern

Petunia
Belinda, Creamy, Lavender, Jack Frost

1/20/22

(CONTINUED)

BEST AVAILABLE COPY

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 59-JUL 85 PAGE: 11

SPECIFICATION NUMBER: 01638-11 STYLE: 1 DESCRIPTION: PAPERED SPECIMEN LABEL

REQUESTOR: ROSS/MILLIGAN

PRODUCT NAME: DURSBAK 500 Insecticide in Water Soluble Packed

(Such as: Pine, Pin Oak, Redheaded)

lobbers

Wattlebuds

Spring

elm caterpillars

crinoids

grace budworms

leaf caterpillars (Such as: Eastern Forest, Western)

Thornworms

White caterpillars

Western spruce budworms

W. flies

Yellow-necked caterpillars

100
Numbers in parentheses refer to specific directions.

1500 Amount of Dursbak 500 in Water Soluble

1500 50 gallons

1500 1b. (One 1/2 oz. packet)

1500 100 gallons

1500 1b. (Two 1/2 oz. packets)

1500 Specific Directions

1500 For PROBLEMS (PROBLEMS) treat when insects are in the early stage.

1500

1500 For effective control of PROBLEMS (PROBLEMS) must be applied before leaves are tightly rolling.

1500

1500 For effective control of PROBLEMS (PROBLEMS) on maple trees apply early to larvae as eggs are being formed.

1500 PROBLEMS

BEST AVAILABLE COPY

* * * * * PENDING APPROVAL * * * * *

11-2

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 30-JUL-85 PAGE: 13

SPECIFICATION NUMBER: 01538-L5 STYLE: 1 DESCRIPTION: PROPOSED SPECIFIC LABEL

REQUESTOR: ROSS/HILLMAN

PRODUCT NAME: OURS&S 50W Insecticide in Water Soluble Packet

Do not use for use on plants intended for sale or production.

(65)

For effective control of [BOL] (order with [BOL]) when 1 or more numbers of
eggs are present, apply a second spray 3 to 5 days in the South or 7
to 10 days in the North after initial treatment to control
newly-hatched nymphs.

(66) Hosts

Artemisia (host)

Artemisia (host) (Native elm bark)

Antennae

Antennae

Antennae (webworm)

Antennae

Antennae (webworm)

Notes: (Such as: amount of: Cypress, pine, deciduous, fir, spruce,
Juniper, pine, spruce, cedar, etc. Holly, hick, plum, etc. pine, fir,
cedar, etc. Birch, pine, fir, subterranean, etc. etc. etc.)

Artemisia (host): Artemisia, Origanum, etc. Artemisia

Artemisia (host): Artemisia, Origanum, etc. Artemisia

Artemisia (host): Artemisia, Origanum, etc. Artemisia

Artemisia (host): Artemisia, Origanum, etc. Artemisia

Artemisia (host): Artemisia, Origanum, etc. Artemisia

(67)

Artemisia (host): Artemisia, Origanum, etc. Artemisia

(68) amount of OURS&S 50W in Water Soluble Packet

(69) to 2011

1/2 lb. (two 1/4 oz. packets)

(70) 100 yellow

CONTINUED

BEST AVAILABLE COPY

10/1

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 30-JUL-80 PAGE: 1

SPECIFICATION NUMBER: 01430-LS STYLE: 1 DESCRIPTION: PROPOSED SPECIMEN LABEL

REQUESTOR: ROSS/MILLIGAN

PRODUCT NAME: DURSBAK 50W Insecticide in Water Soluble Packets

1 lb. (Four 4 oz. packets)

(71) Specific Direction

1. To reduce LEO (Larval Eaten) and LEO (Larval Eaten) feeding on LEO (Larval Eaten) bark beetles (NORM) applications should be made in the spring or early summer.

(72)

2. To control weevils and moths (Larval Eaten) with LEO (Larval Eaten) the LEO (Larval Eaten) and foliage.

(73)

3. LEO (Larval Eaten) weevils (NORM) are night feeders. Late afternoon spraying will give control in some cases.

(74)

Beetles (Such as: Cottonwood leaf (1), Elm leaf, Elm, Willow leaf)

(75)

1/2 to 1 lb. (Two to four 4 oz. packets) 1 to 2 lb. (Four to eight 4 oz. packets)

(76)

1. For LEO (Larval Eaten) cottonwood leaf beetles (NORM) use DURSBAK 50W in water to control larvae and adults infesting cottonwoods. Make the application when field counts indicate damaging beetle populations are becoming present.

(77) Post

LEO (Larval Eaten) (1) (NORM) Elm, elm, moths (Such as: Ash, Redwood, Elm, Birch, Weechtree, Lilac, Oak, Rhododendron, Mettillia wood (Such as: Bronze Birch, Flatheaded apple tree, Twined elm, fruit, Longhorned beetle (Such as: Locust, Red oak)

Leafminers

Needleminers (Such as: Jeffrey pine, Ladderpole pine, Spruce)

(CONTINUED)

0000000000

REQUESTOR: ROSS/MILLIGAN

Scale crawlers (Cuckoo + Cottonwood borer, Cottonwood scale, Hawthorn scale, Letcher, Florida wax, Golden oak, Hemlock scale, Lecanium, spruce, Ark Locust, Bartonsville, Pine needle, San Jose, Tree, White Birch)

Amount of PURIFIED SW in Water to meet

1. 200-100 solidum
 2. 100-100 solidum, 100-100 solidum

019-100 Allen
016-07014 100% recycled

1. For ECHOHOLM or LPOPMAY, apply DURSBAW LOW to the trunk and lower limbs of trees and brush when the adults begin to emerge. Consult your State Agricultural Experiment Station or Extension Service for a list of proper time to treat. Apply uniformly at a coarse low pressure spray.

[illegible]

5. Amount of Difference Due to Water: 0.000004

11. *Chlorophyll *a** and *b* were determined by the method of Lichtenthaler (1987).

$$f_{\text{eff}} = f_{\text{eff}}(\text{frequency}) = f_{\text{eff}}(\text{frequency}) \times \text{efficiency}$$

Journal of Interpersonal Violence 26(10)

007 1,000 00

BEST AVAILABLE COPY

THE LABEL FOR THE PRODUCT IS: STAINLESS STEEL STAINLESS STEEL STAINLESS STEEL
 THE LABEL FOR THE PRODUCT IS: STAINLESS STEEL STAINLESS STEEL STAINLESS STEEL

or best results, make a double row to thoroughly wet both upper and lower leaf surfaces and to saturate limb and trunk area. Attempt to control downwind drift but avoid over-saturation to the point of excessive runoff. Walk down both aspects and repeat at 2 to 4 day intervals, as needed. (00L00attention00P00) For felled trees, spray after stimuli do not is made until bark has dried or been protected by oiling. (00L00forest only fruit and nut trees00P00) Identified in the tree code and date section of data sheet.

1990

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 30-JUL-85 PAGE: 12

SPECIFICATION NUMBER: 01638-LE STYLE: 1 DESCRIPTION: PROPOSED SPECIMER LY
 REL

OF REQUEST: BOSS/MILLIGAN

PRODUCT NAME: DURABACT 50W Insecticide in Water Soluble Packet

Number 1 : Cherry Red Spiders Southern red (4)
11 : Spider Monkey

or the following:

$$f(x) = \sum_{j=0}^{\infty} f_j(x) \quad (1)$$

affiliates reported which is: Pine, Pine & Co.

• rana - 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290, 300, 310, 320, 330, 340, 350, 360, 370, 380, 390, 400, 410, 420, 430, 440, 450, 460, 470, 480, 490, 500, 510, 520, 530, 540, 550, 560, 570, 580, 590, 600, 610, 620, 630, 640, 650, 660, 670, 680, 690, 700, 710, 720, 730, 740, 750, 760, 770, 780, 790, 800, 810, 820, 830, 840, 850, 860, 870, 880, 890, 900, 910, 920, 930, 940, 950, 960, 970, 980, 990, 1000, 1010, 1020, 1030, 1040, 1050, 1060, 1070, 1080, 1090, 1100, 1110, 1120, 1130, 1140, 1150, 1160, 1170, 1180, 1190, 1200, 1210, 1220, 1230, 1240, 1250, 1260, 1270, 1280, 1290, 1300, 1310, 1320, 1330, 1340, 1350, 1360, 1370, 1380, 1390, 1400, 1410, 1420, 1430, 1440, 1450, 1460, 1470, 1480, 1490, 1500, 1510, 1520, 1530, 1540, 1550, 1560, 1570, 1580, 1590, 1600, 1610, 1620, 1630, 1640, 1650, 1660, 1670, 1680, 1690, 1700, 1710, 1720, 1730, 1740, 1750, 1760, 1770, 1780, 1790, 1800, 1810, 1820, 1830, 1840, 1850, 1860, 1870, 1880, 1890, 1900, 1910, 1920, 1930, 1940, 1950, 1960, 1970, 1980, 1990, 2000, 2010, 2020, 2030, 2040, 2050, 2060, 2070, 2080, 2090, 2100, 2110, 2120, 2130, 2140, 2150, 2160, 2170, 2180, 2190, 2200, 2210, 2220, 2230, 2240, 2250, 2260, 2270, 2280, 2290, 2300, 2310, 2320, 2330, 2340, 2350, 2360, 2370, 2380, 2390, 2400, 2410, 2420, 2430, 2440, 2450, 2460, 2470, 2480, 2490, 2500, 2510, 2520, 2530, 2540, 2550, 2560, 2570, 2580, 2590, 2600, 2610, 2620, 2630, 2640, 2650, 2660, 2670, 2680, 2690, 2700, 2710, 2720, 2730, 2740, 2750, 2760, 2770, 2780, 2790, 2800, 2810, 2820, 2830, 2840, 2850, 2860, 2870, 2880, 2890, 2900, 2910, 2920, 2930, 2940, 2950, 2960, 2970, 2980, 2990, 3000, 3010, 3020, 3030, 3040, 3050, 3060, 3070, 3080, 3090, 3100, 3110, 3120, 3130, 3140, 3150, 3160, 3170, 3180, 3190, 3200, 3210, 3220, 3230, 3240, 3250, 3260, 3270, 3280, 3290, 3300, 3310, 3320, 3330, 3340, 3350, 3360, 3370, 3380, 3390, 3400, 3410, 3420, 3430, 3440, 3450, 3460, 3470, 3480, 3490, 3500, 3510, 3520, 3530, 3540, 3550, 3560, 3570, 3580, 3590, 3600, 3610, 3620, 3630, 3640, 3650, 3660, 3670, 3680, 3690, 3700, 3710, 3720, 3730, 3740, 3750, 3760, 3770, 3780, 3790, 3800, 3810, 3820, 3830, 3840, 3850, 3860, 3870, 3880, 3890, 3900, 3910, 3920, 3930, 3940, 3950, 3960, 3970, 3980, 3990, 4000, 4010, 4020, 4030, 4040, 4050, 4060, 4070, 4080, 4090, 4100, 4110, 4120, 4130, 4140, 4150, 4160, 4170, 4180, 4190, 4200, 4210, 4220, 4230, 4240, 4250, 4260, 4270, 4280, 4290, 4300, 4310, 4320, 4330, 4340, 4350, 4360, 4370, 4380, 4390, 4400, 4410, 4420, 4430, 4440, 4450, 4460, 4470, 4480, 4490, 4500, 4510, 4520, 4530, 4540, 4550, 4560, 4570, 4580, 4590, 4600, 4610, 4620, 4630, 4640, 4650, 4660, 4670, 4680, 4690, 4700, 4710, 4720, 4730, 4740, 4750, 4760, 4770, 4780, 4790, 4800, 4810, 4820, 4830, 4840, 4850, 4860, 4870, 4880, 4890, 4900, 4910, 4920, 4930, 4940, 4950, 4960, 4970, 4980, 4990, 5000, 5010, 5020, 5030, 5040, 5050, 5060, 5070, 5080, 5090, 5100, 5110, 5120, 5130, 5140, 5150, 5160, 5170, 5180, 5190, 5200, 5210, 5220, 5230, 5240, 5250, 5260, 5270, 5280, 5290, 5300, 5310, 5320, 5330, 5340, 5350, 5360, 5370, 5380, 5390, 5400, 5410, 5420, 5430, 5440, 5450, 5460, 5470, 5480, 5490, 5500, 5510, 5520, 5530, 5540, 5550, 5560, 5570, 5580, 5590, 5600, 5610, 5620, 5630, 5640, 5650, 5660, 5670, 5680, 5690, 5700, 5710, 5720, 5730, 5740, 5750, 5760, 5770, 5780, 5790, 5800, 5810, 5820, 5830, 5840, 5850, 5860, 5870, 5880, 5890, 5900, 5910, 5920, 5930, 5940, 5950, 5960, 5970, 5980, 5990, 6000, 6010, 6020, 6030, 6040, 6050, 6060, 6070, 6080, 6090, 6100, 6110, 6120, 6130, 6140, 6150, 6160, 6170, 6180, 6190, 6200, 6210, 6220, 6230, 6240, 6250, 6260, 6270, 6280, 6290, 6300, 6310, 6320, 6330, 6340, 6350, 6360, 6370, 6380, 6390, 6400, 6410, 6420, 6430, 6440, 6450, 6460, 6470, 6480, 6490, 6500, 6510, 6520, 6530, 6540, 6550, 6560, 6570, 6580, 6590, 6600, 6610, 6620, 6630, 6640, 6650, 6660, 6670, 6680, 6690, 6700, 6710, 6720, 6730, 6740, 6750, 6760, 6770, 6780, 6790, 6800, 6810, 6820, 6830, 6840, 6850, 6860, 6870, 6880, 6890, 6900, 6910, 6920, 6930, 6940, 6950, 6960, 6970, 6980, 6990, 700

ARTICLE DIRECTION

containing information (Such as: Eastern)

1992-1 = 1992-10-1-1

Abstract

1991-1992

1. 1950-1959

arranged colorfully

Number in parentheses refer to 1. and 2. Direction.

On Account of INSURECO Bond in Order to collect

1995-06-11

7 11, 1962, 10:00 AM

1976-1977, 1978-1979, 1979-1980, 1980-1981, 1981-1982, 1982-1983, 1983-1984, 1984-1985, 1985-1986, 1986-1987, 1987-1988, 1988-1989, 1989-1990, 1990-1991, 1991-1992, 1992-1993, 1993-1994, 1994-1995, 1995-1996, 1996-1997, 1997-1998, 1998-1999, 1999-2000, 2000-2001, 2001-2002, 2002-2003, 2003-2004, 2004-2005, 2005-2006, 2006-2007, 2007-2008, 2008-2009, 2009-2010, 2010-2011, 2011-2012, 2012-2013, 2013-2014, 2014-2015, 2015-2016, 2016-2017, 2017-2018, 2018-2019, 2019-2020, 2020-2021, 2021-2022, 2022-2023, 2023-2024, 2024-2025, 2025-2026, 2026-2027, 2027-2028, 2028-2029, 2029-2030, 2030-2031, 2031-2032, 2032-2033, 2033-2034, 2034-2035, 2035-2036, 2036-2037, 2037-2038, 2038-2039, 2039-2040, 2040-2041, 2041-2042, 2042-2043, 2043-2044, 2044-2045, 2045-2046, 2046-2047, 2047-2048, 2048-2049, 2049-2050, 2050-2051, 2051-2052, 2052-2053, 2053-2054, 2054-2055, 2055-2056, 2056-2057, 2057-2058, 2058-2059, 2059-2060, 2060-2061, 2061-2062, 2062-2063, 2063-2064, 2064-2065, 2065-2066, 2066-2067, 2067-2068, 2068-2069, 2069-2070, 2070-2071, 2071-2072, 2072-2073, 2073-2074, 2074-2075, 2075-2076, 2076-2077, 2077-2078, 2078-2079, 2079-2080, 2080-2081, 2081-2082, 2082-2083, 2083-2084, 2084-2085, 2085-2086, 2086-2087, 2087-2088, 2088-2089, 2089-2090, 2090-2091, 2091-2092, 2092-2093, 2093-2094, 2094-2095, 2095-2096, 2096-2097, 2097-2098, 2098-2099, 2099-2100, 2100-2101, 2101-2102, 2102-2103, 2103-2104, 2104-2105, 2105-2106, 2106-2107, 2107-2108, 2108-2109, 2109-2110, 2110-2111, 2111-2112, 2112-2113, 2113-2114, 2114-2115, 2115-2116, 2116-2117, 2117-2118, 2118-2119, 2119-2120, 2120-2121, 2121-2122, 2122-2123, 2123-2124, 2124-2125, 2125-2126, 2126-2127, 2127-2128, 2128-2129, 2129-2130, 2130-2131, 2131-2132, 2132-2133, 2133-2134, 2134-2135, 2135-2136, 2136-2137, 2137-2138, 2138-2139, 2139-2140, 2140-2141, 2141-2142, 2142-2143, 2143-2144, 2144-2145, 2145-2146, 2146-2147, 2147-2148, 2148-2149, 2149-2150, 2150-2151, 2151-2152, 2152-2153, 2153-2154, 2154-2155, 2155-2156, 2156-2157, 2157-2158, 2158-2159, 2159-2160, 2160-2161, 2161-2162, 2162-2163, 2163-2164, 2164-2165, 2165-2166, 2166-2167, 2167-2168, 2168-2169, 2169-2170, 2170-2171, 2171-2172, 2172-2173, 2173-2174, 2174-2175, 2175-2176, 2176-2177, 2177-2178, 2178-2179, 2179-2180, 2180-2181, 2181-2182, 2182-2183, 2183-2184, 2184-2185, 2185-2186, 2186-2187, 2187-2188, 2188-2189, 2189-2190, 2190-2191, 2191-2192, 2192-2193, 2193-2194, 2194-2195, 2195-2196, 2196-2197, 2197-2198, 2198-2199, 2199-2200, 2200-2201, 2201-2202, 2202-2203, 2203-2204, 2204-2205, 2205-2206, 2206-2207, 2207-2208, 2208-2209, 2209-2210, 2210-2211, 2211-2212, 2212-2213, 2213-2214, 2214-2215, 2215-2216, 2216-2217, 2217-2218, 2218-2219, 2219-2220, 2220-2221, 2221-2222, 2222-2223, 2223-2224, 2224-2225, 2225-2226, 2226-2227, 2227-2228, 2228-2229, 2229-2230, 2230-2231, 2231-2232, 2232-2233, 2233-2234, 2234-2235, 2235-2236, 2236-2237, 2237-2238, 2238-2239, 2239-2240, 2240-2241, 2241-2242, 2242-2243, 2243-2244, 2244-2245, 2245-2246, 2246-2247, 2247-2248, 2248-2249, 2249-2250, 2250-2251, 2251-2252, 2252-2253, 2253-2254, 2254-2255, 2255-2256, 2256-2257, 2257-2258, 2258-2259, 2259-2260, 2260-2261, 2261-2262, 2262-2263, 2263-2264, 2264-2265, 2265-2266, 2266-2267, 2267-2268, 2268-2269, 2269-2270, 2270-2271, 2271-2272, 2272-2273, 2273-2274, 2274-2275, 2275-2276, 2276-2277, 2277-2278, 2278-2279, 2279-2280, 2280-2281, 2281-2282, 2282-2283, 2283-2284, 2284-2285, 2285-2286, 2286-2287, 2287-2288, 2288-2289, 2289-2290, 2290-2291, 2291-2292, 2292-2293, 2293-2294, 2294-2295, 2295-2296, 2296-2297, 2297-2298, 2298-2299, 2299-2300, 2300-2301, 2301-2302, 2302-2303, 2303-2304, 2304-2305, 2305-2306, 2306-2307, 2307-2308, 2308-2309, 2309-2310, 2310-2311, 2311-2312, 2312-2313, 2313-2314, 2314-2315, 2315-2316, 2316-2317, 2317-2318, 2318-2319, 2319-2320, 2320-2321, 2321-2322, 2322-2323, 2323-2324, 2324-2325, 2325-2326, 2326-2327, 2327-2328, 2328-2329, 2329-2330, 2330-2331, 2331-2332, 2332-2333, 2333-2334, 2334-2335, 2335-2336, 2336-2337, 2337-2338, 2338-2339, 2339-2340, 2340-2341, 2341-2342, 2342-2343, 2343-2344, 2344-2345, 2345-2346, 2346-2347, 2347-2348, 2348-2349, 23

Mr. J. Edgar Hoover, Director

191-026611-00000000

4. For FOLD3P versus FOLD1 test when insects are in the group of 1000

150

For effective control of HOLLDOfferent HOLLDOfferent
before 12:00, no further action.

1004

• For the purpose of substantiating an employee's right to leave work for a 20% SPP during bereavement.

[illegible]

BEST AVAILABLE COPY

SPECIFICATION NUMBER: 01630-15 STYLE: 1 DESCRIPTION: 100% COTTON T-SHIRT

REQUISITOR: ROSS WILLIAMS

PRODUCT NAME: DUESSON* 50W Injection in Water Soluble Color

1. To reduce the DUESSON* 50W Injection in Water Soluble Color, the following steps should be followed: 1.1. The product should be stored in a cool, dry place. 1.2. The product should be used within the shelf life. 1.3. The product should be used in a clean, dry environment. 1.4. The product should be used in a clean, dry environment.

2. The product should be used in a clean, dry environment. 2.1. The product should be used in a clean, dry environment. 2.2. The product should be used in a clean, dry environment. 2.3. The product should be used in a clean, dry environment.

3. The product should be used in a clean, dry environment. 3.1. The product should be used in a clean, dry environment. 3.2. The product should be used in a clean, dry environment. 3.3. The product should be used in a clean, dry environment.

4. The product should be used in a clean, dry environment. 4.1. The product should be used in a clean, dry environment. 4.2. The product should be used in a clean, dry environment. 4.3. The product should be used in a clean, dry environment.

5. The product should be used in a clean, dry environment. 5.1. The product should be used in a clean, dry environment. 5.2. The product should be used in a clean, dry environment. 5.3. The product should be used in a clean, dry environment.

6. The product should be used in a clean, dry environment. 6.1. The product should be used in a clean, dry environment. 6.2. The product should be used in a clean, dry environment. 6.3. The product should be used in a clean, dry environment.

7. The product should be used in a clean, dry environment. 7.1. The product should be used in a clean, dry environment. 7.2. The product should be used in a clean, dry environment. 7.3. The product should be used in a clean, dry environment.

8. The product should be used in a clean, dry environment. 8.1. The product should be used in a clean, dry environment. 8.2. The product should be used in a clean, dry environment. 8.3. The product should be used in a clean, dry environment.

9. The product should be used in a clean, dry environment. 9.1. The product should be used in a clean, dry environment. 9.2. The product should be used in a clean, dry environment. 9.3. The product should be used in a clean, dry environment.

[Handwritten signature]

THE DEW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED 10-JUL-85 PAGE 1

SPECIFICATION NUMBER: 61653-127 STYLE: 1 DESCRIPTION: PROPOSED SPECTRUM LG
 REF

4 DUESTER: F055 1111600

PRODUCT NAME: BURENOL 500 Interchloride in Water Soluble Package

[illegible]

1/2/1992 11:11 am

• The "Womb-to-Tomb" Approach: A full life cycle approach

Executive Director

1. For FRUITS: each line record FRUIT size, GROWTH STAGE in order to flowering stage of the season (fruit FRUIT FRUIT) is a fruit stage before newly-hatched larvae enter the tree. Only 1-2 color brown-orange, etc., usually not all fruit from ground level to canopy high.

1 2 3

at 1100 ft. of ash in the North Flank, Fuller Canyon, 10 miles from
the 10225 Willow Point.

154

[illegible]

210511

SPECIFICATION NUMBER: 91638-15 STYLE: 1 DESCRIPTION: PROPOSED SPECIFIED LA
FI
QUANTITY: ROSS ALLIED
PRODUCT NAME: PURSOMT 50W In Water Emulsi

Material
Emulsion for water
Emulsion for water
Emulsion for water

Emulsion for water
Emulsion for water
Emulsion for water

Emulsion for water

Emulsion for water
Emulsion for water
Emulsion for water

Emulsion for water
Emulsion for water
Emulsion for water

Emulsion for water
Emulsion for water

Emulsion for water

Emulsion for water
Emulsion for water
Emulsion for water

Emulsion for water
Emulsion for water

Emulsion for water
Emulsion for water
Emulsion for water

Emulsion for water

BEST AVAILABLE COPY

1063

THE DOW CHEMICAL COMPANY QUALITY ASSURANCE
LABEL CONFIRMATION COPY PRINTED: 10-JUL-85 PAGE: 01

REGISTRATION NUMBER: 01533-15 STYLE: 1 DESCRIPTION: PROPOSED SPECIFIED PA
11
PRODUCER: ROSS MILL 1660
PRODUCT NAME: SURFPAK 100 In-situ in Water Soluble Package

The Dow Chemical Company reserves the right to be eligible to receive
other reports from below the EXCLUSIVE RIGHT OF THE DOW CHEMICAL COMPANY
the following liability of the Dow Chemical Company and its subsidiaries
either will be one of the following to the extent of the Dow
Chemical Company:
(1) The amount of money to be paid for the use of the product
within 100,000,000,000
(2) The amount of money to be paid for the use of the product
The other 100,000,000,000 will be liable for consequential or incidental
damages or losses.
The terms of this Warranty, Satisfaction and Indemnification shall be
governed by the written or verbal statement or agreement of the
company or its agent or the other is not authorized to accept
of the terms of the Warranty, Satisfaction and Indemnification.

THE DOW CHEMICAL COMPANY

1063

1063

THE DOW CHEMICAL COMPANY
1063

THE DOW CHEMICAL COMPANY
1063

1063

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION: PLICTRAN 50W miticide is recommended for control of motile forms of plant-feeding mites, including strains both susceptible and resistant to other miticides. Many species of mites are controlled as indicated for each crop in the Table. PLICTRAN 50W is not highly injurious to certain predatory mites and insects, and to honeybees. PLICTRAN 50W is compatible with insecticides and fungicides commonly recommended in orchard spray schedules except for oil on certain crops. (See Application Notes in the Table).

When to Apply: Apply when mites appear. Repeat as necessary to prevent build-up of mites to damaging numbers. If all life stages of mites are present at the time of treatment, another application should be considered in 10 to 14 days. Observe the limitations indicated in the application notes for specific crops.

Amount and How to Use: PLICTRAN 50W miticide mixes readily with water to form a suspension that can be applied using conventional spray equipment. PLICTRAN 50W contains a wetting agent. Do not use additional wetting agents, spreaders or stickers. Either dilute or concentrate sprays can be used. Follow the dosage recommendations in the Table. **Thorough and complete coverage of foliage and fruit is essential for good mite control.**

USE PRECAUTIONS

Do not graze or feed livestock on cover crops growing in treated areas.

REENTRY STATEMENT

Do not enter treated areas without protective clothing until sprays have dried (or, if appropriate, dusts have settled). Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. These oral warnings shall inform workers of areas or fields that may not be entered without protective clothing until sprays have dried (or, if appropriate, dusts have settled) and actions to take in case of accidental exposure as shown by the Statements of Practical Treatment section on this label. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: **WARNING:** Area treated with PLICTRAN 50W miticide on (insert date of application). Do not enter without protective clothing until sprays have dried (or, if appropriate, dusts have settled). In case of accidental exposure (insert actions to take as shown by the Statements of Practical Treatment section on this label).

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.