

Specimen Label

INSERT A

ACCEPTED

JUN 18 1938

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under
EPA Reg. No. 464-606

Turflon^{*} II Amine Herbicide

For the Control of Annual and Perennial Broadleaf Weeds in Ornamental Turf

Active Ingredient(s):

2,4-D (2,4-Dichlorophenoxyacetic acid) as the dimethylamine salt 34.2%
 Triclopyr (3,5,6-trichloro-2-pyridinyloxyacetic acid) as the triethylamine salt 15.2%
 Inert Ingredients 50.6%

2,4-D acid equivalent 28.4% - 2.78 lb/gal
 Triclopyr acid equivalent 10.9% - 1.07 lb/gal
 E.P.A. Registration No. 464-606
 E.P.A. Est. 464-MI-1

KEEP OUT OF REACH OF CHILDREN

DANGER

PELIGRO:

PRECAUCION AL USUARIO:

Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUSES IRREVERSIBLE EYE DAMAGE • MAY BE FATAL IF ABSORBED THROUGH SKIN • HARMFUL IF SWALLOWED OR INHALED

Avoid Breathing Vapors • Do Not Get in Eyes, On Skin, Or Clothing • Wear Goggles Or Face Shield And Rubber Gloves When Handling • Wash Thoroughly With Soap And Water After Handling And Before Eating Or Smoking • Remove Contaminated Clothing And Wash Before Reuse

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention. Promptly flush skin with water and get medical attention. Signs of irritation develop. If **swallowed**, promptly drink a large quantity of milk, egg whites, gelatin solution or, if the above is not available, drink large quantities of water. **DO NOT** induce vomiting. Call a physician.

NOTE TO PHYSICIAN: Probable mucosal damage. **Contraindicate use of gastric lavage.**

Physical or Chemical Hazards

Do Not Cut or Weld Container.

Environmental Hazards

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTICE

Read the entire label. Use only according to label directions. Before buying or using this product, read "WARRANTY LIMITATIONS AND DISCLAIMER" elsewhere on this label. If terms are not acceptable, return **unopened** package at once to seller for full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under "WARRANTY LIMITATIONS AND DISCLAIMER."

IN CASE OF AN EMERGENCY

endangering life or property involving this product, call collect 517-636-4400

AGRICULTURAL CHEMICAL

Do Not Ship or Store with Food, Feeds, Drugs, or Clothing

See Side Panel for Important Use Precautions

Turflon^{*} II Amine

GENERAL INFORMATION

TURFLON II Amine Herbicide is a broad-spectrum weed killer for control of broadleaf weeds in ornamental turf.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

INSERT B →

APPLICATION RATES			
Weeds Controlled		Rate/Acre	Rate/1000 sq. ft.
Black medic	Goldenrod	2-1.2 pints	1 oz or 2 Tbsp
Carpet weed	Henbit		
Catnip	Hop clover		
Chamise	Knawel		
Chickweeds	Lambsquarter		
Chicory	Lespedeza		
Cinquefoil	Little starwort		
Clovers	Mallow		
Cocklebur	Matchweed		
Coffeeweed	Plantain		
Cornflower	Purslane speedwell		
Creeping beggarweed	Smartweed		
Dandelion	Scotch stee		
Dayflower	Spiderwort		
Docks	Spotted catsear	3 to 3-1.2 pints	1.3 oz or 2-1.2 Tbsp
Dwarf beggarweed	Spurweed		
Field bindweed	Vetch		
Burdock	Poison ivy	3 pints, 2 applications 4 to 6 weeks apart	1.3 oz or 2-1.2 Tbsp 2 applications 4 to 6 weeks apart
Buttercup	Poison oak		
Mustards	Wild carrot		
Corn speedwell	Pa. sley-plant	3 pints, 2 applications 4 to 6 weeks apart	1.3 oz or 2-1.2 Tbsp 2 applications 4 to 6 weeks apart
Ground ivy	Prostrate spurge		
Oxalis (<i>stricta</i> and <i>corniculata</i>)	Wild violet		

Application Directions

Foliage sprays should be applied during warm weather when weeds are actively growing. Application under drought conditions may provide less than desirable results. Use low spray pressures to minimize spray drift (See Use Precautions).

Apply TURFLON II Amine in a manner to avoid contacting nearby susceptible crops or other desirable plants. Very small amounts of spray drift may injure susceptible plants. DO NOT apply to exposed roots of shallow rooted trees or shrubs.

Broadcast Treatment of Ornamental Turf: Apply 1 to 2 quarts of TURFLON II Amine in enough water to make 35 to 175 gallons total spray per acre to control broadleaf weeds growing in perennial bluegrass, tall fescue, or perennial ryegrass. DO NOT use on other grass species unless injury can be tolerated. Apply from early spring through fall when weeds are actively growing. Broadleaf weed species germinate at different times. Only emerged weeds present at time of application are controlled. Additional applications should be made four weeks apart to minimize grass injury. Newly seeded turf should be mowed two or three times before being treated. Do not water for 24 hours after application. Do not reseed for 3 weeks after application.

Spot Treatment of Ornamental Turf Using Portable Sprayers: Mix 1 to 2 fluid ounces of TURFLON II Amine in enough water to make 3 gallons of spray (1 to 2 quarts per 100 gallons of spray) and apply at any time broadleaf weeds are susceptible by wetting foliage of undesirable plants to point of runoff.

INSERT C →

Preparing the Spray

Add about one-half the desired amount of clean water to spray tank. Add TURFLON II Amine and complete addition of water with agitation running. Mix thoroughly and continue moderate agitation while spraying.

USE PRECAUTIONS

Apply this product only as specified on this label.

Do not apply TURFLON II Amine directly to, or otherwise permit it to come into direct contact with, cotton, grapes, tobacco, vegetable crops, flowers, fruit or ornamental trees, or other desirable broadleaf plants and do not permit spray mists containing it to drift onto them.

DO NOT apply to exposed roots of shallow rooted trees and shrubs.

Avoid Injurious Spray Drift. Applications should be made only when hazards from spray drift are at a minimum. Very small quantities of spray, which may not be visible, may seriously injure susceptible plants. Do not spray when wind is blowing toward susceptible crops or ornamental plants near enough to be injured.

With ground broadcast equipment, drift can be reduced by keeping the spray boom as low as possible; by applying no less than 32 gallons of spray per acre; by using no more than 20 pounds spraying pressure with flat fan or flooding flat fan nozzle tips; and by spraying when wind velocity is less than 5 miles per hour low.

In handgun applications drift can be reduced by using low pressure Teejet flat fan, Raindrop or other drift controlling nozzles. Standard flat fan nozzles may also be used at no more than 20 psig. At this pressure the spray pattern may be narrower.

← INSERT D

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store above 28°F or agitate before use.

DISPOSAL:

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.


Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers, after triple rinsing, may be incinerated if allowed by state and local authorities. If burned, stay out of smoke.

General: Consult federal, state, or local disposal authorities for approved alternative procedures.

Be sure that use of this product conforms to all applicable regulations.

including ornamental trees or shrubs.

such as bentgrass or St. Augustine grass.



WARRANTY LIMITATIONS AND DISCLAIMER

The Dow Chemical Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions therein under normal conditions of use. THIS IS THE ONLY WARRANTY MADE ON THIS PRODUCT. NO OTHER EXPRESS AND NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS MADE OUTSIDE OF THIS LABEL. Therefore, neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), under abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes, etc.) or under conditions not reasonably foreseeable to or beyond the control of seller.

When buyer or user suffers losses or damages resulting from the use or handling of this product (including claims based on contract, negligence, strict liability, or other legal theories), buyer or user must promptly notify in writing The Dow Chemical Company of any claims to be eligible to receive either remedy given below. The EXCLUSIVE REMEDY OF THE BUYER OR USER and the LIMIT OF LIABILITY of The Dow Chemical Company or any other seller will be one of the following, at the election of The Dow Chemical Company:

- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

The seller will not be liable for consequential or incidental damages or losses.

The terms of this Warranty Limitations And Disclaimer cannot be varied by any written or verbal statements or agreements. Any employee or sales agent of the seller is not authorized to vary or exceed the terms of this Warranty Limitations And Disclaimer in any manner.


04462-L1

A887



THE DOW CHEMICAL COMPANY
Midland, Michigan 48674 U.S.A.

*Trademark of THE DOW CHEMICAL COMPANY



TURFLON II Amine Herbicide
Proposed Label Copy
June 22, 1988

INSERT A

To be applied only under the direct supervision of commercial applicators responsible for turf weed control programs.

INSERT B

Do not use for manufacturing or formulating.

INSERT C

DO NOT apply to exposed roots of shallow rooted trees or shrubs. Do not apply more than 8 quarts of TURFLON II Amine Herbicide on any one acre at one time.

INSERT D

Do not apply on ditches used to transport irrigation water. Do not apply where runoff or irrigation water may flow onto susceptible crops as injury may result.

