


Specimen Label



Lentrek* 6 WT Insecticide

For Control of Wood Infesting Insects in Lumber

Active Ingredient(s):

Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl) phosphorothioate]	62.5%
Inert Ingredients	37.5%
Contains 6 pounds of chlorpyrifos per gallon	
E.P.A. Registration No. 464-609	
E.P.A. Est. 464-MI-1	

KEEP OUT OF REACH OF CHILDREN

WARNING

AVISO:

PRECAUCION AL USUARIO:

Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN
• CAUSES EYE IRRITATION • MAY CAUSE SKIN IRRITATION

Do Not Get In Eyes, On Skin Or Clothing
• Avoid Breathing Vapors • Handle Concentrate In A Ventilated Area • Wear Protective Clothing Such As Long-Sleeved Shirt, Long-Legged Pants, Hat, Rubber Gloves And Footwear Impervious To Aromatic Solvents, I.e. Neoprene Or Nitrile Butadiene Rubber • Wash Thoroughly With Soap And Water After Handling And Before Eating Or Smoking • Remove Contaminated Clothing And Wash Before Reuse • Keep Away From Food, Feedstuffs And Water Supplies

STATEMENT OF PRACTICAL TREATMENT:

If Swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting. Contains an aromatic petroleum solvent. Do not give anything by mouth to an unconscious person. **If On Skin:** Immediately wash with plenty of soap and water. Get medical attention. **If In Eyes:** Flush with plenty of water for 5 minutes. Get medical attention. **If Inhaled:** Remove to fresh air if symptoms of cholinesterase inhibition appear and get medical attention immediately.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate significance of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

Physical or Chemical Hazards

COMBUSTIBLE • Do Not use or Store Near Heat or Open Flame • Do Not Cut or Weld Container

Environmental Hazards

This pesticide is toxic to birds and other wildlife and extremely toxic to fish and aquatic organisms. Do not apply directly to water. Drift and runoff from areas of treatment may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water by cleaning of equipment or disposal of waste.

NOTICE

Read and understand the entire label before using. Use only according to label directions.

Before buying or using this product, read "WARRANTY LIMITATIONS AND DISCLAIMER" elsewhere on this label. If terms are not acceptable, return unopened package at once to seller for full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under WARRANTY LIMITATIONS AND DISCLAIMER.

IN CASE OF AN EMERGENCY

endangering life or property involving this product, call collect 517-636-4400

AGRICULTURAL CHEMICAL

Do Not Ship or Store with Food, Feeds, Drugs, or Clothing

Lentrek* 6 WT

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not formulate this product into other end-use products.

Treatment of Preconstruction Lumber

General information: LENTREK 6 WT can be diluted with suitable base oil. Wear protective clothing such as long-sleeved shirt, long-legged pants, hat, rubber gloves and footwear impervious to aromatic solvents, i.e. neoprene or nitrile butadiene rubber, during preparation of solution, treatment and when handling freshly treated wood. To prepare the solution, dilute LENTREK 6 WT as shown in the following Dilution Chart:

Dilution Chart

Gallons of Mixture Desired	Gallons Of Lentrek 6 WT to Use	
	0.5% Spray	1.0% Spray
Light Oil Based Solution		
50	0.35	0.70
100	0.70	1.40
250	1.75	1.50
500	3.50	7.00
1000	7.00	14.00

Directions for Application

To protect unseasoned or seasoned lumber from wood destroying insects, such as termites, carpenter ants and beetles (ambrosia, powder-post, old house borers and others), totally treat wood with up to a 1.0% dilution of chlorpyrifos. This dilution can be applied by various methods including spraying, brushing, dipping and pressure treatment. Frequent monitoring of dip and pressure systems are necessary to insure that the desired level of chlorpyrifos is maintained. Wear protective clothing such as long-sleeved shirt, long-legged pants, hat, rubber gloves and footwear impervious to aromatic solvents, i.e. neoprene or nitrile butadiene rubber, during preparation of solution, treatment and when handling freshly treated wet wood. Following treatment, wood can be safely handled when dry.

1. Dip treatments. Rates of 0.5% to 1.0% are recommended for dip treatments to insure adequate retention. The wood should be totally submerged in the dilution until thoroughly wet and then allowed to dry in a suitable location. Dipping solutions to which LENTREK 6 WT have been added should be agitated before use if left unused for long periods of time. Sediment, debris and other deposits should be periodically cleaned from the tank.
2. Pressure treatments. Rates of 0.25% to 0.5% are recommended for adequate penetration and retention. After the pressure is released and the system drained, the wood should be placed in a suitable location for drying.
3. Spray treatment and brush treatment. Rates of 0.5% to 1.0% are recommended for spray and brush treatments. The wood, including back and ends, should be sprayed or brushed thoroughly with the treating mixture.

LENTREK 6 WT can be diluted with creosote. Rates of 0.5% to 1.0% are recommended. To prepare the solution, dilute LENTREK 6 WT as shown in the following Dilution Chart. Read and carefully follow all applicable directions, restrictions, and precautions on labeling for creosote products used in combination with LENTREK 6 WT.

Dilution Chart

Gallons of Creosote Mixture Desired	Gallons Of Lentrek 6 WT to Use	
	0.5% Spray	1.0% Spray
1000	8	16
5000	40	80
10000	80	160

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. Do not store above 100DEGF for extended periods of time. Storage below 23°F may result in formation of crystals. If product crystallizes, store at 72°F to 90°F and agitate to redissolve crystals. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: PLASTIC: Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FOR 30 AND 55 GALLON DRUMS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

FOR REUSABLE PORTABLE CONTAINERS: Do not rinse or put any other material into container. When returning reusable portable container, seal all openings and return to The Dow Chemical Company.

FOR TANK TRUCKS OR RAIL TANK CARS: Do not rinse or put any other material into tank car. When returning tank car, seal all openings and return to The Dow Chemical Company.

WARRANTY LIMITATIONS AND DISCLAIMER

The Dow Chemical Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions therein under normal conditions of use. THIS IS THE ONLY WARRANTY MADE ON THIS PRODUCT. NO OTHER EXPRESS AND NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS MADE OUTSIDE OF THIS LABEL. Therefore, neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions (including conditions noted on the label, such as insufficient levels of chlorpyrifos in the end-use solutions, etc.), under abnormal conditions (such as extreme heat or cold, etc.) or under conditions not reasonably foreseeable to or beyond the control of seller.

When buyer or user suffers losses or damage resulting from the use or handling of this product (including claims based on contract, negligence, strict liability, or other legal theories), buyer or user must promptly notify in writing The Dow Chemical Company of any claims to be eligible to receive either remedy given below. The EXCLUSIVE REMEDY OF THE BUYER OR USER and the LIMIT OF LIABILITY of The Dow Chemical Company or any other seller will be one of the following, at the election of The Dow Chemical Company:


- (1) Refund of purchase price paid by buyer or user for product bought, or
- (2) Replacement of amount of product used.

The seller will not be liable for consequential or incidental damages or losses.

The terms of this Warranty Limitations And Disclaimer cannot be varied by any written or verbal statements or agreements. Any employee or sales agent of the seller is not authorized to vary or exceed the terms of this Warranty Limitations And Disclaimer in any manner.

04610-L1

967



THE DOW CHEMICAL COMPANY
 Midland, Michigan 48 J.S.A.
 *Trademark of THE DOW CHEMICAL COMPANY