


MASTER LABEL
SUMP BUDDY WT
September 14, 1998
Page 1 of 8

NOTE: This label text will be used on products that contain water soluble bag packaging

SUMP BUDDY* WT
Antimicrobial Time Released Tablets
in Water-Soluble Bags



Controls bacteria, fungi and algae in industrial cooling water systems and auxiliary water and waste water systems; controls slime-forming bacteria and fungi in industrial air-washer systems.

FOR INDUSTRIAL USE ONLY

Active Ingredient:

2,2-Dibromo-3-nitrilopropionamide 40%


Inert Ingredients: 60%

E.P.A. Registration No. 464-624
E.P.A. Est. No. 464-MI-1, 33967-NJ-1

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS



Hazards to Humans and Domestic Animals

CAUSES SEVERE BURNS OF EYES • EYE CONTACT MAY CAUSE LOSS OF VISION • MAY BURN THE SKIN • HARMFUL IF SWALLOWED

Do Not Get in Eyes, on Skin, or on Clothing • Chemical Worker's Goggles Must Be Worn When Handling Or Working Near This Chemical • Gloves Must Be Worn When Handling • Wash Thoroughly After Handling

STATEMENTS OF PRACTICAL TREATMENT:

In Case Of Eye Contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

MASTER LABEL
SUMP BUDDY WT
September 14, 1998
Page 2 of 8

In Case of Skin Contact, wash skin with soap and plenty of water. Remove contaminated clothing and wash before reuse. Get medical attention if irritation persists.

If Swallowed, immediately induce vomiting by giving two glasses of water and sticking finger down throat. Repeat until vomit is clear. Call a physician. Never give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment or disposal of wastes. NOTE: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water board or regional office of the EPA.

IN CASE OF AN EMERGENCY endangering life or property involving this product, call collect 517-636-4400

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: To maintain product quality, store at temperatures below 35°C. Store tablets in closed original container.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not reuse empty container. Dispose of container in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Notice: Seller warrants that the product conforms to its chemical description as contained on this label and is reasonably fit for the purposes stated on this label when used in accordance with directions under normal conditions of use. THE WARRANTIES MADE IN THIS PARAGRAPH ARE SELLER'S SOLE WARRANTIES WITH RESPECT TO THE PRODUCT AND ARE MADE EXPRESSLY IN LIEU OF AND EXCLUDE ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS

MASTER LABEL
SUMP BUDDY WT
September 14, 1998
Page 3 of 8

FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIONS AND WARRANTIES.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

INDUSTRIAL COOLING WATER SYSTEMS

NOTE: Direct contact of SUMP BUDDY WT with a metal surface in the cooling system will cause local corrosion. To prevent corrosion, place a tablet of SUMP BUDDY WT in the holder provided (or equivalent) and suspend / float it in the water so the tablet is completely submerged (additional holders may be obtained from The Dow Chemical Company). SUMP BUDDY WT is best used in the basin of the cooling system, in an area with little turbulence. Avoid placing SUMP BUDDY WT in direct sunlight.

To control bacteria, fungi, and algae in clean to moderately contaminated systems, add one tablet per 500-1000 gallons of water in the system. Heavily contaminated systems may require two tablets per 500-1000 gallons of water.

EACH TABLET OR GROUP OF TABLETS OF SUMP BUDDY WT WILL PROVIDE APPROXIMATELY 3 WEEKS OF CONTROL. Add additional tablet(s) of SUMP BUDDY WT per 500-1000 gallons of water in the system every 3 weeks, or as needed to maintain control.

AUXILIARY WATER AND WASTE WATER SYSTEMS

SUMP BUDDY WT controls odor-forming and slime-forming bacteria, fungi, and algae in auxiliary water systems such as fire protection systems; pump or screen bays, waste water and waste material disposal; holding or recovery systems such as storage tanks, storage piles, associated piping, settling ponds, or lagoons; transport spillways or canals; and disposal wells.

SUMP BUDDY WT should be added to the system at a rate of one tablet per 500-1000 gallons of water in the system. Each tablet will provide approximately 3 weeks of control per 500-1000 gallons of water. NOTE: Direct contact of metal with SUMP BUDDY WT should be prevented. Place tablets in holders such as the one provided. These holders prevent direct contact with metal surfaces and keep tablets near the surface allowing easy observation. Additional holders may be obtained from The Dow Chemical Company.

INDUSTRIAL AIR-WASHER SYSTEMS

MASTER LABEL
SUMP BUDDY WT
September 14, 1998
Page 4 of 8

For control of slime-forming bacteria and fungi, add one to two tablets per 500 gallons of water in the system, depending on the severity of the contamination. Each tablet or group of tablets will provide approximately 3 weeks of control. Badly fouled systems must be cleaned before treatment is begun. Note: Prevent direct contact between tablets and metal surfaces by using the holder provided or a similar holder.

Note: Use only in industrial air-washer systems that maintain effective mist eliminators.

Note: Do not remove packages from container except for immediate use.

NOTICE

Do Not Ship or Store with Food, Feeds, Drugs, or Clothing

NET CONTENTS: 25 Tablets
NET WT.: 5 kg / 11.023 lb

~~15.5 lb / 7.0 kg net~~

The Dow Chemical Company
Midland, MI 48674 U.S.A.
1-800-258-CHEM

* Trademark of The Dow Chemical Company

MASTER LABEL
SUMP BUDDY WT
September 14, 1998
Page 5 of 8

NOTE: This label text below will be used on products that do not contain water soluble bag packaging

SUMP BUDDY* WT
Antimicrobial Time Released Tablets

Controls bacteria, fungi and algae in industrial cooling water systems and auxiliary water and waste water systems; controls slime-forming bacteria and fungi in industrial air-washer systems.

FOR INDUSTRIAL USE ONLY

Active Ingredient:

2,2-Dibromo-3-nitrilopropionamide 40%

Inert Ingredients: 60%

E.P.A. Registration No. 464-624
E.P.A. Est. No. 464-MI-1, 33967-NJ-1

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUSES SEVERE BURNS OF EYES • EYE CONTACT MAY CAUSE LOSS OF VISION • MAY BURN THE SKIN • HARMFUL IF SWALLOWED

Do Not Get in Eyes, on Skin, or on Clothing • Chemical Worker's Goggles Must Be Worn When Handling Or Working Near This Chemical • Gloves Must Be Worn When Handling • Wash Thoroughly After Handling

STATEMENTS OF PRACTICAL TREATMENT:

In Case Of Eye Contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

In Case of Skin Contact, wash skin with soap and plenty of water. Remove contaminated clothing and wash before reuse. Get medical attention if irritation persists.

MASTER LABEL
SUMP BUDDY WT
September 14, 1998
Page 6 of 8

If Swallowed, immediately induce vomiting by giving two glasses of water and sticking finger down throat. Repeat until vomit is clear. Call a physician. Never give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment or disposal of wastes. NOTE: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water board or regional office of the EPA.

IN CASE OF AN EMERGENCY endangering life or property involving this product, call collect 517-636-4400

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: To maintain product quality, store at temperatures below 35°C. Store tablets in closed original container.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not reuse empty container. Dispose of container in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Notice: Seller warrants that the product conforms to its chemical description as contained on this label and is reasonably fit for the purposes stated on this label when used in accordance with directions under normal conditions of use. THE WARRANTIES MADE IN THIS PARAGRAPH ARE SELLER'S SOLE WARRANTIES WITH RESPECT TO THE PRODUCT AND ARE MADE EXPRESSLY IN LIEU OF AND EXCLUDE ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIONS AND WARRANTIES.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the labeling.

INDUSTRIAL COOLING WATER SYSTEMS

NOTE: Direct contact of SUMP BUDDY WT with a metal surface in the cooling system will cause local corrosion. To prevent corrosion, place a tablet of SUMP BUDDY WT in the holder provided (or equivalent) and suspend / float it in the water so the tablet is completely submerged (additional holders may be obtained from The Dow Chemical Company). SUMP BUDDY WT is best used in the basin of the cooling system, in an area with little turbulence. Avoid placing SUMP BUDDY WT in direct sunlight.

To control bacteria, fungi, and algae in clean to moderately contaminated systems, add one tablet per 500-1000 gallons of water in the system. Heavily contaminated systems may require two tablets per 500-1000 gallons of water.

EACH TABLET OR GROUP OF TABLETS OF SUMP BUDDY WT WILL PROVIDE APPROXIMATELY 3 WEEKS OF CONTROL. Add additional tablet(s) of SUMP BUDDY WT per 500-1000 gallons of water in the system every 3 weeks, or as needed to maintain control.

AUXILIARY WATER AND WASTE WATER SYSTEMS

SUMP BUDDY WT controls odor-forming and slime-forming bacteria, fungi, and algae in auxiliary water systems such as fire protection systems; pump or screen bays, waste water and waste material disposal; holding or recovery systems such as storage tanks, storage piles, associated piping, settling ponds, or lagoons; transport spillways or canals; and disposal wells.

SUMP BUDDY WT should be added to the system at a rate of one tablet per 500-1000 gallons of water in the system. Each tablet will provide approximately 3 weeks of control per 500-1000 gallons of water. NOTE: Direct contact of metal with SUMP BUDDY WT should be prevented. Place tablets in holders such as the one provided. These holders prevent direct contact with metal surfaces and keep tablets near the surface allowing easy observation. Additional holders may be obtained from The Dow Chemical Company.

INDUSTRIAL AIR-WASHER SYSTEMS

For control of slime-forming bacteria and fungi, add one to two tablets per 500 gallons of water in the system, depending on the severity of the contamination. Each tablet or group of tablets will provide approximately 3 weeks of control.

MASTER LABEL
SUMP BUDDY WT
September 14, 1998
Page 8 of 8

Badly fouled systems must be cleaned before treatment is begun. Note: Prevent direct contact between tablets and metal surfaces by using the holder provided or a similar holder.

Note: Use only in industrial air-washer systems that maintain effective mist eliminators.

Note: Do not remove tablet(s) from container except for immediate use.

NOTICE

Do Not Ship or Store with Food, Feeds, Drugs, or Clothing

NET CONTENTS: 25 Tablets

NET WT.: 5 kg / 11.023 lb

The Dow Chemical Company

Midland, MI 48674 U.S.A.

1-800-258-CHEM

* Trademark of The Dow Chemical Company

SUMP BUDDY* WT

Antimicrobial Time Released Tablets

Controls bacteria, fungi, and algae in industrial cooling water systems and auxiliary water and waste water systems; controls slime-forming bacteria and fungi in industrial air-washer systems.

FOR INDUSTRIAL USE ONLY

Active Ingredient(s):

2,2-Dibromo-3-nitrilopropionamide40%

Inert Ingredient(s):60%

E.P.A. Registration No. 464-624

E.P.A. Est. 464-MI-1; 33967-NJ-1

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUSES SEVERE BURNS OF EYES • EYE CONTACT MAY

CAUSE LOSS OF VISION • MAY BURN THE SKIN •

HARMFUL IF SWALLOWED



THE DOW CHEMICAL COMPANY

Midland, Michigan 48674 U.S.A.

1-800-258-CHEM

* Trademark of THE DOW CHEMICAL COMPANY

Do Not Get In Eyes, On Skin, Or On Clothing • Chemical Worker's Goggles Must Be Worn When Handling Or Working Near This Chemical • Gloves Must Be Worn When Handling • Wash Thoroughly After Handling

STATEMENTS OF PRACTICAL TREATMENT:

In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

In case of skin contact, wash skin with soap and plenty of water. Remove contaminated clothing and wash before reuse. Get medical attention if irritation persists.

If swallowed, immediately induce vomiting by giving two glasses of water and sticking finger down throat. Repeat until vomit is clear. Call a physician. Never give anything by mouth to an unconscious person.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment, or disposal of wastes. **NOTE:** Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

IN CASE OF AN EMERGENCY endangering life or property involving this product, call collect 517-636-4400.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: To maintain product quality, store at temperatures below 35°C. Store tablets in closed original container.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not reuse empty container. Dispose of container in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Notice: Seller warrants that the product conforms to its chemical description as contained on this label and is reasonably fit for the purposes stated on this label when used in accordance with directions under normal conditions of use. **THE WARRANTIES MADE IN THIS PARAGRAPH ARE SELLER'S SOLE WARRANTIES WITH RESPECT TO THE PRODUCT AND ARE MADE EXPRESSLY IN LIEU OF AND EXCLUDE ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIONS AND WARRANTIES.**

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with the labeling.

INDUSTRIAL COOLING WATER SYSTEMS


NOTE: Direct contact of SUMP BUDDY WT with a metal surface in the cooling system will cause local corrosion. To prevent corrosion, place a tablet of SUMP BUDDY WT in the holder provided (or equivalent) and suspend/float it in the water so the tablet is completely submerged (additional holders may be obtained from The Dow Chemical Company). SUMP BUDDY WT is best used in the basin of the cooling system, in an area with little turbulence. Avoid placing SUMP BUDDY WT in direct sunlight.

To control bacteria, fungi, and algae in clean to moderately contaminated systems, add one tablet per 500-1,000 gallons of water in the system. Heavily contaminated systems may require two tablets per 500-1,000 gallons of water.

Net Contents: 25 Tablets
NET WT: 5 kg / 11.023 lb

LOT

06263•9/14/98•1342



EACH TABLET PROVIDE APPROXIMATELY 3 TABLETS PER 500 GALLONS OF WATER IN THE SYSTEM.

AUXILIARY SYSTEMS

SUMP BUDDY WT controls bacteria, fungi, and algae in industrial cooling water systems; pump discharge systems; holding tanks, associated spillways or catchment basins.

SUMP BUDDY WT is best used in the basin of the cooling system, in an area with little turbulence. Avoid placing SUMP BUDDY WT in direct sunlight. To control bacteria, fungi, and algae in clean to moderately contaminated systems, add one tablet per 500-1,000 gallons of water in the system. Heavily contaminated systems may require two tablets per 500-1,000 gallons of water.

INDUSTRIAL COOLING WATER SYSTEMS

For control of bacteria, fungi, and algae in clean to moderately contaminated systems, add one tablet per 500-1,000 gallons of water in the system. Heavily contaminated systems may require two tablets per 500-1,000 gallons of water.

NOTE: Use one tablet per 500-1,000 gallons of water in the system. Heavily contaminated systems may require two tablets per 500-1,000 gallons of water.

Note: Do not use in drinking water.

