UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



SEPA United States Environmental Protection Office of Pesticide Programs Agency

OCT -8 2009

The Dow Chemical Company 574 Building, Office 2044 Midland, MI 48674

j

Attention: Rhonda Vance-Moeser

Senior Regulatory Specialist

Subject: UCARCIDE™ 225 Antimicrobial

EPA Registration No. 464-690

Notification Dated September 14, 2009

This will acknowledge receipt of your notification to revise the container disposal statement on the label in response to PR Notice 2007-4, submitted under the provisions of FIFRA Section 3(c)(9). Based on a review of the submitted material, the following comments apply.

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been made a part of your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely,

Marshall Swindell

Product Manager (33)

Martha Lerry Tear

Regulatory Management Branch 1 Antimcrobials Division (7510P)

Please read instructions	on reverse before comple	otingm.			Form Appr	oved. O	MB 2070	-0060	(in Pr	int Fo	<u>aof</u>
\$EPA	United States			Registra			legistration		OPP Identifier Number		
		Applicatio	n for P	esticid	e - Sec	tion I					
. Company/Product Number 464-690				Marshall Swindell			1	d Classification			
I. Company/Product (Name) The Dow Chemical Company /UCARCIDE™ 225 Antimicrobial			PM# 33 None Restricted								
The Dow Chemical C 1803 Building Midland, MI 48674	Applicant Include ZIP Company this is a new address	ode)	Ð	(b)(i), my to: EPA Re	product	is simila	n accordance r or identica	l in cor	mpositio		
			Sect	ion - II							
Notification - Exp	response to Agency lette	ry. (For section		ation II.)	Agency let "Me Too" / Other - Exp	ter dated Application	w.		ion state	ement	
. Material This Product	Will Be Packaged In:		Sect	ion - III				····			
Child-Resistant Packagin Yes* No Certification must	Unit Packaging Yes No	No. per . container			No. per containe		P	ntainer Aetal Mastic Slass Paper Other (S	pecify)		
Location of Net Conte	nts Information Container	4. Size(s) Ret	sil Contain	ier		5. Loca	tion of Label I On Label On Labeling			roduct	
. Manner in Which Lab	el is Affixed to Product	Lithogr Paper s Stencil	alued		Othe	r					
	·		Secti	on - IV					0000	0	
. Contact Point (Comp	lete items directly below			dual to be	contacted,	if neces	sary, to proce	ss this	applicatio	n.)	
l ame Rhonda Vance-Moese	r		Title Sr. Regul	atory Spe	cialist		1	-	. No. (Incl 5-1884 ∘ 	ude Ai	ea Code)
I certify that the s I acknowledge the both under applice	tetements I have made or at any knowingly false or able law.	Certificanthis form and misleading state	all attachr	ments ther y be punisl	eto are tru nable by fil	e, accura ne or imp	ite and compl risonment of	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6. Date' Receiy ° (S	ved tamp	
2. Signature Rhanda	Vauce-d		3. Title Sr. Regul	atory Spe	cialist				000 0 C C 0 C C	, (°	
Rhonda Vance-Moese	er		5. Date	pt.	14,	200	9				



3046

The Dow Chemical Company Midland, Michigan 48667

September 14, 2009

Overnight Mail

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, Virginia 22202-4501

RE: NOTIFICATION - EPA REG. NO. 464 -690 UCARCIDETM 225 Antimicrobial

To Whom It May Concern:

The Dow Chemical Company (Dow) hereby submits a Notification application to revise the container disposal statement on the label in response to PR Notice 2007-4. In order for the application to be processed the required Notification statement is below.

"This Notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject enforcement action and penalties under section 12 and 14 of FIFRA"

Enclosed are the following documents to support this Notification

1) Completed application, Pesticide Registration, Form 8570-1.

2) One marked copy of the label indicating the change highlighted in yellow.

3) Two copies of final label.

Please contact me if you have any questions or need additional information.

Chonda Vance-Mosser BM

Rhonda Vance-Moeser Senior Regulatory Specialist 574 Building, Office 2044 Midland, MI, 48667

Midland, MI 48667 Phone: (989) 636-1884

e-mail: rgvmoeser@dow.com

Enclosures

TM. Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

UCARCIDE

FOR USE BY MANUFACTURERS FOR FORMULATING INDUSTRIAL BACTERICIDES AND PRESERVATIVES. FORMULATORS USING THIS PRODUCT ARE RESPONSIBLE FOR PROVIDING DATA FOR THE EPA REGISTRATION OF THEIR FORMULATED PRODUCTS.

Active Ingredient: Glutaraldehyde

Inert Ingredients:

75%

Total

100%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

If swallowed:

- Call a poison control center or a doctor immediately for treatment advice.
 DO NOT INDUCE VOMITING.
- · Do not give anything to drink.

If in eyes:

- Wash immediately and continuously with flowing water for at least 30 minutes.
 Remove contact lenses after the first 5 minutes and continue washing. Obtain prompt medical consultation, preferably from an ophthalmologist.
 Call a poison control center or a doctor immediately for treatment advice.

If on skin or clothing:

- Take off contaminated clothing.
 Rinse skin immediately with plenty of water for 15-20 minutes.
 Call a poison control center or a doctor for treatment advice.

If inhaled:

- Move person to fresh air.
- · If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible.
- · Call a poison control center or a doctor for further treatment advice.

NOTE TO PHYSICIAN: Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage.

Have the MSDS and, if available, the product container or label with you when calling a poison control center or a doctor, or going for treatment.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Produced for:

DOM

EPA Reg. No. 464-690 EPA Est. No. 10352-WV-2 (A) ; 464-WV-1 (B)

(A) 5 gallon pails in pallets; all drums; bulk (B) Samples, 5 gallon pails less than pallet

(11208)PE1208

300x403 ံစ

The Dow Chemical Company

Midland, Michigan 48674 U.S.A. (989)636-4400

®TM Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow Made in U.S.A.

Net Contents: 5 or 55 gallons or Bulk

	itist Contants. 5 or 5			
,	CONTAINER SIZE TOTE 268.4 GALLONS	CONTAINER SIZE 55 GALLONS	CONTAINER SIZE	
-	2,375 POUNDS	486 POUNDS	44 POUNDS	•

IN CASE OF AN EMERGENCY endangering life or property involving this product, call gollect (989)636-4400.

> 0000

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR FORMULATION OF INDUSTRIAL BACTERICIDES AND PRESERVATIVES FOR USE IN :

- AIR WASHERS AND INDUSTRIAL SCRUBBING SYSTEMS, RECIRCULATING COOLING AND PROCESS WATER SYSTEMS INCLUDING THOSE THAT CONTAIN REVERSE OSMOSIS MEMBRANES, SERVICE WATER AND AUXILIARY SYSTEMS, HEAT TRANSFER SYSTEMS, WASTEWATER SYSTEMS INCLUDING WASTEWATER SLUDGE AND HOLDING TANKS
- BEET SUGAR MILLS AND BEET SUGAR MILL PROCESS WATER SYSTEMS
- PAPER MILLS AND PAPER MILL PROCESS WATER SYSTEMS, PIGMENTS AND FILLER SLURRIES FOR PAPER AND PAPERBOARD, WATER BASED COATINGS FOR PAPER AND PAPERBOARD
- FUNCTIONAL FLUIDS AND LUBRICANTS AND AQUEOUS METALWORKING FLUIDS ANDIN INDUSTRIAL, INSTITUTIONAL AND CONSUMER PROCESSES AND PRODUCTS IN AQUEOUS-BASED SOLUTIONS, SLURRIES AND EMULSIONS
- OIL WELL DRILLING, OIL FIELD PROCESSING APPLICATIONS, OIL FIELD WATER SYSTEMS, OIL AND GAS PRODUCTION AND TRANSMISSION PIPELINES AND SYSTEMS AND GAS STORAGE FIELDS AND EQUIPMENT SUCH AS STEAM-INJECTION WATER HOLDING TANKS, FLOOD WATER, FRACTURING FLUIDS, INJECTION WATER, HOLDING POND WATER, DISPOSAL-WELL WATER, WATER HOLDING TANKS, FUEL STORAGE TANKS AND RELATED REFINERY AND OIL FIELD CLOSED, INDUSTRIAL RECIRCULATING WATER HANDLING SYSTEMS
- ANIMAL PRODUCTION FACILITIES AND FARM EQUIPMENT SUCH AS: POULTRY & TURKEY HOUSES, SWINE HOUSING AND FARROWING AREAS, BARNS AND LARGE ANIMAL BUILDINGS, HATCHERS, SETTERS AND CHICK PROCESSING FACILITIES, CAGES AND TRANSPORT VEHICLES, AND HATCHING EGGS AND FOR SANITIZING INDUSTRIAL OR NON-FOOD CONTACT SURFACES SUCH AS EQUIPMENT FOR MIXING, PACKING, OR PACKAGING PRODUCTS, PRODUCT TRANSFER LINES, STORAGE TANKS, FLOORS, AND WALLS.

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or your Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Label option for nonrefillable containers of all sizes CONTAINER DISPOSAL: Nonrefillable Container. Do not resue or refill container. Triple or pressure rinse container (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Option to use for labels on refillable containers of all sizes

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning of the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean container before final disposal, empty contents into application equipment and triple rinse. Pour or pump rinsate into application equipment or rinsate collection system. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes irreversible eye damage. Causes skin irritation. Harmful if inhaled. Harmful if swallowed. Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Causes asthmatic signs and symptoms in hyper-reactive individuals.

Do not get in eyes, on skin, on clothing. Avoid breathing vapor. Do not swallow. Wear goggles, protective clothing, and butyl or nitrile gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND HANDLING

UCARCIDE™ 225 Antimicrobial is incompatible with many commonly used materials of construction such as steel, galvanized iron, aluminum, tin, and zinc. UCARCIDE™ 225 Antimicrobial can be stored and handled in baked phenolic-lined steel, polyethylene, stainless steel, or reinforced epoxy-plastic equipment. This product freezes at about 14° F (-10° C). Therefore, unless the storage tank is inside or underground, heating and insulation may be required. If heating is needed, exposure to high temperatures should be avoided. For short storage times (up to about 1 month), temperatures of up to 100° F (37.8° C) can be tolerated but the preferred maximum storage temperature is about 80° F (26.7° C). A stainless steel centrifugal pump is suggested for transfer service. Spiral-wound stainless steel with TEFLON® Polymer is suitable for gaskets and packing.

Handle in a well-ventilated area. If vapors are irritating to the nose or eyes, special ventilation or respiratory protection (MSHA/NIOSH approved air purifying respirator equipped with an organic vapor cartridge) may be required.

LIMITED WARRANTY AND DISCLAIMER

Seller warrants that the product conforms to its chemical description as contained on this label and is reasonably fit for the purposes stated on this label when used in accordance with directions under normal conditions of use. THE WARRANTIES MADE IN THIS PARAGRAPH ARE SELLER'S SOLE WARRANTIES WITH RESPECT TO THE PRODUCT AND ARE MADE EXPRESSLY IN LIEU OF AND EXCLUDE ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE AND ALL OTHER EXPRESS OR IMPLIED REPRESENTATIONS AND WARRANTIES.

BEFORE HANDLING OR USING THIS PRODUCT, SEE YOUR EMPLOYER AND READ CURRENT MATERIAL SAFETY DATA SHEET.



NOTICE

Do Not Ship or Store with Food, Feeds, Drugs, or Clothing

91257-01/08/2009